

**Directory of
Computer Assisted Research
in Musicology
1987**

**Walter B. Hewlett
Eleanor Selfridge-Field**

**Center for Computer Assisted Research in the Humanities
Menlo Park, CA
June 1987**

Directory of
Computer Assisted Research
in Musicology
1987

Walter B. Hewlett

Eleanor Selfridge-Field

Center for Computer Assisted Research in the Humanities
Menlo Park, CA
June 1987

© 1987 Center for Computer Assisted Research in the Humanities

Center for Computer Assisted Research in the Humanities
525 Middlefield Road, Suite 120
Menlo Park, CA 94025
(415) 322-7050
XB.L36@forsythe.stanford.edu
ccarh@ucbmsa.bitnet

Preface

The 1987 *Directory of Computer Assisted Research in Musicology* is significantly larger than its predecessors of 1985 and 1986. The main purpose of the *Directory* is to make information about current activities readily available. The Center collects technical information oriented towards academic use and reports of current and intended academic applications on an ongoing basis. Anyone engaged in an activity that seems compatible with the work reported here is invited to submit information for future inclusion. A few months before the publication of a new directory, the Center distributes a formal solicitation for contributions to everyone on its mailing list.

A great deal of academic activity related to musical research requires involvement with both text and music. We report on both these aspects of research. Because the technical challenge of dealing with musical information is so much greater than that presented by text, we include in each directory an article on some component of the complex process by which computers are increasingly being used to store and manipulate musical data. Input processes were considered in 1985. Music printing was the main topic in 1986. Ways of representing music provide the main focus of the current directory. We also continue our coverage of music printing with a provisional inventory of musical symbols desirable for critical editions of standard repertory, an update on music printing activities, a cumulative list of music encoding and printing systems and products (with a large number of illustrations), and a brief report on one effort of twenty years ago to print music by computer.

The balance of the directory consists of short news items (conferences, theses in progress, recently formed organizations and services), a log of current activities and applications, a brief dictionary of computer terminology in four languages (English, French, German, Italian), a short bibliography of recent and imminent publications of a comprehensive nature, and a series of address lists (individuals, businesses, agencies, and electronic mail users).

We are indebted to a great many contributors this year. We would like especially to extend our thanks to Stephen Dydo for compiling the inventory of musical symbols (which includes many suggestions made by respondents to one of our surveys) and for many other valuable contributions to the presentation of this directory; to Mario Baroni, Laura Callegari, Lelio Camilleri, Etienne Darbellay, and Christoph Schnell for their contributions to the four-language dictionary of computer terms; to Lelio Camilleri, Stephen Dydo, Michael Keller, Stephen Page, and Alastair Pearce for their efforts over the past year to expand our outreach; to the many software developers and other researchers who contributed examples of music printing and other illustrative materials; to all of those who contributed information about encoding systems and applications; to Jef Raskin for the photographs from his personal archives; and to Frances Bennion, Edmund Correia, Michael Flexer, and Esther Hewlett for their proofreading efforts and general assistance.

Menlo Park, CA
June 29, 1987

Table of Contents

The Representation of Musical Information in Machine-Readable Form	1
Examples of Musical Encoding Systems	3
Internal Representations	8
An Inventory of Musical Characters	23
Music Printing: An Update	26
Cumulative List of Music Encoding and Printing Systems and Products	27
An Early System for Printing Music	74
News	77
Standards for Musical Information	77
Recent Events	78
Forthcoming Events	80
Online Communications	80
Current Technical Research	81
Optical Scanning	81
Automatic Transcription	82
Other	85
Theses and Dissertations	85
Comprehensive Publications (Recent)	86
Resource List for Humanities Computing	87
Humanities Research Tools in Machine-Readable Form	88
Log of Current Activities and Applications	90
Bibliographies, Databases, and Editions	91
Bibliographies and Indices of Text	91
Bibliographies and Indices of Music	92
Databases of Text	96
Databases and Editions of Music	104
Textual Analysis	107
Musical Analysis and Analytical Methods (Specific)	109
General Applications in Musical Analysis and Information Processing	117
Data Structures and Representation Systems for Musical Analysis	117
Computational Music Theory	123
Musical Information Processing	124
Facilities and Integrated Systems	124
Programs of Study	126
Short Courses	127

Computer Terminology: a Four-Language Dictionary	128
Recent and Forthcoming Literature about the Discipline	134
Address Lists	135
Individuals	135
Businesses	145
Agencies	147
Electronic Mail Addresses	150

List of Illustrations

Music Representation:

1. DARMS	12
2. SCORE	14
3. Waseda University	16
4. Musicomp Terminal	17
5. Interactive Music System	18
6. CCARH	20
7. TELETAU	22

Music Printing: Proprietary Systems

8. Toppan Scan-Note System: Bach chorale	35
9. Toppan Scan-Note System: Bach prelude	36
10. Toppan Scan-Note System: Mozart clarinet quintet	37
11. Toppan Scan-Note System: orchestral score	38
12. Toppan Scan-Note System: piano score	39
13. A-R Editions, Inc.: Magnificat	40
14. A-R Editions, Inc.: orchestral score	41
15. Lasergraphics: hymn	42

Music Printing: Commercially Available Systems

16. Synclavier: Liszt piano score	43
17. Synclavier: Bach chorale	44

Music Printing: Software for Personal Computers

18. SCORE (Tandy 2000/IBM PC): part extraction; complex meters	45
19. SCORE: parameters for control of spacing	46
20. SCORE: special symbol sets	47
21. The Music Processor (TI Prof./IBM PC): Mozart quintet, Bach chorale	48
22. The Music Processor: two-stave reduction of five-part score	49
23. The Music Processor: editing and drawing capabilities	50
24. The Note Processor (IBM PC): keyboard score; complex meters	51
25. The Note Processor: Bach chorale (dot matrix output)	52
26. The Note Processor: Bach chorale (laser printer output)	53
27. The Copyist (Atari ST): Bach prelude	54
28. The Copyist: Bach chorale	55
29. Personal Composer II (IBM PC): Beethoven string quartet	56
30. Noteprocessor (Apple //): Bach St. Matthew Passion	57
31. Professional Composer (Macintosh): hymn	58
32. MusScript (Macintosh): Bach prelude	59
33. Theme (IBM PC): Bach chorale	60
34. Theme: Bach prelude	61
35. Oberon System II (HP Vectra/IBM PC): Mozart quintet	62
36. Oberon System II: Bach chorale	63

37. The Music Writer (IBM PC): Bach chorale	64
38. The Music Writer: miscellaneous capabilities	65
39. Deluxe Music Construction Set 2.0 (Macintosh): Bach chorale	66
40. Deluxe Music Construction Set 2.0: Mozart quintet	67
41. High Score (Macintosh): Bartok quartet (typesetter output)	68
42. High Score: Bartok quartet (laser printer output)	69
43. Oxford Music Processor (IBM PC): Handel keyboard fugue	70
44. ETH (Lilith workstation): non-coincident parts	71
45. ALPHA/TIMES (Macintosh): mass incipit in neumatic notation	72
46. Interactive Music System (PLATO): keyboard prelude	73

Current Technical Research: Optical Scanning

47. Fundamental Concepts (Mont-Reynaud, Stanford U.)	83
48. Sample of Recognizable Music (Ohteru Group, Waseda U.)	84

Applications: Databases of Text

49. Hill <i>et al.</i> /Historical Editions: List of fields in record	98
50. Mould/Harpsichord Makers: List of fields in record	99
51. UCB <i>et al.</i> /Italian Lyric Poetry: List of fields in record	100
52. RENARC: Sample of retrievable information	102

Applications: Musical Analysis

53. M. Kassler: Schenkerian derivation	108
54. D. Coombs: probability graphs	119

The Representation of Musical Information in Machine-Readable Form

The use of the computer for research in musicology is becoming increasingly more common. For many types of applications, the effectiveness of the computer as a research tool depends upon the success with which relevant musical data can be represented in a form which is intelligible to the machine.

This problem of representation, which has challenged musicologists for more than twenty-five years, has no apparent simple or single type of solution. The methods for representing musical information that have been developed over this period of time are many and varied. Several large scale efforts such as DARMS and MUSTRAN have met with reasonably good success. They have received high marks for their utility and completeness, and have gone on to produce important secondary efforts in music printing and analysis. Yet the acceptance and use of such systems is far from universal. In fact, today, more than twenty years after the beginning of the development of DARMS, there are new systems still being devised, and in terms of numbers of projects, the use of custom or special encoding systems far outweighs the use of such major standard systems. In order to gain a better understanding of why this is so, and to find out more about the activities of scholars and system designers in this area, the Center has conducted a survey on methods of music representation, the results of which are reported in this article.

To collect information on music representation, the Center included a section on music encoding in its annual questionnaire on computer applications in musicology. Our objective was to gain some idea about the variety and number of different systems currently in use, how these systems dealt with the problems of organizing and storing information, and finally, what issues needed to be resolved in order for musical information to be transferred from one system to another. Scholars involved in actual projects in musicology (end users) were presented with two simple musical examples and asked to indicate how this music would be encoded in their system. As part of a music printing update, system and software developers were sent four examples of a more complex nature and asked to provide information on musical encoding as well as a description of the internal representation used for storing data and for preparing data for printed output.

The response to this part of the end-user questionnaire was reasonably complete. Of a total of 95 responses describing projects involving the encoding of musical information, 22 indicated the use of well established coding systems such as DARMS, MUSTRAN or Plaine and Easie; 48 indicated the use of more recent encoding systems or of custom designed systems; six indicated the use of commercial software and 19 gave no indication of the kind of system being used. Of the 48 respondents using more recent or custom design systems, 15 sent in descriptions of their systems and another six indicated the use of systems for which the Center has descriptions from other sources.

The response from system and software developers was more variable. While commercial system and software developers were generally eager to demonstrate the music printing capabilities of their systems, they seemed less interested in discussing how they represented their musical data internally. Nevertheless, the Center did receive good responses from some important members of this group. System and software developers

working in an academic setting were generally more forthright in describing their input and internal representation systems.

Before proceeding with a description and analysis of the various encoding systems received by the Center, it is worth reviewing some of the factors of system design which influence the form that encoding systems take, their scope and versatility, their speed and ease of use as an input tool, and their suitability for various kinds of research and analysis.

1. Level of completeness. Some of the first people to work on the subject of music representation recognized the importance of distinguishing between a *code* and a *language*. In representing musical information there are many conceivable levels of completeness. Scholars working on a selected repertory for the purpose of answering defined questions may only need to consider information about pitch alone, about rhythm alone, or about pitch and rhythm without reference to dynamics or articulation. A simple code can be entirely adequate for a dedicated self-designed system. Encoding languages such as DARMS and MUSTRAN, on the other hand, seek to be able to encode any element of musical information from any repertory that is performed from common musical notation (CMN).

2. Intended uses of the data. Encoded musical information can in principle support many applications. It can be used to create sound, it can be used to create a score and/or parts for performance, and it can be used internally as a basis for analysis of perceived sound or of a notated composition. Schemes for representing music which are devised for specified purposes may contain elements of information that are irrelevant to other purposes. Beams offer a good example. A program for printing music must be able to deduce when a beam is necessary and determine from the internal representation the points where that beam starts and ends. Such information would be irrelevant to audio output. The MIDI representation offers another example of information that is adequately precise for one use but is too vague for another. The sounding pitch of the black note between F and G is represented in MIDI by a single integer derived from the chromatic scale. This representation is adequate for the purpose of audio output but does not carry sufficient information for printing or analysis, where discrimination between F# and Gb is a requirement.

3. Provision for expanded use. A particular system of encoding may be adequate for a dedicated task, but after a musical repertory is encoded, new uses for it may become apparent. Deciding which data attributes should be included to support unforeseen uses is a perennial responsibility of text-based projects. The incentive to avoid unnecessary encoding is based on considerations of storage space, processing time and ease of representation. The balance between these needs is sometimes difficult to strike in applications involving musical data.

4. Inclusion of interpretative data. In theory, scholars would normally prefer data that is "objective" or "unedited," but in practice many scholars enter into the computer data that is descriptive or already partly interpreted. Within the context of specific tasks, this can save encoding time and simplify analysis. Many encoding systems specify global accidentals in terms of a key or a key signature. Some systems also specify a "tonic" reference pitch. This information, which is sometimes difficult to deduce by computer, can be very helpful for certain types of analysis. In other cases, inclusion of such information is not helpful. For modal repertories in which a key signature is not related to a "key" in the

tonal sense and for some twentieth century repertoires in which sharps and flats may be found in the same "signature," the simple declarations of "key" or "key signature" cannot be used without obscuring attributes that may be vital to analytical issues.

5. Provision for shorthand representation. A good deal of encoding time and storage space can be saved by allowing certain musical attributes to be defined relative to previous information. The degree to which musical attributes can be relatively defined is a property of system design. For example, where pitch notation is represented by the letters A through G and a pitch register, the register needs to be specified only in those places where it actually changes. If a key signature is declared at the start of a piece, pitches may be identified by letter name only, with affected letters assumed to be altered in accordance with the key signature unless accidentals are notated. These examples of shorthand notation can actually improve the readability of the code. Information on note duration can also be condensed by indicating duration only in cases where the rhythmic values change. A succession of eighth notes, for example, may be indicated by a single code element. Such methods of shorthand have many obvious advantages but also need to be employed with caution, since errors in initial declarations can cause havoc in retrieving and interpreting the data, thus limiting the value of the results.

6. Methods of data organization. In representing music in the computer, it is generally necessary to deal with musical attributes independently. There is no natural order among these attributes. Some systems give pitch information followed by durational information on a note-for-note basis. Other systems give duration first, followed by pitch. Some systems encode pitch information for an entire sequence of notes, and then encode durational information for the same sequence. This approach is often referred to as a "two-pass" system. When entering information from several musical parts which sound simultaneously, data may be encoded either vertically as a series of simultaneous events, or horizontally as a series of individual parts of specified length. In general, flexibility in the methods of encoding and representing data will contribute to the versatility of a representation system but will also add to its complexity.

Examples of Musical Encoding Systems

The descriptions of the user-designed encoding systems received by the Center are interesting not only for the information they provide on current methods for representing musical data in machine readable form but also for the detail they provide on the kinds of data scholars are finding useful to put into the computer. For this reason, we have chosen to display all of the encodings we received for the two musical examples in the questionnaire.

In taking this approach, we have not attempted to provide explanations on how the various encoding systems function, beyond the comments provided by the respondents themselves. From our own study, it appears that the methods used for each encoding system are self-evident and that part of the value to be gained from studying these systems is acquired in the process of trying to figure them out. In most cases, we have not listed the names of the designers/encoders, since the emphasis here is not on individual systems but on features of commonality and difference. The listing below pairs the various encoding systems with the letters of the alphabet for purposes of identification.



A: Example 1 not encoded

Example 2

0 1 2 3 1 2 0 4 3 2 1 1 0

* pitches represented in mode 1

B: Example 1

%KS 1- %TS 12:8 *=BAR 1=* =1= (F5 G5 F5) 72 C6 48 (A5 F5 E5 F5) 96 R 48 F5
24 / [other voices in Bar 1 would follow; then --] *=Bar 2=* =1= (G5 F5 F5) 72 C5
48 (G5 A5 G5 F5) 96 - - -

* Example is assumed to be Bar 1, and "voice" number 1 of a multi-part texture.
Spaces are not significant.

Example 2

%KS 0 %TS 4:2 C3 192 (D3 E3 F3 D3) 192 / E3 48 C3 48 G3 192 F3 96 / J F3 96 E3
96 D3 144 D3 48 / C3 192

* Example is encoded as an isolated part. Bar numbers and voice numbers are not
required.

C: Example 1

F 2 1 5 3 1 -2 1 2 1 2 -4 2 3 2 1

Example 2

C 2 3 4 2 3 1 5 4 3 2 1

* System is concerned only with pitch class incipits. Rhythm, duration, and octave are
not included.

D: Example 1

[1%; 12/8; 3]: 3(f "q" f "), 2A(C" a"), 3(f "e" f "), ?2A(f ") | 3(q" f "q"), 2A(c" q"), 3(a" g" f ")

Example 2

[; 4/2; 1]: 1(c), 4(defd) | 3B(e g) - 2(gf) - | - 2(fe), 2A(dd) | 1(c)

E: Example 1

1 2 1 5 3 1 D7 U1 1 2 1 2 D5 U2 3 2 1

Example 2

1 2 3 4 2 3 1 5 4 3 2 1

F: Example 1

ff8 gg ff ccc4 aa8 ff ee ff r4 ff8 // gg ff gg cc4 gg8 aa gg ff

Example 2

c1 D4 E F D // E C G1 F2+ // F E D2. D4 // C1

* This code was worked out for short tunes of limited range, with ease of input for ordinary music readers a high priority.

G: Example 1

1 2 1 5 _ 3 1 - 7 1 0 ~ ~ 2 1 2 - 5 _ 2 3 2 1 ~ ~

* ~ = space. There is a headline for each song where the key-note (f) and the smallest duration of a tone (♩ = 08) are coded.

Example 2

1 _ _ 2 3 4 2 ~ ~ 3 1 5 _ _ 4 _ ~ ~ ^ 3 _ 2 _ . 2 ~ ~ 1 _ _

* ~ = space. Key-note = c, smallest duration (♩ = 04).

H: Example 1

event(F,5,0,1). event(G,5,1,1). event(F,5,2,1). event(C,6,3,2). etc.

* Implied format: event(pitch class, register, attack point, duration). No clefs, key signature, time signature. Coding is very minimal; intended for specific kinds of analysis, not score representation.

Example 2

event(C,3,0,4). event(D,3,4,1). event(E,3,5,1) . . . event(G,3,10,4). event(F,3,14,4).
event(E,3,18,2) . . .

I: Example 1

1,0,.5, 3,0,.5, 1,0,.5, 2,0,1, 5,0,.5, 1,0,.5, 6,0,.5, 1,0,.5, 0,1, 1,0,.5, 3,0,.5, 1,0,.5, 3,0,.5, 2,0,1,
3,0,.5, 5,0,.5, 3,0,.5, 1,0,.5,

Example 2

2,0,4, 4,0,1, 6,0,1, 1,0,1, 4,0,1, 6,0,1, 2,0,1, 3,0,4, 1,0,2, 1,0,2, 6,0,2, 4,0,3, 4,0,1, 2,0,4,

* where F = 1, C = 2, G = 3, . . . ; 0 indicates the following number is a duration value (measured in quarter notes); and the comma (,) denotes the use of data entry or "continue" key. [spaces added for clarity of presentation]

J: Example 1

/1/ = 12:8 = F48 G4 F4 C54 A48 F4 E4 F4 R4 F48 /2/ G4 F4 G4 C44 G48 A4 G4 F4

Example 2 not encoded

K: Example 1

[^ F/G/F/ C^ A/F/E/F/ R F/ | G/F/G/ C G/A/G/F/]

* No key signature or time signature. ^ means up octave. [^ . . .] means all notes up octave. / = half duration. Quarter note is default.

Example 2

[v C00 D E F D | E C G00 (F0 F0) E0 D0. D | C00]

* [v . . .] means all notes down octave. 0 = double duration. (. . .) = tie.



L: Example 1

```
key = f1; timesig = 12 8. f g f c> a f ev f _> f |
```

* assuming automatic beaming

Example 2

--- clef = b a >> "Glo" b "-" c d "-" b |

M: Example 1

\$ G&B 12:4\$ 8"F GF 4"C8"A FEF 4-8F / GF 4C8G AGF

Example 2

\$ F4 2:2\$ 1,C (Glo) 4DEFD/FC 1G 2F+ /FE 2.D 4D (ri)/ 1C (a)

N: Example 1

Key F

P: F4 G F C5 A F E F R (F G)2 C G A G F

R: (8)3 (4 (8)4)3

Example 2

P: C2 D E F D E C G F E (D)2 C

R: 1 (4)6 (1)2 2 2. 4 1

O: Example 1

tonal(-1).

temp(12,8).

$$\text{bar}([[1, \text{inst_id}], [f(4,e)], [g(4,e)], [f(4,e)], [c(5,q)], [a(4,e)], [f(4,e)], [e(4,e)], [f(4,e)], [r(,q)], [f(4,e)]]).$$
$$\text{bar}([[2], \text{ints_id}], [[g(4,e)], [f(4,e)], [g(4,e)], [c(4,q)], [g(4,e)], [a(4,e)], [g(4,e)], [f(4,e)], \dots]$$

* This shows the format in database. Input is done using interactive system.

Example 2

tempo(8,4).

$$\text{bar}([[1], \text{voice}], [[c(2,w)], [d(2,q)], [e(2,q)], [f(2,q)], [d(2,q)]]).$$
$$\text{bar}([[2], \text{voice}], [[e(2,q)], [c(2,q)], [g(2,w)], [f(2), \text{tie start}]]).$$

bar([[3], voice], [[f(2,h),tie end], [e(2,h)], [d(2,dh)], [d(2,e)]]).

```
bar( [ 4], voice ], [ c(2,w)],....
```

P: Example 1

K = b T = 12/8 F+1 QJ G F C+2 CR A+2 QJ F+1 E F R CR
Example 2 not encoded

Q: Example 1

23!G !K1- !M12:8 (28ED 30ED 29ED) 33QD 31ED etc.
!G !K- !M12:8 (9 30 9) 33Q 31E (9 8 9) RQ 9 / (30 9 30) 26Q 30E (31 30 9)
!G !K- !M12:8 9E(10 9) 13Q 11E 9(8 9) RQ 9 / 10(9 10) 6Q 10E 11(10 9)
!G !K1- !M12:8 (9 30 9) 33Q 31E (9 8 9) RQ 9E / (30 9 30) 6Q 30E (31 30 9)
* DARMS encoded by Harry Lincoln, Bruce McLean, Stephen Dydo and
Stefan Bauer-Mengelberg

Example 2

!F !MC| !&, 4W 5Q 6 7 5 / 6 4 8W 7HJ / 7 6 5. Q / 4W &, @Glo-, ~ / 2WH., ri-, ~ Q, a\$ &\$
!F !MC/ 4W, @Glo-\$ 5Q 6 7 5 / 6 4 8W 7HJ / H 6 5. Q, @ri-\$ / 4W, @a\$
!F !M 4W, @ GLO-\$ 5QD 6 7 5D / 6 4 8W 7HJ / 7 6 5.D QD, @RI-\$ / 4W, @A\$
* DARMS encoded by McLean, Dydo and Bauer-Mengelberg

Letter Q shows four different ways to encode the musical examples using DARMS. The design of DARMS actually permits many types of shorthand representation. The version submitted by Harry Lincoln for example 1 illustrates the unabridged or "canonical" version of the DARMS code. The other versions represent various possible condensations of this code. DARMS also offers considerable flexibility in the order of data entry. For the second musical example, Bruce McLean has chosen to enter the text after encoding the complete musical phrase, whereas Stephen Dydo and Stefan Bauer-Mengelberg have chosen to enter the text simultaneously with the music.

The flexibility of DARMS, as illustrated in these examples, is one of its strong points. However, the variety of representations made possible by this feature has made it difficult to write application programs which accept all versions of DARMS. Bruce McLean has been working on a program which will solve this problem by converting all shorthand and multiple pass representations into a three-dimensional data structure, which can then be collapsed down into the canonical version of the language.

Most of the other systems shown above fall into the category of music *codes* rather than music *languages*. They reflect the individual requirements of their designers and for the most part contain only the information needed for specific projects [see comments under F and H]. In some cases, researchers are interested only in melodic contours and ignore rhythmic attributes such as duration, rests and repeated notes [systems A, C and E]. Some encoding systems deal only with pitch class and ignore register or range [systems C and I]. Some systems are concerned only with absolute duration [H and N], while other systems are interested in the structure of ties [systems B, D, F, G, I, K, M, O, Q]. Some systems show a further interest in note groupings for beaming or other purposes [systems D, M and Q]. System D is particularly noteworthy in this respect, since in the interest of representing a particular rhythmic pattern, it actually inserts a tie (2nd example, 2nd measure) into the representation.

The attributes of pitch and duration are present in most music representation systems. There is, however, a wide variation in the way systems represent these basic attributes. This fact is well illustrated in our set of examples. Here we see two broad categories of pitch representation; representation by the musical letters, A -- G, and representation by numbers. Most of the systems that use letters [systems B, D, F, H, J, K, M, N and O] also indicate a register. This may be done by indications of register change [systems K and P], by repetition of characters [systems D, F and M], or by numbers [systems B, H, J, N, O]. The most common method of representing pitch by number is in relation to a "tonic" pitch [systems A, C, E and G]. The DARMS system represents pitch as a number relative to the staff lines.

For duration, there are at least six methods of representation; (a) letters indicating note types [systems O, P and Q], (b) numbers indicating note types, e.g. 0 = breve, 1 = whole note, etc. [no examples here], (c) numbers indicating inversions of the division of the whole note [systems F, J, M and N], (d) duration as a multiple of a fixed unit [systems B, I and K], (e) duration as a multiple of a variable unit [systems D, G and L], and (f) duration measured in absolute time values. For types d and e, the multiple may be indicated by a number or by other combinations of signs.

Most of the systems above employ some sort of shorthand for pitch and/or duration. Only two of the systems [L and Q] accommodate the presence of text. This is a reflection of the practical nature of these encoding systems and their focus on particular applications.

Internal Representations

The Center received several responses to its request for descriptions of internal representations of musical data. In most cases, respondents chose their own examples to illustrate their systems, rather than using the music printing examples sent out by the Center. This proved to be an advantage, since the examples sent in actually covered a greater range of music representation problems than the examples chosen by the Center. To illustrate some of the methods and techniques of representation currently in use, seven examples with musical excerpts and corresponding internal representations are presented. In some cases, an encoded input string or a second representation is also given. All illustrations of music and encoding are located at the end of the article.

It is important to make a distinction between musical encoding schemes and the input process itself. A stream of input code, once it has been entered into the computer, is actually a form of internal representation.

Internal representations can be divided into four broad classifications. For reference purposes, these may be called music/ASCII-code, music/logical, music/parametric, and music/graphic. A possible fifth category, music/acoustic, is outside the scope of the current discussion. The distinction between these classifications is not totally precise, since the representation of musical notation in the computer is itself an abstract concept. The above classification is really an attempt to provide a framework for thinking about the various stages of musical data representation as the data moves from the input process to the various output processes of display, printing, analysis and sound.

The first classification, *music/ASCII-code*, covers musical encoding systems of the type discussed earlier in this article. What makes encoding schemes different from other kinds of internal representation is that most encoding schemes take the form of unstructured character strings. The *music/logical* form of representation is best described as an encoding scheme that has been organized into logical records. In this form, it closely represents the logical meaning of the musical score itself. The next stage of representation, *music/parametric*, includes all the information of the *music/logical* representation but presents this data as a list of objects (notes, rests, beams, etc.) whose attributes are described in terms of specified parameters. Data in this form is well suited for editing, since the parameters are easy to get at and change. Most music printing programs process their data in this form. The final stage (when moving toward music printing) is *music/graphic*. This form of representation is closely related to the actual printing process. Examples might include font-lists with X-Y coordinates or strings of redefined ASCII characters which translate directly into music graphics.

The first musical example, submitted by Stephen Dydo, is a two-measure excerpt of keyboard music with some unusual rhythmic properties. The first measure sets eighth-note triplets against regular eighth notes. The second measure has a ratio of five written eighths in the time of three metric eighths. The excerpt is represented as a DARMS string and also in *music/parametric* form. The parameters are closely related to the DARMS code. The first parameter signals what kind of musical object is being described. E = eighth note; Q = quarter note, H = half note, / = bar line, & = marker and R = ratio designator. The parameters for notes include the horizontal coordinate, the vertical position on the staff, accidental signs (if any) and their horizontal placement, stem direction and beaming information.

The second example, representing the SCORE system of Leland Smith, shows the first two measures of J. S. Bach's sonata for solo violin in A minor, BWV 1003. Special problems of interest in this example include the shifting of various characters to avoid overstriking, the complexity of the beam structures, the placement of five thirty-second notes in the time of one eighth (measure 1) and the shape and placement of the slurs. The input code is given for the top line only and consists of three passes: for pitch, for duration, and for beams and ties. Like the previous example, the internal representation is of the *music/parametric* type. The first parameter indicates the nature of the musical object being described: 1 = note, 5 = slur or tie, and 6 = beam. In the case of notes, the remaining parameters provide information about staff number, the horizontal displacement, the vertical position, the stem direction and accidental, the type of note (white or black), the note's rhythmic value (1.00 = quarter note), the extension of stem length, and other types of descriptive information. Parameters for beams indicate start and stop points as well as the number and placement of secondary beams.

The third example, submitted by the Ohteru group at Waseda University in Japan, includes such special features as fingerings for the notes and indications of dynamics and articulation. The representation belongs to the *music/logical* type. It consists of a list of data records organized according to the logical structure of the music. In comparison to the previous two examples, the representation provides less descriptive information about the placement of musical notes, beams and slurs. The computer would be expected to calculate this extra information as part of the process of printing the musical example. In so doing, a parametric list similar to those shown above would be created.

The fourth example is one of the musical excerpts sent out for music printing by the Center. The internal representation, as well as the printed result, were offered by Armando Dal Molin. According to Dal Molin's description, the input process is based on a protocol called PCS (for Pitch, Character, Space), where the Y-coordinate of a notational object is provided by the "pitch attribute," and information on the object itself is provided by the character. The X-coordinate is advanced to the right by successive taps of the space bar; one tap for the smallest metric unit of the line, two taps for the next higher value and so on for each increment of meter. The internal representation achieved by this method is extremely compact. It is also difficult to decipher, if one is unfamiliar with the system. The representation shown in the example is a "hex dump," with each pair of characters representing one byte of information.

The fifth example, provided by Kurt Hebel at the University of Illinois, shows a representation in the OPAL music language, which was developed at Illinois as part of the Interactive Music System. This language, which is used to create, edit and prepare music for printing or for playback, can also function as a representation system on its own. The representation is a good example of the music/logical type. It is versatile and compact, easy to read and understand. The program that prints music from the OPAL representation makes several passes through the data, gathering information and storing it in temporary nodes linked to the main data structure. This process is equivalent to building a parametric data list for the various musical events to be represented.

The sixth example shows two of the internal representations in use at CCARH. The representations are for pitch and duration only. The first representation, a music/logical type, shows the first seven measures of Bach's fugue in E-flat, BWV 852, from the first book of the *Well-Tempered Clavier*. The three voices of the fugue are stored in separate files. Each file has its own "header" containing information about the piece and defining the internal parameters of the file. As a data structure, the design is quite crude, but the information is clearly represented and easy to read and edit, if necessary. The second representation, which is of the music/parametric type and is for the top voice only, was generated directly from the data on the preceding page as a first step to printing out the top voice as shown.

The seventh example, provided by Lelio Camilleri, shows the TELETAU representation for the Bach fugue used in example 6. Like the previous system, the representation covers pitch and duration only. While the musical data represented in the two systems are identical, the TELETAU representation does not organize the data into logical records based on the structure of the music itself. It is basically a series of ASCII strings, broken up into fixed lengths and terminated by semicolons. It is a good example of the music/ASCII-code type of representation.

The representation systems described above are but a small sample of the work that has been done in this area. The MIPS committee [see p. 77], which has been convened to examine various aspects of the problem of the communication of musical information in machine-readable form, has compiled an impressive library of publications and other documents on the subject. The problem of communication does not seem as severe for music scholars as it does for publishers and commercial system and software developers. This is because scholars are more willing to share information about how their systems work. The amount of information on representation collected by the Center and reported

in this article is a testimony to scholars' willingness to explain their procedures. The principles of music representation for most applications of interest to scholars are actually quite simple and straightforward, as the examples of encoding systems show. For more advanced applications such as music printing, such open systems as DARMS and MUSTRAN provide excellent vehicles for the input and communication of music. Only a small percentage of respondents to the Center's questionnaire indicated the use of commercial software for their research. While the work of the MIPS committee is extremely important and the benefits to be gained from a standard language for music representation are tremendous, scholars fortunately do not need to wait for this work to be completed before attempting to exchange musical data. Current methods of representation, when adequately explained, will serve the purpose admirably.

Illustration 1 **Music Representation -- 1** **DARMS**

Musical example:

Input code:

```

!I1 !G,!F !M3:4,18@\40\Adagio$ !& !U 4*E( 8*) 13*( 4) 8( 13) / 4*Q 1* -1* > /
& !D !R3 -1#E( -4#,-14@\66\3$ -1) -4( -1#,-14@3$ -4) -1( -4,-14@3$
-1) $R / -1#H,-4# / $& $D !-50
!M3:4 6-Q.> 7*Q.> / !RS 6-E( 7* 6,-4@5:3$ 7 6) 7( 6 7,-4@5:3$ 6 7) /

```

Principles of encoding:

1. Pitch and register: in DARMS pitch is encoded purely by identifying (a) clef and (b) staff position [bottom line = 21, top line = 29]. The tens digit is commonly suppressed.
2. Duration: represented by capital letters [W = whole, H = half, R = rest].

Information and example provided by Stephen Dydo

Internal representation:

SAM3.SPA												
1:	999		257		0	0		1	0		1440	
2:	M		68		0	0		0	0		0 0	
3:	a		88		18	0		A	d		0	
4:	&		0		0	0		0	0		0	
5:	E	N		136		4	0		*	20		0
6:	E	N		246		8	0		*	20		0
7:	E	N		348		13	0		*	20		0
8:	E	N		458		4	0		0	85		0
9:	E	N		560		8	0		0	85		0
10:	E	N		662		13	0		0	85		0
11:	/		764		999	0		0	0		0 0	
12:	q	N		824		4	0		*	20		0
13:	q	N		1033		1	0		*	20		0
14:	q	N		1241		-1	0		*	20		0
15:	o		1241		999	0		>				
16:	/		1440		999	0		0	0		0 0	
17:	&		0		0	0		0	0		0	
18:	R		2		3	0		0	0		0	
19:	E	N		136		-1	0		#	20		0
20:	E	N		203		-4	0		#	20		0
21:	a		203		-14	0		3				
22:	E	N		289		-1	0		0	68		0
23:	E	N		348		-4	0		0	68		0
24:	E	N		415		-1	0		#	20		0
25:	a		415		-14	0		3				
26:	E	N		501		-4	0		0	68		0
27:	E	N		560		-1	0		0	68		0
28:	E	N		619		-4	0		0	68		0
29:	a		619		-14	0		3				
30:	E	N		705		-1	0		0	68		0
31:	'R		1		1	0		0	0		0	
32:	/		764		999	0		0	0		0 0	
33:	H	N		824		-4	0		#	36		1
34:	-H	N		824		-1	0		#	20		0
35:	/		1440		999	0		0	0		0 0	
36:	999		513		0	0		1	0		1440	
37:	M		68		0	0		0	0		0 0	
38:	q	N		136		6	0		-	20		1
39:	o		136		999	0		>				
40:	q	N		458		7	0		*	20		1
41:	o		458		999	0		>				
42:	/		764		999	0		50	0		0 0	
43:	R		3		5	0		0	0		0	
44:	E	N		824		6	0		-	20		0
45:	E	N		889		7	0		*	20		0
46:	E	N		946		6	0		0	68		0
47:	a		946		-4	0		5	:	3		
48:	E	N		1003		7	0		0	68		0
49:	E	N		1080		6	0		0	68		0
50:	E	N		1137		7	0		0	68		0
51:	E	N		1194		6	0		0	68		0
52:	E	N		1271		7	0		0	68		0
53:	a		1271		-4	0		5	:	3		
54:	E	N		1328		6	0		0	68		0
55:	E	N		1384		7	0		0	68		0
56:	/		1440		999	0		50	0		0 0	

Illustration 2

Music Representation -- 2 SCORE

Musical example:



Input code:

```
IN 1 0 0 .8
2 200 1
su/TR/T99 1/PA3:A4:C:E/GS3/F5/E/D/C/B/A/IGS/A//B/C/D/E//M/
F/E/D/C/B//A/GS/A/GS/FS/E/DN/FN/E/D/C/D/B/M;
Q/32///64//S///E/S/40X5/S/S/32/S/32/E/
32//S/E/S//S/32X4/64/;
TR 7 25 28;
2B;
3 8/11 +12/13 18/22 23/24 +25/29 30/32 37;
```

Principles of encoding:

1. Pitch and register: pitch and register are encoded using letter name and octave number respectively.
2. Duration: represented in a separate pass (here, lines 5 and 6) using both letters and numbers (Q = quarter, 32 = 32nd note), with a '/' for repetition.


Information and example provided by Leland Smith

[illegible]

Illustration 3 Music Representation -- 3 Waseda University: Automatic Translation of Printed Music into Braille

Waseda University has two representation systems. The one shown here from the Braille music system, serves the functions of performance, score display, and music editing.

Musical example:



Internal representation:

```

/* Note: Words between '/*' and '*/' are remarks. */
/* Characters 'p' and 'm' are indicators for 'parallel' and 'measure' */
/* 00 = (.....), ff = (11111111) */

/* Every parallel consist of 1 bar, 2 line */
p m 00 00 /* 1st bar */
a0 01 01 00 00 /* G clef */
a0 02 01 00 00 /* Key signature */
a0 03 00 01 00 /* time signature */
c0 11 00 00 00 /* mezzo forte */
b0 11 01 00 00 /* beginning of slur */
47 11 00 00 (.1.....) /* 4th octave, B: 8th note: finger 1 */
51 11 00 00 (.1.....) /* 5th octave, C: 8th note: finger 2 */
52 11 00 00 (.11.....) /* 5th octave, D: 8th note: finger 3 */
53 11 00 00 (1.....) /* 5th octave, E: 8th note: finger 4 */
52 12 00 00 (.11.....) /* 5th octave, D: 4th note: finger 3 */
b0 11 80 00 00 /* end of slur */
55 12 00 00 (1.1.....) /* 5th octave, G: 4th note: finger 5 */
m 00 01
a0 01 03 00 00
a0 02 01 00 00
a0 03 00 01 00
00 12 00 00 00 /* quarter rest */
37 12 80 00 (.11.....) /* 3rd octave, B: quarter chord: finger 3 */
42 12 00 00 (.1.....) /* 4th octave, D: quarter note: finger 1 */
37 12 80 00 (.....) /* 3rd octave, B: quarter chord */
42 12 00 00 (.....) /* 4th octave, D: quarter note */
37 12 80 00 (.....) /* 3rd octave, B: quarter chord */
42 12 00 00 (.....) /* 4th octave, D: quarter note */
p m 00 00 /* 2nd bar */
a0 01 01 00 00
a0 02 01 00 00
b0 11 01 00 00
55 12 00 (.1.....) (1.....) /* note with accent */
54 11 00 00 (.....)
53 11 00 00 (.....)
b0 11 80 00 00
52 14 00 00 (.....)
m 00 01
a0 01 03 00 00
a0 02 01 00 00
00 12 00 00 00
41 12 80 00 (.1.....)
42 12 00 00 (.1.....)
41 12 80 00 (.....)
42 12 00 00 (.....)
41 12 80 00 (.....)
42 12 00 00 (.....)

```

Illustration 4 **Music Representation -- 4** **Musicomp Terminal Entry System**

Musical example:

QUARTET

Violin I

Violin II

Viola

Cello

Internal representation:

```

1B2F:8000 08 21 99 F0 95 68 81 20-98 68 81 20 99 5E 99 F0
1B2F:8010 95 68 81 20 98 68 81 20-99 5E 99 F2 94 68 81 20
1B2F:8020 97 68 81 20 99 5E 99 F1-93 68 81 20 96 68 81 20
1B2F:8030 99 5E 96 1E 99 24 99 24-81 20 A3 7F A3 1B 51 55
1B2F:8040 41 52 54 45 54 1B 81 20-94 7F 94 1B 56 69 6F 6C
1B2F:8050 69 6E 20 49 1B 81 20 98-2D 9B 6D 82 20 98 6D 82
1B2F:8060 20 9D 6D 82 20 98 6D 82-20 9F 6D 82 20 98 6D 98
1B2F:8070 2D 82 20 99 7C 99 70 82-20 98 2D 9D 6D 82 20 98
1B2F:8080 6D 82 20 9B 6D 82 20 98-6D 82 20 98 6D 82 20 98
1B2F:8090 6D 98 2D 82 20 99 7C 99-70 82 20 98 2D 9B 6D 82
1B2F:80A0 20 98 6D 82 20 9D 6D 82-20 98 6D 82 20 9F 6D 82
1B2F:80B0 20 98 6D 98 2D 82 20 99-7C 99 70 82 20 98 2D 9D
1B2F:80C0 6D 82 20 98 6D 82 20 9B-6D 82 20 98 6D 82 20 98
1B2F:80D0 6D 82 20 98 6D 98 2D 82-20 99 7C 99 70 82 20 98
1B2F:80E0 2D 9B 6D 82 20 98 6D 82-20 9D 6D 82 20 98 6D 82
1B2F:80F0 20 9F 6D 82 20 98 6D 98-2D 82 20 98 7C 99 70 99
1B2F:8100 0D 9A 24 81 20 9A 7F 94-1B 56 69 6F 6C 61 1B 81 20
1B2F:8110 49 49 1B 81 20 81 20 92-2C 82 20 82 20 96 72 82
1B2F:8120 20 92 3D 92 2C 82 20 92-2C 82 20 92 2C 92 3D 82
1B2F:8130 20 99 7C 9A 70 82 20 98-3D 94 2C 82 20 92 2C 82
1B2F:8140 20 96 2C 82 20 92 2C 82-20 98 2C 82 20 92 2C 92
1B2F:8150 3D 82 20 99 7C 9A 70 82-20 96 3D 96 2C 82 20 92
1B2F:8160 2C 82 20 94 2C 82 20 92-2C 82 20 92 2C 82 20 92
1B2F:8170 2C 92 3D 82 20 92 7C 9C-70 82 20 98 3D 94 2C 82

1B2F:8180 20 92 2C 82 20 96 2C 82-20 92 2C 82 20 98 2C 82
1B2F:8190 20 92 2C 92 3D 82 20 92-7C 9A 70 82 20 96 3D 96
1B2F:81A0 2C 82 20 92 2C 82 20 94-2C 82 20 92 2C 82 20 92
1B2F:81B0 2C 82 20 92 2C 92 3D 82-20 92 7C 9A 70 99 0D 9A
1B2F:81C0 24 81 20 9A 7F 94 1B 20-56 69 6F 6C 61 1B 81 20
1B2F:81D0 81 20 95 6D 82 20 82 20-95 79 82 20 82 20 95 79
1B2F:81E0 82 20 82 20 95 7C 9A 70-82 20 91 2C 82 20 82 20
1B2F:81F0 93 2C 82 20 82 20 95 6D-82 20 82 20 95 7C 9A 70
1B2F:8200 82 20 93 2C 82 20 82 20-91 2C 82 20 82 20 95 79

```

Example and hexadecimal representation supplied by Armando Dal Molin

Illustration 5
Music Representation -- 5
Interactive Music System

Musical example:



Principles of representation:

The music is entered from an electronic keyboard with a metronome. The resulting file contains data that has been automatically interpreted. Each "event" has three components: octave specification (numerical), pitch name (lower case letter), and duration (numerical). Numbers are not reiterated when there is no change from the preceding event.

Information and example provided by Kurt Hebel

OPAL source code:

```

staff      s
staff      a
staff      b
s:         treble key c minor
a:         treble key c minor
b:         treble key c minor
time       2,4
tempo      72,4
*
*
measure 1
format     systems 1,6
print      (s,a),b
s:         5a16 g f g d8 bn
a:         3b4 bn16 4g d f
b:         r2
measure 2
s:         5c4 r16 c 4bn 5c
a:         4e16 d e c f4t
b:         r2
measure 3
s:         4g2
a:         4f16 e d f e8 d
b:         r4 r16 4c 3bn 4c
measure 4
s:         r16 5e 4g 5c 4e8 g
a:         4e2
b:         3g8 4c r16 c 3bn 4c
measure 5
s:         r16 5f 4a 5c 4f g a8
a:         4f2t
b:         3a8 4c r16 c 3bn 4c
measure 6
s:         r16 4g 5e d g d c d
a:         4f8 gt g8d bn16
b:         4d16 3bn an b g 4f e32 f d16
measure 7
s:         5e16 g f+ g e4t
a:         5c4t c16 c 4bn 5c
b:         4c16 e 3g 4c 3e8 g
measure 8
s:         5e16 f e f d4t
a:         4a4t a16 b an b
b:         r16 3a 4c 3a b8 4d
measure 9
s:         5d16 e d e 4b8 5e
a:         4g2
b:         4e4t e16 bass 3g 2b 3e
measure 10
s:         r16 5e d e c8 e
a:         4g4 a
b:         2g8 b r16 3a c e

```

Illustration 6 Music Representation -- 6 CCARH

Musical example:



Logical representation of keyboard input:

852 2	Ef5 1	852 2	Ef4 1	852 2
Kalmus/Bisch	F5 1	Kalmus/Bisch	C4 1	Kalmus/Bisch
off 1883	G5 1	off 1883	G4 1	off 1883
	Af5 1		Ef4 1	
3 1	F5 1	3 2	C4 1	3 3
37 -3 16 4	Bf4 1	37 -3 16 4	D4 1	37 -3 16 4
4 4 0 1 2	Af5 1	4 4 0 1 2	Bf4 1	4 4 1 1 2
measure 1	G5 2	measure 1	Ef4 1	measure 1
Bf4 1	Ef5 1	rest 16	C5 1	rest 16
G4 1	G5 1	measure 2	measure 6	measure 2
F4 1	C6 4-	rest 16	D5 2	rest 16
G4 1	measure 5	measure 3	Df5 2	measure 3
Ef4 1	C6 2	Ef4 1	C5 2	rest 16
Af4 1	D5 1	D4 1	Bf4 2	measure 4
G4 1	F5 1	C4 1	Af4 1	rest 16
Af4 1	Bf5 6	D4 1	G4 1	measure 5
C5 2	C5 1	Bf3 1	Af4 1	rest 16
Bf4 2	Ef5 1	Ef4 1	Bf4 1	measure 6
rest 2	Af5 2	D4 1	C5 4-	Bf3 1
A4 1	G5 2	Ef4 1	measure 7	G3 1
F4 1	measure 6	G4 2	C5 1	F3 1
measure 2	F5 4	F4 2	Bf4 1	G3 1
Ef5 2	G5 2	rest 2	C5 1	Ef3 1
D5 2	D5 2	D4 1	D5 1	Af3 1
C5 4	Ef5 6	Bf3 1	Ef5 1	G3 1
Bf4 1	F5 2	measure 4	C5 1	Af3 1
F5 1	measure 7	Af4 2	G4 1	C4 2
D5 1	G5 6	G4 2	Ef5 1	Bf3 2
Bf4 1	A5 2	F4 4	D5 2	rest 2
Af4 1	Bf5 8-	Ef4 1	F5 2	A3 1
F5 1	.	Bf4 1	D5 2	F3 1
D5 1	.	G4 1	Bf4 2	measure 7
Af4 1	.	F4 1	.	Ef4 2
measure 3		Ef4 1	.	D4 2
G4 2		C5 1	.	C4 4
Af5 2		A4 1		Bf3 1
G5 2		F4 1		F4 1
F5 2		measure 5		D4 1
Ef5 1		D4 1		Bf3 1
C5 1		A4 1		Af3 1
D5 1		F4 1		F4 1
Ef5 1		Ef4 1		D4 1
F5 4-		Df4 1		Af3 1
measure 4		Bf4 1		.
F5 1		G4 1		.

Principles of logical representation:

1. Pitch is represented by letter, register by the number immediately following.
2. Representation of duration depends on the meter; here 4 = quarter, 2 = eighth, 1 = sixteenth, etc.

Musical example:

J. S. BACH MUSICAL DATABASE

BWV. #852, Movement 2

Track 1 of 4



Parametric representation of top voice only:

Internal Representation of Measures 1 -- 7

measure 1										measure 4									
28	0	1	3	0	0	0	2	25	1	32	0	1	3	0	0	0	2	29	2
26	0	1	3	0	0	0	3	23	1	31	0	1	3	0	0	0	3	28	2
25	0	1	3	0	0	0	3	22	1	32	0	1	3	0	0	0	3	29	2
26	0	1	3	0	0	0	1	23	1	33	0	1	3	0	0	0	1	30	2
24	0	1	3	0	0	0	2	21	1	34	0	1	3	0	0	0	2	31	2
27	0	1	3	0	0	0	3	24	1	32	0	1	3	0	0	0	3	29	2
26	0	1	3	0	0	0	3	23	1	28	0	1	3	0	0	0	3	25	2
27	0	1	3	0	0	0	1	24	1	34	0	1	3	0	0	0	1	31	2
29	0	2	4	0	1	0	2	26	2	33	0	2	4	0	1	0	2	30	2
28	0	2	4	0	1	0	1	25	2	31	0	1	3	0	0	0	3	28	2
100	0	2	4	0	1	0	0	0	0	33	0	1	3	0	0	0	1	30	2
27	1	1	3	0	0	0	2	24	1	36	0	4	5	0	2	1	0	33	2
25	0	1	3	0	0	0	1	22	1	measure 5									
measure 2										36	0	2	4	0	1	0	2	33	2
31	0	2	4	0	1	0	2	28	2	30	0	1	3	0	0	0	3	27	2
30	0	2	4	0	1	0	1	27	2	32	0	1	3	0	0	0	1	29	2
29	0	4	5	0	2	0	0	26	2	35	0	4	5	0	2	1	0	32	2
28	0	1	3	0	0	0	2	25	2	35	0	2	4	0	1	0	2	32	2
32	0	1	3	0	0	0	3	29	2	29	0	1	3	0	0	0	3	26	2
30	0	1	3	0	0	0	3	27	2	31	0	1	3	0	0	0	1	28	2
28	0	1	3	0	0	0	1	25	2	34	0	2	4	0	1	0	2	31	2
27	0	1	3	0	0	0	2	24	2	33	0	2	4	0	1	0	1	30	2
32	0	1	3	0	0	0	3	29	2	measure 6									
30	0	1	3	0	0	0	3	27	2	32	0	4	5	0	2	0	0	29	2
27	0	1	3	0	0	0	1	24	2	33	0	2	4	0	1	0	2	30	2
measure 3										30	0	2	4	0	1	0	1	27	2
26	0	2	4	0	1	0	2	23	2	31	0	6	5	1	2	0	0	28	2
34	0	2	4	0	1	0	3	31	2	32	0	2	4	0	1	0	0	29	2
33	0	2	4	0	1	0	3	30	2	measure 7									
32	0	2	4	0	1	0	1	29	2	33	0	6	5	1	2	0	0	30	2
31	0	1	3	0	0	0	2	28	2	34	1	2	4	0	1	0	0	31	2
29	0	1	3	0	0	0	3	26	2	35	0	8	6	0	4	1	0	32	2
30	0	1	3	0	0	0	3	27	2										
31	0	1	3	0	0	0	1	28	2										
32	0	4	5	0	2	1	0	29	2										

Principles of parametric representation:

P1 = pitch (diatonic), P2 = accidental, P3 = duration, P4 = note type
P5 = dot, P6 = space code, P7 = tie, P8 = beam code, P9 = position on staff, P10 = stem direction

Illustration 7
Music Representation -- 7
TELETAU

Musical example:



Input code:

DIVISIONE MUSICOLOGICA DEL CNUCE/C.N.R.
 CONSERVATORIO DI MUSICA "L. CHERUBINI" FIRENZE
 J.S.BACH - THE WELL TEMPERED CLAVIER - FUGUE NO. 7 VOL. I -
 ;
 ;
 !1! T52 V100 -3 4B.24 G F G E A G A 5C.48 4B P AN.24 F
 5E.48 D C.96 4B.24 5F D 4B A 5F D 4A G.48 5A.48 G F E.24 C D
 E F1.20 E.24 F G A F 4B 5A G.48 E.24 G 6C1.44 5D.24 F B1.44
 C.24 E A.48 G F.96 G.48 D E1.44 F.48 G1.44 AN.48 B2.16 B.24
 G E DF B G DF C.48 E A1.20
 ;
 !2! T52 V100 (P3.84)2 4E.24 D C D 3B 4E D E G.48 F P D.24 3B
 4A.48 G F.96 E.24 B G F E 5C 4AN F D AN F E DF B G E C G E C
 D B E 5C D.48 DF C 4B A.24 G A B 5C1.20 4B.24 5C D E C 4F 5E
 D.48 F D 4B 5E P1.92 E.48 C 4A
 ;
 !3! T52 V100 (P1.92)10 3B.24 G F G E A G A 4C.48 3B P AN.24
 F 4E.48 D C.96 3B.24 4F D 3B A 4F D 3A G.48 4E.48 P 3E A.24
 4E C 3A G 4E C 3G

Principles of encoding:

1. Pitch by letter; register by number preceding pitch but suppressed when redundant.
2. Duration by number (96 = quarter, 48 = eighth, 24 = sixteenth, etc.) preceded by period; suppressed when redundant.

Information provided by Lelio Camilleri.

An Inventory of Musical Characters

Compiled by Stephen Dydo

We have focused elsewhere on the variety of work going on toward the development of comprehensive internal data structures. The issue of a vocabulary for musical hard copy has, however, received scant attention. Often the notion of common music notation (or CMN) is invoked, with the assumption that it is a clearly defined structure which may be plugged in at the output stage. However, it would seem that the case is otherwise. Not only is our notational system evolving, but there is as yet no satisfactory codification of the system which, in a consistent way, represented the music of Bach and Webern. Such texts as exist on the subject are incomplete and often erroneous in crucial areas. Software developers, without a standard reference, are left to create fonts and rules for their placement on their own. Experts on engraving practice have, with few exceptions, not been involved in this very difficult process. We may be faced in the future with very powerful music processing systems which will still be unable to approach the quality of music printing available to Brahms.

So severe is this lack of standardization that one cannot even be sure what comprises the minimal symbol set needed for music printing. Thus, the present situation for, *e.g.*, someone programming a musical database system, is very like that of someone programming an on-line dictionary without being really sure of what the elements of the alphabet are. The problems confronting designers of high-quality music printing systems are greater, since their task involves not only the use of a complete symbol set but also a definition of the spatial relationships among the symbols.





A step forward has been made by Adobe Systems with the introduction of the Sonata music font. This symbol set, which has been generally favorably received from the design point of view, has the benefit of the flexibility of size and output device of the PostScript family. The positioning of the symbols is defined in the most general graphical fashion, rather than in terms of the staff. This gives great flexibility, but may lead to mispositioning of some symbols when moving from one device to another. The font set has been seen to be redundant in some areas and deficient in others. However, its very existence has been an important stimulus to discussions of what a minimal symbol set for music should contain.





Last year, we made up a questionnaire with a proposal for a provisional description of a musical font. This proposal, although in a very preliminary form, generated some responses which have been most helpful in our efforts toward a minimal font description. We would like to thank those who have responded to the questionnaire. Further, it should be noted that the inquiry is still open, and additional comments will be gratefully received.

With the help of these respondents, we have compiled the following list of musical characters in an effort to reach some definition of what is needed to represent music on the printed page. A symbol set containing all such symbols could then be characterized as a complete musical font. Our definition is limited by several factors:





1. The definition of "music" is that "serious" music which falls, very roughly, in the period between the 16th century and the present. It is further limited to that which is printed on a staff.
2. We have ignored symbols which appear primarily in the music of a single composer, or in a specialized repertory. Thus, certain ornamentation symbols typical of French baroque keyboard music do not appear here, nor do many contemporary symbols.
3. Symbols which are functionally, but not graphically, equivalent generally appear here in only one guise. An example of this is the variety of glyphs which form the *segno* referenced by repeat indications. The assumption in these cases is that the designer of a font will pick the version which is most appropriate to the "look and feel" of the overall font.
4. To our best knowledge, a complete font in a given size should also be accompanied by at least one complete font in a significantly smaller size, for cues and editorial additions. The only exceptions to this which we have noted so far are (perhaps) figured bass and fingering numbers, which tend to appear in fewer sizes than the full range of staff sizes (*i.e.*, rastral 0 through 8).
5. We assume a complete text font, in an appropriate size, in addition to the symbols listed below. Thus, the only text symbols included in the list are those which are traditionally created from within the music font to differentiate them from the prevailing text font. An example of this is the italic "8" positioned below the G tenor clef. "D.S.", set ordinarily with the medium italic set of the prevailing text font, is an example of something we have not included.
6. There are a number of crucial symbols of variable extent, including slurs, ties, beams, crescendos and diminuendos, and stems, which we have also omitted. Such symbols correspond roughly to those which a plate engraver would draw with a graver, rather than punch with his dies. We have not included these symbols in our inventory because they are usually created by a graphic algorithm, rather than from a character description.




We have also solicited information from users on the outer limits of duration and dynamics indications in the standard repertory. In the minimal duration category, Vivaldi and Telemann both provide instances of integral 256th notes (that is, notes that occur directly in the score, not in editorial explanations of proper execution). With regard to dynamic range, examples of *pppppp* can be found in the works of Tchaikovsky and Verdi; examples of *ffff* occur in the works of Tchaikovsky and Stravinsky.






Clefs:    






(for changes; cue size:)    







Noteheads:       

Accidentals:    

(for grace notes:)   

Flags:     

(for grace notes:)     









Rests:      





Meters: **1 2 3 4 5 6 7 8 9 0 C C 2 3**      






Dynamics: *p m f s r z*

Articulations:      

Ornaments:                           

Performance indications:        

Repetition symbols:    

Tuplet numbers: **1 2 3 4 5 6 7 8 9 0**     



Octaves: **8 15**  






















Fingering, figured bass: **0 1 2 3 4 5 6 7 8 9 2+ 4+ 5+ 6+ 7+ # b q**


Barlines:    





Brackets, rehearsal boxes:            

Stress:    





Arrows:    






(for arpeggios, accidentals):                     



Chord frames: 

Chant symbols:    

Examples of concatenation of font elements:

 +  +  = 

 +  +  +  = 

 +  + **1** + **7** = **17**

Music Printing: An Update

Music printing was the major focus of the 1986 *Directory*. The main approaches to computer-based music printing were examined, and two dozen examples from diverse systems were presented. The continued growth of interest in this field has encouraged us to present a new series of examples this year; for an overview of the field, readers should consult the previous volume. The majority of music printing contributions in the current *Directory* are either from systems that have not been represented before or have increased their capabilities since they were last shown.

We have separated contributions into four categories: (1) proprietary systems, (2) commercial systems, (3) software for printing music, and (4) user contributions. All examples in the first three categories were contributed by system developers, whose names are given in parentheses. User contributions may not show off a system's capabilities to best advantage, in that the hardware used may be quite basic; conversely, patient users sometimes extract mileage from particular systems with which they have become highly familiar that developers have failed to display. Proprietary systems are not available for sale. Commercial systems are for sale but require the purchase of dedicated hardware as well as software. The software category represents programs specifically devoted to music printing that run on widely available microcomputers. Potential users should check with developers (whose addresses are listed in the back of this volume) to determine what specific hardware configurations (including memory requirements, graphics cards, interfaces, etc.) may be necessary for their programs.

To facilitate comparison of systems, we distributed a set of musical examples to all the software developers on our mailing list. These examples -- a Bach chorale, the opening bars of a Bach harpsichord prelude, and excerpts from Mozart's clarinet quintet -- were selected to elicit information both about music printing capabilities and about music representation and file structures. The original examples are represented by the first three pages of music shown (Toppan Scan-Note System). For music printing, some particular areas of interest were text underlay and basso continuo figuration (Ex. 1), subtleties of part differentiation, slurs, and fingering (Ex. 2), and accurate representation of transposing parts and ornamentation (Ex. 3). A fourth example was one with no notable printing complexities and has not been reproduced in the printing section. Several developers contributed their versions of all four examples; we have tried to select those examples that best illustrate the range of capabilities of individual systems. We have also reproduced examples of other repertoires and material related to special capabilities or personalities of individual systems. Other developers preferred to submit examples of their own choosing. All examples have been reduced 20% from the versions we received, unless otherwise indicated. Material that was still too wide to be shown horizontally has been rotated 90 degrees in preference to reducing it further. The order is random.

Comparisons can be deceptive, since no two products used exactly the same hardware. Stephen Dydo graciously provided printouts of the Bach chorale from both a dot matrix and a laser printer to illustrate how spacing control is affected by hardware capabilities and restraints (both versions were produced from the same data, the same program, and the same music font). The Byrd/Stickney examples illustrate the more subtle differences between a typesetter (Linotronics) and a laser printer (Apple), again using the same data,

the same program, and the commercially available Adobe 'Sonata' font. The printing devices used range in price from under \$500 to as much as \$50,000. Program prices range from under \$100 to nearly \$1,000. The range of prices for complete systems is from around \$10,000 to well above \$50,000.

Comparison of the output from similar printers driven by different programs ignores the important question of input methods, which was the main subject of the 1985 *Directory*. Alphanumeric code is the usual method for IBM PC and compatible computers, including the Hewlett Packard, Tandy, and Texas Instruments microcomputers represented in the illustrations. Apple Macintosh and Atari ST systems tend to use MIDI (electronic keyboard) data with graphic icons. The division between code-intensive and sound-and-graphics oriented systems is less distinct than it was a year ago in that some cross-over technology is beginning to appear: Apple and IBM products or features may be combined in systems designed especially for musical purposes.

Still at issue is the tradeoff between memory requirements and speed of processing. Systems of long standing tend to encode as much information as possible in as little space as possible. Dal Molin's Music Writer, written in assembly language to deal with a hexadecimal code generated by hardware specially designed for the purpose, uses less than 16K of memory. Programs of more recent vintage produce their own decisions on spacing, beaming, stem direction and so forth. This lengthens programs written in high level languages (some for the IBM PC exceed 256K) but reduces the bulk of the data. (As points of reference, one user submitted a single page of a Renaissance chanson that had consumed more than 32K of memory with a commercial music printing program, while DARMS users maintain that enough data to print a symphony can be encoded on one floppy disc. Since 1981, hard disc prices have dropped from \$100 per megabyte to \$10 per megabyte, and disc size has increased proportionally.) The underlying rationale of play-in systems is quite different: they capture pitch and duration data but may require extensive editing to produce a printed score.

Almost all software developers regard their current versions as incomplete. Some are still implementing such features as slurs, ornaments, and other performance-related refinements. Some are adapting mainframe or dedicated hardware systems to microcomputers. Many are seeking to broaden their hardware base to support a larger number of both microcomputers and printing devices. Some are working on user interfaces (programs to relieve users of the need to become computer experts in order to run programs). Some are adapting existing programs to make use of commercially available fonts, such as Adobe Systems' 'Sonata' font, while others are devising custom fonts. Some are developing libraries of special symbols to handle the markedly different needs of notationally unusual repertoires, such as music from the later Middle Ages and the later twentieth century. Some are building provisions into their systems to enable users to devise their own list of recallable symbols.

Cumulative List of Music Encoding and Printing Systems and Products

The following list of music printing and related encoding systems is in alphabetical order, with references to previous descriptions and illustrations. The quantity of information provided here is greater for systems that have not previously been listed but

should not be used as a gauge of merit. The systems marked with an asterisk accept work on a contractual basis.

Commercial products that either do not currently support printing of classical music or which have not made samples available for reproduction are not included in this listing, but the Center would like to acknowledge with gratitude the information about such systems that their developers from time to time submit.

ALMA. See **Plaine and Easie**.

ALPHA/TIMES. Commercially available system by Christoph Schnell of input, indexing, storage, and retrieval for Apple microcomputers. ALPHA is a database system originally designed for the Apple ///. TIMES-DB (previously called IRMA), an adaptation for the Macintosh, is a kernel of TIMES (Total Integrated Musicological Editing System), which combines a graphic editor, a text processor, a font editor, and a professional music editor for conventional notation. Input by voice recognition device generates DARMS code. Printing capability for standard, early and recent repertoires (in conjunction with Professional Composer, using Apple dot matrix and laser printers). Description, 1986. Illustrations, 1986, 1987 [#45].

AMADEUS MUSIC SOFTWARE.* Kurt Maas of Munich has made his originally proprietary music printing system commercially available. It is based on a DEC PDP-11 computer, accepts MIDI input, and supports dot matrix printers, plotters, and laser printers and phototypesetters. The programs require a UNIX (or IDRIS) operating system. The user must pay license fees in addition to the purchase price of the system. Amadeus prepares scores for publication by such enterprises as B. Schotts Söhne.

A-R Editions, Inc.* Proprietary system for music printing developed by Thomas Hall using a Data General mainframe, with a Versatec plotter for preliminary drafts and a Mergenthaler Linotron 202 typesetter for finished copy. The music is encoded in a DARMS dialect. Besides producing its own editions, which have been computer-generated for ten years, A-R sets musical examples for numerous journals including that of the American Musicological Society. Illustrations, 1987 [#13, #14].

CCARH. In-house system originally designed for the HP 1000 with an IBYCUS operating system (description 1985; illustrations 1985 and 1986). Experimental musical character cartridge for the HP LaserJet; downloadable characters for the LaserJet Plus and LaserJet II. Research on font design in progress.

CODEX. Printing program (Macintosh) for white mensural notation. Reported in 1986.

(The) Copyist. Software product for the Atari ST sold by Dr. T's. There is also an IBM PC version. This is a synthesizer-oriented product. Illustrations (dot matrix), 1987 [#27, #28]. Laser printing (HP LaserJet Plus), plotter output (HP-GL plotter); HP InkJet also supported. Epson printer compatibility.

Dal Molin. Armando Dal Molin has devoted a lifetime to the challenge of automating music printing. Inventor of the first musical typewriter, he has devised a series of systems that have generally been used under proprietary labels and in production-oriented

environments. His **Musicomp** terminal, a custom product with separate keypads for pitch (6 octaves) and other aspects of notation as well as text (128 redefinable characters), in conjunction with an Omnitech laser printer, has been producing roughly 1,000 pages of music a month for almost a decade. Belwin Mills Publishing Corp., a subsidiary of Columbia Pictures, is an active user of this technology. A photograph of the Musicomp terminal appears in *The New Grove Dictionary of Music and Musicians* (1980), 15, 258. It is described in "A Terminal for Music Manuscript Input," *Computers and the Humanities*, 12, 287-9. More recent developments and a description of his "pitch-character-space" code are given in a paper he presented in Zurich in October 1986 (copies available from the author). Illustrations, 1987.

Under the name **The Music Writer**, Dal Molin is currently adapting his system to run on an IBM PC and other 8088 or 80286 microcomputers. Currently, his program provides access to one music and one text font; he plans for two music and four text fonts in the completed product. This directory shows examples of a finished product from his main system [#15] and work in progress towards an adaptation for microcomputers [#37, #38].

DARMS. This is an encoding system, not a printing product (descriptions, 1985 and 1986), once known as the Ford-Columbia music representation language, after its original benefactor and university setting. First used on IBM mainframes, DARMS code has been used for dedicated printing purposes by Lincoln and Morehen (illustrations, 1986). Subsets of DARMS code have been used by many others for diverse purposes. DARMS manual (1976) available from Raymond Erickson; revision by McLean planned. Completion of microcomputer software for three-dimensional representation (DARMS 'cube') of formal ('canonical') DARMS by McLean intended for August 1987. DARMS code is used by Stephen Dydo in his printing program, **The Note Processor**.

Deluxe Music Construction Set. Software product for the Macintosh (alternative versions for other microcomputers) developed by Geoff Brown. Illustrations, 1986 (Apple LaserWriter and Linotronics typesetter) and 1987 (Linotronics typesetter; #39, #40).

ETH. The Eidgenössische Technische Hochschule [Swiss Federal Institute of Technology] has under development at its Institut für Informatik in Zurich a research prototype for an interactive editor of complex musical notation. This effort involves the use of an abstract representation of certain features of musical notation. The system is implemented in Modula-2 and runs on a LILITH workstation. Giovanni Müller is the principal investigator. Illustration, 1987 [#44].

FASTCODE. An encoding language (middle and late '70's) derived from the still earlier IML-MIR (early 1970's); both versions originated at Princeton University. Printing capability for white mensural notation partially developed by Thomas Hall. A modified version of the code is currently used by Leeman Perkins (Columbia University) for the Busnois edition. The proprietary system used by A-R Editions* is indebted in a general way, through the work of Thomas Hall, to this system. Descriptions, 1985 and 1986; illustration, 1985.

Grawemeyer Industries.* Current users of the system previously developed by MusiGraph.

GUIDO. A music learning system oriented toward classroom use for music theory, ear training, and music appreciation. There are Macintosh and IBM PC versions, although the development work was done on the PLATO system. A series of video discs is now available. No music printing capability has been reported. Description, 1986.

Graphic Notes. Commercial software from Australia for Macintosh-based music printing. Release expected in the last quarter of 1987. The developer is Trevor Richards.

Gregory's Scribe. Printing program for Gregorian chant for the Apple //; hardware component no longer in manufacture. Description, 1985; also in the *Computer Music Journal* VII/1 (1983).

H-Score. Software from Hybrid Arts for the IBM PC. Synthesizer-oriented. User-created examples submitted but not reproduced.

High Score. Music printing software for the Macintosh, using the PostScript 'Sonata' font. Still under development. Described, 1986 Supplement, and in the popular press as a joint venture by Kimball Stickney and Don Byrd doing business as Advanced Music Notation Systems. Illustrations, 1987 [#41, #42].

The partnership is now dissolved. Stickney retains the product name; his version will be released by Southworth Music Systems. Byrd retains the company name and is working on a user interface for his product, which will be called **Nightingale** and is designed to work in a number of graphics environments. The program is a derivative of SMUT (see **MUSTRAN**).

IML-MIR. Linked encoding (Intermediary Musical Language) and query (Music Information Retrieved) languages developed at Princeton. See **FASTCODE**.

IMS (Interactive Music System). A PLATO-based system developed over many years at the University of Illinois. Broad capabilities for transcription, screen editing, playback, and printing. Input by alphanumeric code or from synthesizer. Adaptations of the printing system for use with NEC, IBM, and Macintosh microcomputers, the Toshiba P1350 dot matrix printer, and the HP LaserJet series are currently in progress. An associated program, LIME, is a graphic screen editor. OPAL is a language for music description and algorithmic manipulation of scores. Stand-alone version for the Apple Macintosh with a large screen and a MIDI keyboard under development. Descriptions 1985 and 1986; illustrations 1985, 1986, 1987 [#46]. Revised manual (January 1987) by Lippold Haken and Valerie Schmid; article by Carla Scaletti in the *Computer Music Journal* 9/1 (1985). [For other work at Illinois, see also **NEWNOTE** and **OLDNOTE**.]

IRMA (Information Retrieval for Multiple Musicological Applications). See **ALPHA/TIMES**.

Laffangraff. See **The Music Editor**.

Lasergraphics. Proprietary system. See **Dal Molin**.

LIME. See **IMS**.

McLeyvier. David McLey's McLeyvier system was oriented towards the needs of composers. Its sophisticated graphics were said to be comparable with those of the Mockingbird system. The system is now the property of Syntronics in Toronto and is not in active use for music typography.

MEG (Music Editing and Graphics). Developed in Rome, originally for the Apple //, later adapted to the IBM PC. Some scores published by Universal Edition in Vienna. Description, illustration 1986. See *ICMC Proceedings 1984*.

Mockingbird. An interactive editor and printing system for musical notation (primarily keyboard music) developed in 1980 at the Palo Alto Research Center (supported by the Xerox Corp). Experimental in nature, the programs (in Mesa) ran on the Xerox 1132 computer and accepted keyboard input. No commercial versions have been made available. Description, 1985.

music. A music preprocessor for the troff typesetting system; operates in a UNIX environment. Under development at Nottingham University (U.K.) by Eric Foxley. Custom language for description of musical scores; custom music fonts work with Chelgraph laser printer. Documentation from the author. Listed, 1986.

(The) Music Editor. Music printing program by John Laffan for the IBM PC. Description, 1985; illustrations, 1985 and 1986.

(The) Music Factory*. Service using software for the IBM PC by Stephen Dydo. (See description for **The Note Processor**.) Listed, 1986. Forthcoming publications with musical examples from The Music Factory include two Schirmer books, Kerala Snyder's *Buxtehude: Organist at Lübeck* and Glenn Watkins' *Soundings: Music in the Twentieth Century*.

(The) Music Processor. Program by Etienne Darbellay for the Texas Instruments Professional and Business Pro computers. Handles numerous special notations (ligatures, black and white mensural notation), piano reductions, and three sizes of symbols; permits user-defined graphics. Conversion for the IBM PC underway. Descriptions, 1985, 1986; illustrations, 1985, 1986, 1987 [#21-#23].

(The) Music Writer. IBM PC version of Dal Molin's system for entering and printing music. See Dal Molin.

MUSICA. A language for musical encoding used at the University of Padua. Alphanumeric system completed in 1981. Described in *Interface* 11/1, 1-27.

MUSICODE and MUSICODE/A. Fred T. Hofstetter developed MUSICODE as part of his M.A. thesis at Ohio State University in 1970. It is an alphanumeric encoding system. A revised version by Ann Blombach is called MUSICODE/A.

Musicomp Terminal. See Dal Molin.

Musicprinter. Program by Jack Jarrett for printing music with the Apple //+. Illustration, 1986.

Musicsys 3600. A proprietary system for editing and sound with a music printing capability. Based on the Symbolics 3600, a LISP-based machine; designed by Bernard S. Greenberg. Description, illustration, 1985.

MusiGraph. A proprietary system for music printing originally developed by William Watkins. The system is now owned by Grawemeyer Industries* in Lexington, KY. The original MusiGraph system generated notational descriptions from a Tandy TRS-80 microcomputer and printed them on a typesetter; beams and slurs were added by hand. The system provides musical examples for the *Journal of Musicology* and scores for a number of music publishers including C. F. Peters (New York).

MusPrint. Music printing program by Keith Hamel for the Macintosh. Illustration, 1986.

MusScript. Successor to MusPrint. It uses the Postscript 'Sonata' font. Illustration, 1987 [#32].

MUSTRAN. An encoding language originated by Jerome Wenker at Indiana University in the 1960's. Original focus on ethnomusicology. Used as a basis for the development of analytical and instructional capabilities, especially by Dorothy Gross and Gary Wittlich, and for music printing by Donald Byrd. MUSTRAN programs have been run on the IBM PC. SMUT, a plotter notation program in FORTRAN by Byrd, ran on some Indiana University mainframes. No MUSTRAN-based printing capability for microcomputers has been reported.

Byrd's current commercial interest is in developing sophisticated music editing capabilities for Macintosh computers and for Sun and Apollo workstations. He is also taking a position at Princeton University in the autumn of 1987 that entails developing a music printing capability for twentieth-century music using the 'C' language in a UNIX environment.

NEWNOTE and OLDNOTE. Programs developed by L. Rumery at the University of Illinois in c. 1980 to encode and print sixteenth-century vocal music in both modern and mensural notation. Designed for the PLATO system (see also IMS).

Nightingale. Macintosh-based program for music printing, under development by Donald Byrd. See *High Score*, MUSTRAN.

(The) Note Processor. IBM PC-based program for printing music by Stephen Dydo. Input by DARMS code or mouse. The program runs on IBM PC and compatible microcomputers and supports Toshiba, Epson, and NEC dot matrix printers as well as the HP LaserJet II. Illustrations, 1986, 1987 [#24-#26]. See also *The Music Factory*.

Notepro. A system of encoding used at the University of Illinois by James Beauchamp and others. Synthesis-oriented. Reference manual.

Noteprocessor. Music printing program for the Apple //. Developed by Piero de Berardinis, one of the first to devise a way of playing music directly into a microcomputer (1983); also the founder of the Italian review *Informatica musicale* (1982--). Illustration, 1987 [#30].

Oberon Systems. Oberon's System I* was developed in 1981 and is based on the Hewlett Packard 1000 microcomputer. Oberon offers a fully tested package of current hardware and software tools (for approximately \$10,000) that more or less duplicates its own capabilities. It also offers typesetting services and data storage backup. Its System II music font for the HP Vectra and other IBM PC compatibles can be used with any screen editor that allows keying of characters in the font and control characters in the text. Musical files can be excerpted and merged with text files (created with such programs as Memomaker, Wordperfect, and MS Word). Oberon professes a commitment to keeping upgrades compatible with existing products. It is currently engaged in efforts to improve its software for choral music. Illustrations, 1987 [#35, #36].

OLDNOTE. See NEWNOTE.

OPAL. See IMS.

ORPHEUS. See IMS.

Oxford Music Processor. IBM PC-based program for printing music announced by Oxford University Press; not yet released. Input involves redefinition of the keyboard. Supports both dot matrix and plotter output. Derived from a mainframe program by Richard Vendome,* the original version of the OMP has been in active use for setting recent performing editions by OUP and musical examples for Oxford journals such as *Early Music* and *Music and Letters*. Description, 1986; illustrations, 1986, 1987 [#43].

Personal Composer. IBM PC-based music printing program by Jim Miller. Synthesizer-based. PostScript 'Sonata' font for the Apple LaserWriter. Illustrations, 1986, 1987 [#29].

Plaine and Easie. Plaine and Easie is a melodic input code developed by Barry Brook and Murray Gould in the late 1960's. It has been especially widely used for thematic indexing and has also been central to the manuscript cataloguing efforts of RISM Series A projects. ALMA, an extension by Gould, accepts chordal notation. Programs for plotter output of musical notation were developed in the 1970's by Norbert Böker-Heil. Description, 1985, 1986. Illustration, 1986.

Professional Composer. Screen editing and printing program for the Macintosh. Synthesizer-based. Currently in use for the preparation of musical editions by Garland Press. Illustrations, 1986, 1987 [#31].

SCAN-NOTE System. This proprietary system for printing music was designed by Mogens Kjaer and developed in the late 1970's by Dataland ApS in Aarhus, Denmark. It was subsequently sold to the Japanese firm Toppan and has undergone further development. See Toppan.

SCORE. Music printing program for the IBM PC and compatibles derived from SCORE/MS. SCORE was scheduled for release by Passport Designs in June 1987. Several sublibraries of symbols for special repertoires and accommodation of user-defined symbols are provided. An Apple LaserWriter is currently supported and versions compatible with other printers are currently under development. Illustrations, 1987 [#18-#20].

SCORE/MS. A music printing system developed (in FORTRAN) at Stanford University for the PDP-10 computer and a Versatec plotter in the early '70's by Leland Smith. Many special capabilities for early and recent music as well as standard repertoires. Descriptions and illustrations, 1985, 1986.

SCRIBE. A system for transcribing, editing, and analysis of early music (through the Renaissance) under development on a DEC VAX at La Trobe University in Australia. Facsimiles in neume or pitch notation use a Houston plotter. Description, 1986.

Synclavier. A music printing option for the well-known synthesizer called a Synclavier has been offered by New England Digital Corporation since 1982. Three versions have appeared; the third of these, supporting laser printing, has been available for a year. To print music a user needs a Synclavier system, a graphics terminal, proprietary software, and one of seven printers that the system supports. These include a 300-dots-per-inch Dataproducts printer, the Apple LaserWriter, and the Linotronics 100 and 300 (2540 dots per inch). Illustration, 1987 [#16].

The Synclavier music printing option is used by a number of professional music copying services, including that of Ted Petrosky [#17], whose Symphony Reproductions, Inc., is "engraving" the complete works of Gordon Getty.

TAUMUS. Original name of TELETAU.

TELETAU. An integrated system combining a repository of musical data and software for management, analysis, and telecommunications. Initially developed at CNUCE in Pisa and now maintained jointly with the Florence Conservatory. Active research program. No musical printing at present. Library of 800 encoded pieces. Manual available from Pietro Grossi (CNUCE) and Lelio Camilleri (CNUCE; Florence Conservatory). Description, 1986. Electronic addresses: *MUSIC3@ICNUCEVM* and *CHERU@IFIIDG* [both *BITNET*].

THEME: The Music Editor. IBM PC-based software by Mark Lambert for music printing. Input involves redefinition of QWERTY (standard typewriter) keyboard. Permits mensural notation. Version 3.0 for Epson-compatible dot matrix printers supports incorporation of musical examples in text using PC-Write. Illustrations, 1987 [#33, #34].

TIMES. See **ALPHA/TIMES**.

Toppan Scan-Note System.* A highly evolved system for quality music "engraving" serving the Japanese and European markets since 1983. It uses the Scan-Note system originally developed in Denmark. In its current configuration, the system uses a CRT terminal for entering layout information and lyrics, a piano keyboard for entering pitch, and a laser phototypesetter. Toppan Printing Co., Ltd., contracts with major music publishers, such as Bärenreiter Verlag, for whom it prepared a recent volume of the *Neue Mozart Ausgabe* -- the *Divertimenti und Serenaden für Blasinstrumente* (Ser. VII, N. 17). Illustrations, 1987 [#8-#12].

troff. See **music**.

Waseda University. See **Log: Facilities - Toyko**.

Proprietary Systems -- 1a Toppan Scan-Note System

Software: custom, in 'C'

Unreduced

Soprano
Flauto traverso in 8a
Oboe d'amore, Violino I
col Soprano

CHORAL

Alto
Violino II coll' Alto

Tenore
Viola col Tenore

Basso

Continuo

Ob sich's an - liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an - liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Ob sich's an liess, als wollt' er nicht, lass dich es nicht er - schre - eken,
Denn wo er ist am be - sten mit, da will er's nicht ent - de - eken;

Illustration 9
Proprietary Systems -- 1b
Toppan Scan-Note System

Hardware: unidentified host computer, CRT, and electronic keyboard

Software: custom, in 'C'

Printing device: unidentified laser phototypesetter

Unreduced

Preludio

Moderato (♩ = 60)

The musical score is written for piano in common time (C). It begins with a **Moderato** tempo marking and a quarter note equal to 60 beats per minute (♩ = 60). The key signature is C major. The score is divided into two systems. The first system consists of two staves. The right staff has a whole rest followed by a quarter rest, then a group of four beamed sixteenth notes (G4, A4, B4, C5) marked with a fermata. The left staff begins with a forte (**f**) dynamic and a series of beamed sixteenth notes, including triplets and pairs, with fingerings 4, 2, 2, 1, 3, 1, 3, 3, 4, 4, 3, 2, 1, 2, 5 indicated. The second system also consists of two staves. The right staff features a series of beamed sixteenth notes with fingerings 2, 4, 3, 1, 5, 4, 3, 1, 5, 2, 1, 2, 3, 4, 5, and a **sf** (sforzando) marking. The left staff begins with a mezzo-forte (**mf**) dynamic and a series of beamed sixteenth notes with fingerings 4, 2, 3, 2, 5, 5, 3, 2, 1, 2, 3, 4, 5, and a **sf** marking. The piece concludes with a **p** (piano) dynamic and a **sf** marking on the right staff.

Illustration 10

Proprietary Systems -- 1c Toppan Scan-Note System

Hardware: unidentified host computer, CRT, and electronic keyboard

Software: custom, in 'C'

Printing device: unidentified laser phototypesetter

Unreduced

The image displays a musical score for a piano and voice. The piano part is written on a grand staff (treble and bass clefs) with a key signature of one sharp (F#). The voice part is written on a single staff with a soprano clef and a key signature of one sharp. The score is divided into two systems. The first system consists of 12 measures, and the second system consists of 12 measures. The piano part features complex rhythmic patterns, including sixteenth and thirty-second notes, often beamed together. The voice part features a melodic line with various intervals and a 'dolce' marking in the second system. The score is printed on a laser phototypesetter, showing high contrast and sharp lines.

Illustration 11
Proprietary Systems -- 1d
Toppan Scan-Note System

Hardware: unidentified host computer, CRT, and electronic keyboard

Software: custom, in 'C'

Printing device: unidentified laser phototypesetter

Unreduced

Presto $\text{♩} = 66$

Flauto I *ff*

Flauto II *ff*

Oboe I *ff*

Oboe II *ff*

Clarinetto I in B *ff*

Clarinetto II in B *ff*

Fagotto I *ff*

Fagotto II *ff*

Contrafagotto *ff*

Corni in D *ff*

Corni in B *ff*

Trombe in D *ff*

Timpani in D.A. *ff*

Presto $\text{♩} = 66$

Violino I

Violino II

Viola

Violoncello *f*

Basso *f*

Illustration 12

Proprietary Systems -- 1e
Toppan Scan-Note System

Hardware: unidentified host computer, CRT, and electronic keyboard

Software: custom, in 'C'

Printing device: unidentified laser phototypesetter

Unreduced

The musical score is presented in six systems, each containing a grand staff (treble and bass clefs). The notation is complex, featuring numerous triplets, sixteenth notes, and dynamic markings such as *f* (forte) and *ff* (fortissimo). The score is labeled "8va bassa" at the beginning of each system, indicating an octave transposition. The notation includes various accidentals (sharps, flats, naturals) and fingerings. The score is dense and detailed, typical of a professional musical score.

Illustration 13
 Proprietary Systems -- 2a
 A-R Editions, Inc. (Thomas Hall)

Computer: Data General mainframe
 Printing device: Mergenthaler (Linotron) 202 typesetter

Magnificat "Regale"



[Superius] II Et _____ ex-

[Medius] Et _____ ex- sul-

[Contratenor] Et _____ ex- sul-

[Tenor] Et _____ ex- - sul-

[Bassus] Et _____ ex- - sul-

Et ex- - - sul-

5 - sul- - ta-

- ta- - vit spi-

- - - ta-

- ta- -

- - - ta-

*Plainsong on Tone VIII for the odd-numbered verses has been supplied from the Sarum Tonale in *The Use of Sarum*, ed. Walter H. Frere (1901), Appendix, ii.

A-R Editions, Inc. (Thomas Hall)

Computer: Data General mainframe

Printing device: Mergenthaler (Linotron) 202 typesetter

Allegro agitato

Illustration 15
Proprietary Systems -- 3
Lasergraphics (Armando Dal Molin)

Input device: PCS-500 Musicomp terminal

Printing device: Omnitech laser printer

[This system is currently in use by Belwin Mills, a subsidiary of Columbia Pictures]

551 A Mighty Fortress Is Our God

87.87.66.667

EIN' FESTE BURG

Melody, MARTIN LUTHER, 1529

A might-y for - tress is our God, A bul-wark nev - er fail - ing;
 Did we in our own strength con-fide, Our striv-ing would be los - ing;
 And tho' this world, with dev - ils filled, Should threat-en to un - do us;

Our help-er he a - mid the flood Of mor-tal ills pre - vail - ing;
 Were not the right man on our side, The man of God's own choos - ing;
 We will not fear, for God hath willed His truth to tri-umph through us;

For still our an - cient foe Doth seek to work us woe; His craft and
 Dost ask who that may be? Christ Je - sus, it is he; Lord Sa - ba -
 The prince of dark-ness grim, We trem-ble not for him; His rage we

power are great, And, armed with cru-el hate, On earth is not his e - qual.
 oth his Name, From age to age the same, And he must win the bat - tle.
 can en - dure, For lo! his doom is sure, One lit - tle word shall fell him.

dal molin - lasergraphics (1984)

Synclavier Music Engraving System

Font: custom; original resolution = 2540 dots per inch

FRANZ LISZT

The image displays a musical score for the song "L'Espresso" by Francesco De Gregori. The score is written for piano and voice, with the piano part in the upper staves and the voice part in the lower staves. The key signature is one sharp (F#), and the time signature is 3/4. The score is divided into several systems, each containing a piano part and a voice part. The piano part includes various musical notations such as notes, rests, and dynamic markings (p, mf, cresc., poco a poco rallent., p smorzando, f, leggiero, sva, loco, ff, dolce). The voice part includes lyrics in Italian, such as "grazioso", "sopra", "poco a poco rallent.", "p smorzando", "lento", "pp", "a tempo", "f", "leggiero", "sva", "loco", "dolce", and "ff". The score is presented in a clear, professional layout with a white background and black text and notation.

Commercial Systems -- 1b

Synclavier Music Engraving System

Choral

Choral

Soprano. Alto. Tenore. Basso. Continuo.

Ob sich's au - liess, als wollt, er nicht lass dich es nicht er - schre - cken;
Denn wo er ist am be - sten mit, da will er's nicht ent - de - cken

Ob sich's au - liess, als wollt, er nicht lass dich es nicht er - schre - cken;
Denn wo er ist am be - sten mit, da will er's nicht ent - de - cken

Ob sich's au - liess, als wollt, er nicht lass dich es nicht er - schre - cken;
Denn wo er ist am be - sten mit, da will er's nicht ent - de - cken

Ob sich's au - liess, als wollt, er nicht lass dich es nicht er - schre - cken;
Denn wo er ist am be - sten mit, da will er's nicht ent - de - cken

Ob sich's au - liess, als wollt, er nicht lass dich es nicht er - schre - cken;
Denn wo er ist am be - sten mit, da will er's nicht ent - de - cken

Illustration 18

Software for Printing Music -- 1a SCORE (Leland Smith)

Computer: Tandy 2000 (IBM PC compatible)

Printing device: Apple LaserWriter

Software vendor: Passport Designs

Part extraction from score (or score assembly from parts) showing size differentiation

The image displays three staves of musical notation, each featuring a key signature of one sharp (F#) and a time signature of 3/4. The notation is divided into two measures by a vertical line. The first measure of each staff is marked with a forte 'f' dynamic. The first staff is a single melodic line. The second staff is also a single melodic line. The third staff is a grand staff, consisting of a treble and bass clef joined by a brace, with a forte 'f' dynamic at the beginning. The notation includes various note values, rests, and accidentals, with some notes beamed together. The final measure of each staff ends with a 3/4 time signature.

Illustration 19 **Software for Printing Music -- 1b** **SCORE (Leland Smith)**

Computer: Tandy 2000 (IBM PC compatible)
Printing device: Apple LaserWriter
Software vendor: Passport Designs

Parameters for control of spacing





Illustration 20
Software for Printing Music -- 1c
SCORE (Leland Smith)

Computer: Tandy 2000 (IBM PC compatible)
Printing device: Apple LaserWriter
Software vendor: Passport Designs

Special libraries for early music notation, guitar tablature, percussion



P5 = -1
P13 = 1 P13 = 11 P13 = 123 P13 = 123000 P13 = 541111 P13 = 339222 P6 = .8



Illustration 21

Software for Printing Music -- 2a Music Processor (Etienne Darbellay)

Computer: Texas Instruments Professional
[alternative version for IBM PC under development]
Printing device: Star Gemini--10X; Citizen MSP15

dolce

CHORAL.

Ob sich's anliess, als wollt'er nicht, lass dich es nicht erschre_cken,
Denn wo er ist am be_sten mit, da will er's nicht ent_de_cken;

Ob sich's anliess, als wollt'er nicht, lass dich es nicht erschre_cken,
Denn wo er ist am be_sten mit, da will er's nicht ent_de_cken;

Ob sich's anliess, als wollt'er nicht, lass dich es nicht erschre_cken,
Denn wo er ist am be_sten mit, da will er's nicht ent_de_cken;

Ob sich's anliess, als wollt'er nicht, lass dich es nicht erschre_cken,
Denn wo er ist am be_sten mit, da will er's nicht ent_de_cken;

4 2 5 5 6 5 4 9 8 6 4 5 6 5 5 6 8 7 1

Illustration 22
Software for Printing Music -- 2b
Music Processor (Etienne Darbellay)

Computer: Texas Instruments Professional
[alternative version for IBM PC under development]
Printing device: Star Gemini--10X; Citizen MSP15

Creation of two-stave reduction from five-part score

GESUALDO, 6th Book (1613)

lo pur re- spi-ro, io pur respi- ro

lo pur re- spi-ro, re- spiro

lo pur re- spi-ro, re- spiro

lo pur re- spi-ro re-spi- ro in co-si

lo pur re- spi- ro

lo pur re- spi- ro

lo pur re- spi- ro

Illustration 23


Software for Printing Music -- 2c Music Processor (Etienne Darbellay)

Computer: Texas Instruments Professional
[alternative version for IBM PC under development]
Printing device: Star Gemini--10X; Citizen MSP15

Early music, editing, and drawing capabilities



Sample for some possibilities in complex contexts (chords and beaming)



Software for Printing Music -- 3a

The Note Processor (Stephen Dydo)

Font: custom

Adagio

Font: custom

The musical score for 'The Rose Tree' is presented in a system of eight staves. The first four staves (1-4) represent the vocal parts: Soprano (1), Alto (2), Tenor (3), and Bass (4). The last four staves (5-8) represent the piano accompaniment: Right Hand (5), Left Hand (6), and two additional staves (7-8) for the piano. The key signature is one sharp (F#), and the time signature is 2/4. The score includes dynamic markings such as *f* (forte), *p* (piano), and *pp* (pianissimo). The vocal parts feature a melody with a repeat sign at the beginning. The piano accompaniment provides a harmonic and rhythmic foundation for the vocal melody.

Software for Printing Music -- 3b

The Note Processor (Stephen Dydo)

1 CHORAL

1 CHORAL

Soprano

Ob sich's an- lless, als wollt' er nicht, lass
Denn er ist am be - sten mit, da

Alto

Ob sich's an- lless, als wollt' er nicht, lass
Denn er ist am be - sten mit, da

Tenore

Ob sich's an- lless, als wollt' er nicht, lass
Denn er ist am be - sten mit, da

Basso

Ob sich's an- lless, als wollt' er nicht, lass
Denn er ist am be - sten mit, da

Continuo

5 6 5 6 6 6 9 8 6 5 5
4 5
2

Illustration 26

Software for Printing Music -- 3c The Note Processor (Stephen Dydo)

Computer: Hewlett Packard Vectra (IBM PC compatible)

Printing device: HP LaserJet II (300 dots per inch)

Music font: custom

Text font: HP 8 pt. Times Roman Softfont

Unreduced

CHORAL

The musical score is for a choral piece. It features five staves: Soprano, Alto, Tenore, Basso, and Continuo. The key signature is D major (two sharps) and the time signature is common time (C). The lyrics are: "Ob sich's an- liess, als wollt' er nicht, lass / Denn wo er ist am be - sten mit, da". The Continuo part includes figured bass notation below the staff.

Staff	Notes (approximate)	Figured Bass
Soprano	D4, E4, F#4, G4, A4, B4, C5, B4, A4, G4, F#4, E4, D4	
Alto	D3, E3, F#3, G3, A3, B3, C4, B3, A3, G3, F#3, E3, D3	
Tenore	D3, E3, F#3, G3, A3, B3, C4, B3, A3, G3, F#3, E3, D3	
Basso	D2, E2, F#2, G2, A2, B2, C3, B2, A2, G2, F#2, E2, D2	
Continuo	D2, E2, F#2, G2, A2, B2, C3, B2, A2, G2, F#2, E2, D2	5 4 2 6 5 5 6 6 5 9 8 6 5 6 5

Software for Printing Music -- 4a

Computer: Atari ST (with sequencer software)
[alternative version for IBM PC with sequencer software]
Printing device: Panasonic KX-P1091 (Epson compatible)
[HP Inkjet, GL plotter, and Laserjet Plus also supported]
Vendor: Dr. T's Music Software




Illustration 28

Software for Printing Music -- 4b The Copyist (Cris Sion)

Computer: Atari ST (with sequencer software)
[alternative version for IBM PC with sequencer software]
Printing device: Panasonic KX-P1091 (Epson compatible)
[HP Inkjet, GL plotter, and Laserjet Plus also supported]
Vendor: Dr. T's Music Software

Soprano.
Flauto traverso in 8a.
Oboe d'amore, Violino I
col Soprano.

Alto.
Violino II coll'Alto.

Tenore.
Viola col Tenore.

Basso.

Continuo.

Ob stehs an-Iess, als witter nicht, lass dich es nicht erschre-cken,
Denn wo er ist an be-sten mit, da wille's nicht ent-de-cken;

Ob stehs an-Iess, als witter nicht, lass dich es nicht erschre-cken,
Denn wo er ist an be-sten mit, da wille's nicht ent-de-cken;

Ob stehs an-Iess, als witter nicht, lass dich es nicht erschre-cken,
Denn wo er ist an be-sten mit, da wille's nicht ent-de-cken;

Ob stehs an-Iess, als witter nicht, lass dich es nicht erschre-cken,
Denn wo er ist an be-sten mit, da wille's nicht ent-de-cken;

5 6 5 6 3 5 8 6 5 6 5 5 4 2 5 6 6 7

Illustration 29

Software for Printing Music -- 5 Personal Composer System II (Jim Miller)

Computer: IBM PC compatibles
Printing device: Apple LaserWriter
Font: PostScript 'Sonata' by Adobe Systems

Personal Composer, PO Box 648, Honaunau, HI 96726

String Quartet in C# Minor, Opus 131

Ludwig van Beethoven
(1826)

Adagio ma non troppo e molto espressivo.

Violino I.

Violino II.

Viola.

Violoncello.

cresc. *f* *p* *cresc.*

f *p* *cresc.* *dim.* *cresc.* *dim.* *cresc.* *dim.*

cresc. *f* *p* *cresc.*

p *cresc.* *p* *cresc.* *p* *cresc.* *p* *cresc.* *cresc.*

Illustration 30

Software for Printing Music -- 6 Noteprocessor (Piero De Berardinis)

Computer: Apple II

Printing device: C.ITOH 8510A with Apple interface #85APL-II

Coro I.II. Johann Sebastian Bach

Soprano
in ripieno

Flauto
traverso I

Flauto
traverso II

Violino II.

Flauto III.

Flauto IV.

Oboe I.

Oboe II.

Violino I.

Organo
e continuo.

Viola.

(C) 1985 by SEV

Illustration 31
Software for Printing Music -- 7
Professional Composer

Computer: Apple Macintosh
Printing device: Apple LaserWriter
Vendor: Mark of the Unicorn

GLUCK ZU KREUZ 8.7.8.7.
HARMONIZED BY CHARLES WOOD

FLOSSIE L. HEYWOOD
Darmstadt Gesangbuch, 1698

1. Armed with faith, may we press on - ward
2. Like the star of Beth - le - hem shin - ing
3. Hear our pray er, O gra - cious Fa - ther,

The first system of the musical score is for the song 'Gluck zu Kreuz'. It features three staves: a vocal line (treble clef) and two piano accompaniment lines (treble and bass clefs). The key signature has one flat (B-flat), and the time signature is 3/4. The lyrics are arranged in three lines, corresponding to the three parts. The first line of lyrics is '1. Armed with faith, may we press on - ward', the second is '2. Like the star of Beth - le - hem shin - ing', and the third is '3. Hear our pray er, O gra - cious Fa - ther,'. The music consists of a series of chords and single notes, with some notes beamed together.

Know - ing noth - ing but.. Thy will; Con - que - ring
Love will guide us all.. the way From the
Au - thor of... ce les - tial good, That Thy

The second system of the musical score continues the song. It also features three staves: a vocal line (treble clef) and two piano accompaniment lines (treble and bass clefs). The key signature remains one flat (B-flat), and the time signature is 3/4. The lyrics are arranged in three lines, corresponding to the three parts. The first line of lyrics is 'Know - ing noth - ing but.. Thy will; Con - que - ring', the second is 'Love will guide us all.. the way From the', and the third is 'Au - thor of... ce les - tial good, That Thy'. The music continues with a series of chords and single notes, with some notes beamed together.

Illustration 32
Software for Printing Music -- 8
MusScript (Keith Hamel)

Computer: Apple Macintosh
Printing device: Apple LaserWriter
Font: PostScript 'Sonata' by Adobe Systems

Moderato ♩.60

Preludio

The musical score is for a piece titled 'Preludio' in C major, marked Moderato at 60 beats per minute. It is written for piano in 2/4 time. The score is divided into two systems. The first system contains measures 1 through 4. Measure 1 begins with a forte (f) dynamic and features a rapid ascending scale in the bass staff. Measure 2 continues the scale. Measure 3 shows a descending scale. Measure 4 ends with a half note chord. The second system contains measures 5 through 8. Measure 5 starts with a mezzo-forte (mf) dynamic and a descending scale. Measure 6 continues the scale. Measure 7 features a fortissimo (ff) dynamic and a descending scale. Measure 8 ends with a piano (p) dynamic and a half note chord. The score includes various musical notations such as treble and bass staves, notes, rests, and fingerings.

Illustration 33

Software for Printing Music -- 9a
Theme: The Music Editor (Mark Lambert)

Computer: IBM PC-compatible Zenith Z-158

Printing device: Star Micronics Gemini 10X dot-matrix printer

CHORAL

Soprano. Ob sich's an-liess, als wollt' er nicht, lass
Denn wo er ist am be-sten mit, da

Alto. Ob sich's an-liesss, als wollt' er nicht, lass
Denn wo er ist am be-sten mit, da

Tenore. Ob sich's an-liess, als wollt' er nicht, lass
Denn wo er ist am be-sten mit, da

Basso. Ob sich's an-liess, als wollt' er nicht, lass
Denn wo er ist am be-sten mit, da

Continuo. 5 4 2 6 5 6 5 9 8 6 5 6 5

dich will es's nicht er - schre- cken,
ent - de - cken;

dich will es's nicht er - schre- cken,
ent - de - cken;

dich will es's nicht er - schre- cken,
ent - de - cken;

dich will nicht er - schre- cken,
ent - de - cken;

dich will nicht er - schre- cken,
ent - de - cken;

5 6 6 8 7
4

Illustration 34

Software for Printing Music -- 9b

Theme: The Music Editor (Mark Lambert)

Computer: IBM PC-compatible Zenith Z-158

Printing device: Star Micronics Gemini 10X dot-matrix printer

Moderato



Illustration 35

Software for Printing Music -- 10a
Oberon System II (Nancy Colton)

Computer: Hewlett Packard Vectra (IBM PC compatible)
Printing device; HP LaserJet Plus
Font: Oberon Music Font



Software for Printing Music -- 10b
Oberon System II (Nancy Colton)

Computer: Hewlett Packard Vectra (IBM PC compatible)
Printing device: HP LaserJet Plus
Music font: Oberon Music Font
Text: Word Perfect

[illegible]

Illustration 37

Software for Printing Music -- 11a Music Writer (Armando Dal Molin)

Computer: IBM PC with custom 'piano keyboard' peripheral
Printing device: Okidata 192 dot matrix printer
[Epson and IBM dot matrix printers also supported]

CHORAL.

The musical score is for a choral piece. It features five vocal parts: Soprano, Alto, Tenore, Basso, and Continuo. The lyrics are in German and are repeated for each part. The Continuo part includes figured bass notation.

Soprano
Ob sich's an - liess, als wollt' er nicht, lass
Denn wo er ist, am be - sten mit, da

Alto
Ob sich's an - liess, als wollt' er nicht, lass
Denn wo er ist, am be - sten mit, da

Tenore
Ob sich's an - liess, als wollt' er nicht, lass
Denn wo er ist, am be - sten mit, da

Basso
Ob sich's an - liess, als wollt' er nicht, lass
Denn wo er ist, am be - sten mit, da

Continuo
5 6 3 6 6 9 8 6 5 6 5
4 5 3 3#
2

Illustration 38

Software for Printing Music -- 11b Music Writer (Armando Dal Molin)

Computer: IBM PC with custom 'piano keyboard' peripheral

Printing device: Okidata 192 dot matrix printer

[Epson and IBM dot matrix printers also supported]




Illustration 39

Software for Printing Music -- 12a Deluxe Music Construction Set, Version 2.0 (Geoff Brown)

Computer: Apple Macintosh
Printing device: Linotronics typesetter
Font: PostScript 'Sonata' by Adobe Systems
Vendor: Electronic Arts

Unreduced

CHORAL.

Soprano.
Flauto traverso in 8^a
Oboe d'amore, Violino I.
col Soprano.

Alto.
Violino II coll' Alto.

Tenore.
Viola col Tenore.

Basso.

Continuo.

Ob Denn sich's auliess, als wollt' er nicht, lass dich es nicht er - schre - cken; de - cken;

Ob Denn sich's auliess, als wollt' er nicht, lass dich es nicht er - schre - cken; de - cken;

Ob Denn sich's auliess, als wollt' er nicht, lass dich es nicht er - schre - cken; de - cken;

Ob Denn sich's auliess, als wollt' er nicht, lass dich es nicht er - schre - cken; de - cken;

Ob Denn sich's auliess, als wollt' er nicht, lass dich es nicht er - schre - cken; de - cken;

5 4 2 6 5 6 9 8 6 4 5 6 5 6 8 7

Illustration 40

Software for Printing Music -- 12b
Deluxe Music Construction Set, Version 2.0 (Geoff Brown)

Computer: Apple Macintosh
Printing device: Linotronics typesetter
Font: PostScript 'Sonata' by Adobe Systems
Vendor: Electronic Arts

Unreduced

The image displays a musical score for a piano piece, consisting of two systems of staves. The left system contains 8 staves, and the right system contains 8 staves. The music is written in treble and bass clefs, with various musical notations including notes, rests, and dynamic markings like 'dolce'. The notation is dense, with many beamed notes and slurs, suggesting a complex and expressive piece. The score is presented in a clean, professional layout, typical of a typeset musical score.

Illustration 41

Software for Music Printing -- 13a
High Score (Donald Byrd and Kimball Stickney)

Computer: Apple Macintosh
Printing device: Linotronics 100 typesetter
Font: PostScript 'Sonata' by Adobe Systems

Fourth String Quartet

BELA BARTOK

(1928)

I.

Allegro

Violino 1

Violino 2

Viola

Violoncello

The first system of the musical score for the Fourth String Quartet by Bela Bartok. It features four staves: Violino 1, Violino 2, Viola, and Violoncello. The time signature is 4/4. The key signature has one sharp (F#). The tempo is marked 'Allegro'. The first measure of each staff begins with a forte (f) dynamic. The Violino 1 staff has a series of eighth and sixteenth notes. The Violino 2 staff has a series of eighth and sixteenth notes. The Viola staff has a series of eighth and sixteenth notes. The Violoncello staff has a series of eighth and sixteenth notes. The system ends with a measure of rest for all instruments.

The second system of the musical score for the Fourth String Quartet by Bela Bartok. It features four staves: Violino 1, Violino 2, Viola, and Violoncello. The time signature is 4/4. The key signature has one sharp (F#). The system begins with a measure of rest for all instruments. The Violino 1 staff has a series of eighth and sixteenth notes, marked with a crescendo (cresc.) and a sf (sforzando) dynamic. The Violino 2 staff has a series of eighth and sixteenth notes, marked with a crescendo (cresc.) and a sf (sforzando) dynamic. The Viola staff has a series of eighth and sixteenth notes, marked with a crescendo (cresc.) and a sf (sforzando) dynamic. The Violoncello staff has a series of eighth and sixteenth notes, marked with a crescendo (cresc.) and a sf (sforzando) dynamic. The system ends with a measure of rest for all instruments.

Illustration 42

Software for Music Printing -- 13b
High Score (Donald Byrd and Kimball Stickney)

Computer: Apple Macintosh

Printing device: Apple LaserWriter

Font: PostScript 'Sonata' by Adobe Systems

Fourth String Quartet

BELA BARTOK

(1928)

I.

Allegro

Violino I

Violino 2

Viola

Violoncello

4

cresc. *sf* *sf* *sf* *ff* *cresc.*

Illustration 43

Software for Printing Music -- 14 Oxford Music Processor (Richard Vendome)

Computer: IBM PC or compatible

Output device: Gould Colorwriter 6320

The musical score is presented in six systems, each with a treble and bass staff. The key signature is one sharp (F#), and the time signature is 4/4. The notation includes various musical symbols such as notes, rests, accidentals, and trills. The first system shows a treble staff with a melodic line and a bass staff with a supporting line. The second system continues the melody with some grace notes. The third system features a trill in the treble staff. The fourth system has a grace note in the treble staff. The fifth system includes a trill in the treble staff. The sixth system concludes the piece with a final cadence.

Illustration 44

Software for Printing Music -- 15
ETH (Giovanni Müller)

Hardware: LILITH workstation

Software: interactive editor in Modula-2 under development





Illustration 45

Software for Printing Music -- 16
ALPHA/TIMES (Christoph Schnell)

Computer: Macintosh

Printing device: Apple ImageWriter II

Unreduced

Kyrie. Fons bonitatis pater ingenite




Illustration 46

Software for Printing Music -- 17 Interactive Music System (Lippold Haken, Kurt Hebel)

Computer: PLATO System

Printing device: Apple LaserWriter

Prélude

Tom Cortese

Moderato

The musical score for "Prélude" by Tom Cortese is presented in four systems. The key signature is G major (one sharp) and the time signature is 4/4. The tempo is marked "Moderato".

- System 1:** Treble staff begins with a piano (*p*) dynamic. The bass staff has a whole note chord.
- System 2:** Treble staff has a crescendo (*cresc*) marking. The bass staff has a whole note chord.
- System 3:** Treble staff has a decrescendo (*decresc*) marking. The bass staff has a whole note chord.
- System 4:** Treble staff ends with a piano (*p*) dynamic. The bass staff has a whole note chord.

An Early System for Printing Music: Jef Raskin's *Lingua Musica pro Machinationibus IV* (1966-67)


The recurrence of certain concepts in efforts to represent and print music is well illustrated by work done by Jef Raskin in the 1960's. Raskin had been involved as a high school student in the earliest phase of DARMS development. As a graduate student in computer science at Pennsylvania State University in 1966-67, he developed a *Lingua Musica pro Machinationibus* to support music printing. It was designed to represent music of arbitrary complexity and to reproduce it at any size. The printing program used vector graphics, with output from a Calcomp plotter.

Problems of positioning were resolved by specifying X and Y axis locations. A drafting system coordinated with a keypunch machine facilitated data entry. A screen display was also supported. The screen could display notation that looked the same as the printed output (the only photograph made of screen display is the one shown here).


Raskin, a musician and conductor, subsequently gained recognition as a computer graphics artist, a reporter for *Byte Magazine*, and a designer of the Apple Macintosh. An important motivation in designing the Macintosh was, according to him, to make computer printing of music available inexpensively. Raskin is the founder and president of Information Appliance, Inc. The Center extends special thanks to Mr. Raskin for making available the following illustrations and other documents.




Karen Kalinsky entering the music of Bach onto punch cards using a combination of a keypunch machine and an X - Y graphics digitizer (shown in the following illustration).



Determination of X and Y coordinates.



Screen display (monitor for IBM mainframe).



Photograph of the first musical output.



Recent reproduction of the same material.



Another example from the same system.

News

Standards for Musical Information

ANSI

The American National Standards Institute subcommittee charged with developing a capability for machine interchange of musical information (colloquial name, MIPS, for Musical Interchange Processing Standards; official name, ANSI X3V1.8M) held week-long meetings in Washington D.C. in November 1986, in San Jose in February 1987, and in Minneapolis in June. Charles Goldfarb (IBM) serves as chairman; Steven Newcomb (Center for Music Research, FSU) is vice chairman. Alan Talbot (New England Digital), the secretary, is compiling a "Journal of Technical Developments." Anyone interested in interacting with MIPS should contact the MIPS Secretariat c/o Steven R. Newcomb (Center for Music Research, Florida State University, Tallahassee, FL 32306-2098).

MIPS takes the view that its charge is to develop a "language" that can express any music that can be written in standard notation. The standard is intended "as a storage and interchange format for musical ideas." Provisionally, the subcommittee has decided to differentiate these kinds of musical data: "the underlying musical form ['core']; a set of performances ['gestural']; a set of scores ['visual']; and a set of theoretical analyses ['analytical']. This hierarchical structure will be codified in terms of elements; each element has a related information set consisting of attributes." The coding is compatible with Standard Generalized Markup Language, a tool developed by Goldfarb for designing structured languages.

IFF

The Interchange File Format (IFF) for music is a group of protocols to facilitate exchange of music, text, and video files in diverse formats. Originally developed by Electronic Arts for the Amiga microcomputer, IFF has been extended to other synthesizer-related environments. File segments are labelled to enable the user to determine whether he wants detailed information from them. One protocol (ILBM) supports raster graphics, another (8XVS) supports sound sampling, and a third (SMUS) supports sequencing information. Further information can be obtained from Jerry Morrison at Electronic Arts.

MIDI

A proposal to standardize MIDI (Musical Instrument Digital Interface) file formats has been made by Dave Oppenheim of Opcode Systems. At press time, a draft was being circulated to the MIDI Manufacturers Association and formal consideration was to be given at the meeting of the National Association of Music Manufacturers in Chicago (June 27 - 30, 1987). The standard would serve microcomputers with a MIDI interface.

Recent Events

MILAN

Luigi Finarelli and Goffredo Haus gave a presentation on "A Musical Database on CD-ROM" for a CD-ROM workshop sponsored jointly by the Italian Informatics Association (AICA) and the Department of Information Science of the University of Milan on May 20, 1986. Some examples of work previously done with the CNUCE system in Pisa were demonstrated.

OXFORD

A two-day conference on "Computers and Music Research" was held at the Computing Laboratory, Oxford University, on July 9 and 10, 1986. Representation systems, data structures, and methods of printing music were among the topics discussed. One practical result of the meeting was the establishment of the electronic "Music-Research Digest" initiated by Stephen Page, one of the organizers of the meeting. The 29 predominantly British participants represented diverse aspects of musical activity.

ESSEN

Dr. Helmut Schaffrath, chairman of the Study Group on Computer Retrieval of the International Council for Traditional Music, convened a three-day symposium (October 1 - 3, 1986) at the University of Essen, BRD, to discuss databases, automatic musical notation and analysis, and networks. A previous meeting in Helsinki had been held. The participants, who were from Denmark, France, Great Britain, Holland, Italy, and Germany, explored the Essen database of 4000 German folksongs and saw a demonstration of visual and sound materials stored on CD-ROMs and addressed by the German postal network (btx). [A substantial corpus of encoded folksongs has been deposited with the Oxford Text Archive.] A technical manual in German describing the encoding and format of the data is available at Essen University; an English translation is in progress. Dr. Schaffrath also moderates a continuing electronic discussion of computer projects in ethnomusicology. The electronic address is JMP100@DE0HRZ1A.EARNNET.

CHICAGO

Several areas of computer involvement were discussed at the conference on music bibliography organized by Kären Nagy and hosted by Northwestern University in Evanston, Illinois, on October 9 - 12, 1986. Among the papers given were those of John Howard (Harvard University) on "RISM Series A/II: Music Manuscript Bibliography and Electronic Data Processing," Michael Fling and Kathryn Talalay (Indiana University) on "Music Bibliographic Instruction on Microcomputers," Nicholas Temperley (University of Illinois) on "The Problem of Definitive Identification in the Indexing of Hymn Tunes," Michael Keller (Yale University) on "New Bibliographic, Literary, and Musical Tools: The Italian Music and Lyric Poetry of the Renaissance Project," and Arthur Wenk (Québec) on "Varieties of Musical Analysis: Building an Analytical Sieve." The conference was supported in part by the National Endowment for the Humanities.

ZURICH

A two-day workshop on "Music Notation by Computer" was held at the Institut für Informatik of the Eidgenössische Technische Hochschule in Zurich on October 17 and 18, 1986. Bruno Spörri of the Schweizerisches Zentrum für Computermusik organized the meeting with the help of several colleagues. There were five speakers (Donald Byrd, Armando Dal Molin, John Maxwell, Giovanni Müller, and Bernhard Päuler) and four systems demonstrations (by Etienne Darbellay, Christoph Schnell, Karl Steinmann, and Christopher Yavelow).

COLLEGE PARK, MARYLAND

George Houle, Professor of Music at Stanford University, gave as a keynote address at the Handel Symposium at the University of Maryland in late October a discourse on "Editing Handel: Performance, Scholarship, and Technology." His paper commented on ways in which techniques of printing music in the past encouraged the notion that a "definitive monument of each work" could be created from multiple sources and suggested that eighteenth-century music might be well served in the future by the flexibility offered by emerging technology.

LONDON

A "Review of Data Bases for Eighteenth-Century Sources" was one component of a research students' study day sponsored by the Royal Musical Association in London on November 28, 1986. The event, held at the Institute for Historical Research, Senate House (University of London), was organized by Michael Burden, Irena Cholij, and Simon Hughes. Its overall focus was on eighteenth-century English music.

The second annual conference of the Association for History and Computing was held at Westfield College, University of London, from March 20 to 22, 1987. Papers on database methods, academic word processing, and typesetting were included.

COLUMBIA, SOUTH CAROLINA

Papers on music projects were read by Michael Keller (Yale), Roger Dannenberg (Carnegie Mellon University), and Linda Sorisio (IBM, Los Angeles) at the Eighth International Conference on Computers and the Humanities, held at the University of South Carolina (Columbia, SC) on April 9 - 11, 1987.

LISBON

Barry Brook spoke about the uses of computers at a conference on major trends in musicology. The conference, sponsored by the Gulbenkian Foundation, was held in Lisbon in April.

NEW YORK

A seminar on "Music Publishing and New Technology" was given at the annual meeting of the Music Publishers Association in New York on June 3, 1987. One music printing program for the IBM PC, *The Note Processor*, was demonstrated.

Forthcoming Events

SOUTHAMPTON

A session on "Computers in Early Music Research" was scheduled to be given during the fifteenth annual conference on Medieval and Renaissance Music held at Southampton University (U.K.) from July 24 to 27, 1987.

BOLOGNA

"Databases and the Practice of Musicology" is the title of a study session organized by CCARH for the meeting of the International Musicological Society in Bologna, Italy, scheduled for August 27 - September 1, 1987. The session is designed to offer detailed descriptions of two large database projects currently underway as a basis for a broad consideration of ways in which the methods and products of scholarship are being extended. Eleven participants from five countries represent the viewpoints of research scholars, editors, publishers, and software designers. A one-day meeting on "Computer-Based Approaches to Musical Data and Analysis: an Exchange of Technical Information" and an open discussion of the aims of the RENARC project (see **Databases of Text**) will also occur during the IMS meeting.

NEW ORLEANS

Maureen Buja of Garland Press has organized a session called "Computers, Musicology, and Music Instruction: Current Projects" for the joint national meeting of the College Music Society and the American Musicological Society in New Orleans in October 1987. Participants include Ann Woodward (videodiscs), Julian Elloway (the Oxford Music Processor), Michael Keller (madrigal/lyric poetry project), and Giulio Ongaro (a database for archival research).

Online Communications

HUMANET

ScholarNet, based at North Carolina State University in Raleigh, North Carolina, offers a variety of telecommunications services in exchange for a one-time membership fee. Its humanities branch, HumaNet, will concentrate initially on materials for English, history, philosophy, and religion. Access to DIALOG databases and an online encyclopedia (not specifically identified) is provided by the service. Subscription requests should be addressed to General Videotex Corp., 3 Blackstone Street, Cambridge, MA 02139.

HUMANIST

HUMANIST is an electronic mail network for information concerning computing in the humanities. It is seeking affiliation with the Association for Computers and the Humanities and with the Association for Literary and Linguistic Computing. Enquiries should be addressed to George Brett (*ECSGHB@TICC.BITNET*). Those wishing to subscribe should contact Willard McCarty (*McCARTY@UTOREPAS.BITNET*).

MUSIC-RESEARCH DIGEST

Stephen Page initiated an electronic mail Music-Research Digest in July 1986. Installments appear approximately biweekly and cover a host of topics, ranging from casual enquiries to detailed questions of methodology. Administrative requests should be sent to "*Music-Research-Request@uk.ac.oxford.prg*"; contributions may be sent to "*Music--Research@uk.ac.oxford.prg*." Please note that the second part of the address must be reversed from most countries outside the United Kingdom (e.g., "*prg.oxford.ac.uk*"). Distribution in the United States is being provided by Brad Rubenstein ("*brad@ingres.berkeley.edu*" [Arpa] and "*...lucbvax/ingres!bradr*" [UUCP]).

MUSICOMP

An ongoing "electronic conference" on music and computers (called *CRT:MUSICOMP*) was started at the University of Michigan in the autumn of 1986. Outside users are welcome to participate but must first establish an account to use the UM system. Enquiries may be addressed to Ms. Julie Amo, Business Office, Computing Center, 1075 Beale Avenue, Ann Arbor, MI 48109 (313-764-8001).

TELETAU

A library of roughly 800 encoded works together with software of various kinds is available from the TELETAU (formerly TAUMUS) system, which is operated from Pisa and Florence. The electronic addresses for TELETAU are *MUSIC3@ICNUCEVM.BITNET* and *CHERU@IFIIDG.BITNET*.

Current Technical Research

Optical Scanning

A significant amount of interest in optical scanning of music, a possibility rigorously explored around 1970, has arisen in the past year. Some of it appears to have been promoted by the marked increase in availability of inexpensive digitizing equipment. Image capture is only the first stage in a long series of processes required for intelligent recognition and data manipulation, which must be carefully distinguished from "dumb" replication of the digitization. In multi-user environments, interest in optical character recognition may occur in conjunction with research related to image processing, signal processing, or automatic transcription.

Nicholas Carter, a postgraduate at the University of Surrey (Guildford, UK), where image processing techniques have been highly developed for some time, is writing programs in 'C' to run on a Gould microcomputer in a UNIX environment. A Canon A3 laser scanner is used for image capture. Carter reports some success with pitch recognition. An article on "Acquisition, Representation, and Reconstruction of Printed Music by Computer: A Review" by Carter and his supervisors, R. A. Bacon and T. Messenger, is forthcoming in *Computers and the Humanities*.

Bernard Mont-Reynaud, who has devoted many years of research to automatic transcription of taped music, has been exploring optical scanning techniques on the Xerox system at the Center for Research in Music and Acoustics (CCRMA) at Stanford University. In its preliminary stages, his work focuses on screen manipulation of visual elements of musical notation. This requires differential manipulation (rotation, enhancement, diminution) of horizontal and vertical planes (see Illustration #47).

The Waseda University (Tokyo) team led by Prof. Samadu Ohteru has been developing competence in automatic recognition of printed music, and in its translation to and from Braille, for several years. [See Illustration #48 for a representative sample of the level of complexity with which this system can currently deal.] Score reading is one component of a series of tasks implemented in the course of robotics research and development. [See also **Facilities.**]

Henry Baird, a specialist in image matching software at AT&T Bell Laboratories in Murray Hill, NJ, has recently begun to work on optical recognition of music. Others reporting some involvement in optical scanning research include Brad Rubenstein (Sun Microsystems and UC Berkeley); Peter Preston-Thomas (IBM PC; University of Ottawa); Neil Martin (IBM PC; undergraduate project in computer science, Thames Polytechnic, London); and Alastair Clarke (IBM PC; University of Cardiff).

Automatic Transcription

A group headed by Professor Seiji Inokuchi in the Department of Control Engineering at Osaka University has been involved for several years with diverse projects involving automatic transcription. Their current focus is on computer performances that provide the variable qualities that distinguish human performance. The analysis of performed music and the use of modelling techniques are steps toward this goal. The work is carried out using an Apollo Domain DN570AX2 computer with a tablet scanning system. Professor Inokuchi is a coauthor of numerous publications concerning this research. Writings on automatic transcription of Japanese folksong have appeared in conference proceedings of engineering symposia held in Montréal (Seventh ICPR, 1984) and Tokyo (ICASSP, 1986). [On other Japanese work related to automatic transcription, see **Facilities: Tokyo.**]

An extensive effort to transcribe Indian music is being made by an ISTAR (International Society for Traditional Arts Research) team with members in Holland, France, India, and elsewhere. A "melodic movement analyser" designed by Bernard Bel generates a graphic notation that Indian collaborators have praised. The graphs, or melograms, are converted into sequential lists of symbols. A number of different ways of representing the data have been developed. Melodic and rhythmic analyses are performed on the captured data. The ISTAR team includes Wim van der Meer of the Netherlands, B. Bel (France), J. Kippen (England), Joep Bor (The Netherlands), and P. Müller (Germany). An Apple // is the main piece of hardware involved. ISTAR publishes its own newsletter, in which extensive commentary can be found. For copies, write to Arcee Press, 5 Desh Bandhu Gupta Road, New Delhi 110055, India. For further information, write to Bernard Bel or Wim van der Meer.


Illustration 47
Optical Scanning: Fundamental Concepts

Bernard Mont-Reynaud: Screen manipulation of graphic elements.

(1) Original example.



(2) Simple vertical extraction.



(3) Residue from simple horizontal extraction.



(4) Object (eight-note) extraction.



(5) Rotation of vertical axis.




Illustration 48.

Optical Scanning: Sample of Recognizable Music

Waseda University (Prof. Ohteru *et al*):

"Ochi no inori," the devotional song shown below, represents the level of notational complexity that can currently be accommodated by the group's Automated Score Recognition System.



2. あさのいのり

1. き よ い あ さ ん よ わ た し た ち
2. か み の お ん は マ リ ア さ ま

お て て あ わ ー せ ー い の り ま し ょ う
わ た し た ち ー の ー お か あ さ ま

こ こ ろ き よ く ー す な お な こ
お ま も り く だ さ い ぎ ょ う も ま た

ひ か り の こ ど も で あ る よ う に
あ な た の よ い こ で あ る よ う に

Other Areas

Computer studies of musical performance are being carried out in several places. Johan Sundberg and others in Stockholm have been attempting to map musically essential characteristics of musical performance using a Macintosh and MIDI synthesizers. Nicholas Cook, working at the University of Hong Kong, has been investigating performance nuance as a function of formal structure. His work is carried out with a Hewlett Packard Integral PC with custom-built devices and software.

THE MUSES (THEory of MUSIC Expert Systems) project, an undertaking of the IBM Scientific Center in Los Angeles, is designed to develop tutorials in music theory appropriate for elementary harmony courses. Headed by Linda B. Sorisio, the project involves simultaneous use of sound and graphics in an "expert system" environment. Currently, it is based on a mainframe computer. Ms. Sorisio is planning to distribute a newsletter on the use of computers in music teaching at the university level.

Music is being examined as a model for a new system for representing events in time in exploratory research being carried out in Los Angeles area schools. Apple Computer is funding the project, which is headed by Apple Fellow Alan Kay. Kay is assisted by John Steinmetz, Ann Marion, and a number of musicians. The project is called Apple Vivarium.

Theses and Dissertations in Progress

- * Clive Broadbent (Department of Music, Durham University) is attempting to develop a self-contained system for analytical tasks. Music encoding and printing are practical concerns of his work.
- * Christine Buyle (Belgium) is writing a thesis on a computer implementation of a generative grammar for tonal music.
- * Nicholas Carter (University of Guildford, Surrey) is seeking a general solution to the problem of automatic pattern recognition of printed music. His research is being conducted in a UNIX-based image processing context. [See **Current Technical Research**.]
- * Alastair Clarke, a research student in the Department of Computing and Mathematics at the University of Cardiff, is working on computer typesetting of music and optical scanning.
- * Walter Colombo (Mathematics, University of Milan) is developing a series of programs to facilitate harmonic analysis based on Schoenberg's theory of tonal regions.
- * Shane Dunne was to write an undergraduate thesis in computer science at the University of Western Ontario (Canada) concerned with the development of a software tool to produce small amounts of musical material at very high resolution on a laser printer. An historical review of efforts to print music by computer is included.
- * Luigi Finarelli (Computer Science, University of Milan) is developing a series of UNIX-based programs for elementary analysis procedures. His programs use TAUMUS encoding.

- * Timothy Koozin (Music, University of Cincinnati) is doing a pitch-class set analysis of the works of Toru Takemitsu.
- * Samuel McKinney completed a thesis on computer-assisted music analysis at the University of Brussels in 1986 and is now working towards a Ph.D. in music theory at the University of California at Santa Barbara. His completed study surveys the major studies of the past three decades, distinguishing statistical, linguistic, and artificial intelligence approaches.
- * Bruce McLean (Engineering, SUNY Binghamton) intends to complete his thesis on a DARMS canonizer by August 1987. His canonizer was demonstrated in New York in May.
- * N. G. Martin, in a B.Sc. Honors project in computer science (Thames Polytechnic), is investigating methods of identifying a subset of musical symbols in a digitized image of printed music. He is using an IBM PC with Turbo Pascal.
- * Rosa Michaelson's M.Sc. thesis (Edinburgh, c.1984) considers diverse methods of music input and transcription. Related matters are also considered in the M.Sc. thesis of A. S. Keane (Artificial Intelligence, Edinburgh).
- * Stephen Page (Computer Science and Music, Oxford University) is developing a "Query System for Music Information Retrieval." His approach favors description-oriented queries over special-purpose programs and operates on DARMS-encoded data.
- * Alastair Pearce (Music, King's College, London) is developing an information retrieval package for use with DARMS-encoded music in connection with a thesis on "Computer Applications in Music."
- * Brad Rubenstein (Computer Science, UC Berkeley) expects to complete his thesis on data management of musical information by the summer of 1987.
- * Christoph Schnell's thesis (Computer Science, Zurich) was published in German in 1985 (see Bibliography). Parts of it are scheduled for publication in English.

Comprehensive Publications (Recent)

Musikometrika is the title of an intended series of publications "specially oriented towards cooperation between musicology and linguistics," according to a recent announcement. It will form a subseries of *Quantitative Linguistics*. These are some of the topics for inclusion: (1) structural units of musical language, including rule systems and principles of segmentation; (2) statistical and information-theoretical characteristics of specific repertoires; (3) relationships between music and speech generally, between music and text in specific works, between vocal and instrumental music, and between composed and folk music; (4) structural and quantitative characteristics of mode, rhythm, and pitch; and (5) frequency vocabularies of musical texts. Enquiries and contributions may be sent to Dr. Moisei G. Boroda, State Conservatory, Griboedova 8, 380004 Tbilisi, USSR, or to the editors of *Quantitative Linguistics*.

Lelio Camilleri's article on "The Current State of Computer Assisted Research in Musicology in Italy" recently appeared in *Acta musicologica*, LXVIII/2. A revised and expanded version with the title "Computational Musicology in Italy: An Overview of Basic Concepts and Applications" is in preparation.

Sebastian Rahtz is the editor of *Information Technology in the Humanities*, newly published by Ellis Horwood [UK; distributed in North America by Halsted Press (John Wiley), ISBN 0-470-20852-X]. A chapter on music applications has been contributed by Alastair Pearce.

Alexander Brinkman has recently completed a book on *Pascal Programming for Music Research*. It covers standard topics in programming and also provides special consideration of such topics as "prime form/normal order algorithms," "spelling pitch structures," and "score processing." Its sample applications are drawn from musicological experience, so that "interpreting DARMS pitch code" provides an example of the use of an array and "interpreting DARMS duration codes" an example of a procedure for rational arithmetic. DARMS, MUSTRAN, and SCORE codes are summarized and a DARMS translator is given in an appendix.

Coda is an inexpensive catalogue of music software published by the Wenger Corp. (Owatonna, MN). Oriented mainly toward sound and instructional programs, it lists roughly 500 items. These are variously for Apple, IBM, Commodore, and Atari microcomputers.

A *MIDI Buyer's Guide* is published annually by *Keyboards, Computers, and Software Magazine*. Although the magazine is directed toward the popular music market, its list of software publishers (with addresses) and products (with prices) is quite comprehensive. It covers products sold in the U.S. for the Apple, Atari, Commodore, and IBM (compatible) microcomputers.

Resource List for Humanities Computing Information

Advances in Computing and the Humanities is an interdisciplinary series edited by Ephraim Nissan (Ben Gurion University) and published by JAI Press in Greenwich, CT. "Musical text processing" is one of its areas of interest.

An Association for History and Computing was formed in England over the months following a well attended conference at Westfield College, London, in March 1986. For details about the Association, please contact Dr. Peter Denley; for information about its newsletter, Bill Speck; and to propose a workshop, Nicholas Davidson. Manchester University Press (Oxford Road, Manchester M13 9PL, UK) has recently published in paperback *History and Computing*, a compendium of several dozen short articles giving an overview of the current range of computer uses in historical scholarship. It represents the proceedings of the inaugural meeting.

Oryx Press (Phoenix, AZ) is currently assembling an *Electronic Scholar's Resource Guide* under the general editorship of Joseph Raben. The guide, which will be available both electronically and in print, aims to cover all humanities disciplines. For further information, contact the editor at Paradigm Press.

Bits and Bytes Review is a new publication that presents extensive reviews of computer products and resources for the humanities. It is published nine times a year. The editor is John J. Hughes. The first issue, which appeared in October 1986, featured detailed, illustrated reviews of the IBYCUS Scholarly Computer, developed by the classicist David Woodley Packard for teaching and research involving ancient languages (Latin, Greek, Hebrew, Coptic), and Nota Bene software for academic word processing involving modern languages.

Humanities Research Tools in Machine-Readable Form

Oxford Text Archive

The Oxford Text Archive, which is maintained by the Oxford University Computing Service, holds machine readable copies of several hundred works and maintains a running list of information about texts in machine-readable form held at other sites around the world. Many texts (rated 'U') can be made available at a modest charge; some ('A') require permission from the depositor; some ('X') are restricted. A large number of the texts are of sources in ancient or non-Western languages. U-rated texts include thirteen plays (first quarto) and the sonnets of Shakespeare, three epic poems by Milton, and Chaucer's *Canterbury Tales*. A revised catalogue of holdings was issued in April 1987 and is available from Lou Burnard. Charges are approximately \$7.50 per text plus \$22 (UK) or \$37 (elsewhere) per tape.

Oxford English Dictionary

Oxford University Press is preparing an electronic edition of the venerable *Oxford English Dictionary*. The new edition will be issued on two CD-ROMs that will be searchable with appropriate software. It will also form the basis of an ongoing databank.

English Drama

English drama is the focus of two large machine-encoded projects. *Records of Early English Drama* is, in the first instance, a computer-typeset series of archival studies intended to "locate, transcribe, and edit all surviving documentary evidence of drama, minstrelsy, and ceremonial in England until the official closing of the theaters in 1642." REED is an international collaboration based in Toronto. Efforts to make the completed series available in machine-readable form are being explored. Meanwhile, a plan to publish in computer-readable form the complete corpus of extant early English dramas themselves is receiving serious consideration at Oxford University. Each text would be available on a floppy disc with its own built-in dictionary.

Greek

The Thesaurus Linguae Graecae, a databank of 60 million words representing 8,400 works from Homer to A.D. 600, provides several services that could be of value to scholars who have occasion to search classical Greek texts. Specific texts may be ordered on tape (a minimum order is \$100, but many single works are less than \$5). Searches can be run in-house for \$10 each, with a surcharge of \$.10 a page for printing and documentation. The entire corpus of encoded material can be obtained under license on a CD-ROM; a five-year license is \$300 for individuals and \$500 for institutions, and additional fees may pertain in some situations. The TLG, on which development work continues, is housed at the University of California at Irvine and issues a periodic newsletter.

Latin

The newly formed Packard Humanities Institute in Los Altos, California, is preparing a database of classical Latin writings. These will be issued on a CD-ROM that can be searched by microcomputers having appropriate hardware and software capabilities. The first installment of data is expected to be available by December 1987.

Log of Current Activities and Applications

This listing of current and recent activities is intended to indicate the state and direction(s) of current research, to identify substantial bodies of data in machine-readable form, and to facilitate communications between users who may be engaged in projects that share a common focus or a common technical approach. For some readers it may make available in preliminary form information that would not be circulated in print without significant delay, while for others it may emphasize the need for interdisciplinary awareness and communication. For an exhaustive bibliography of published work in the field, one should consult Deta Davis's *Computer Applications in Music* (Los Altos, CA, 1987), which will contain more than 3,000 listings.

Our listing is organized under four main headings: (I) bibliographies, databases, and editions; (II) musical analysis and analytical methods; (III) general applications in musical analysis and musical information processing; and (IV) musical information processing facilities and programs of study. Placement under the first heading (I) is determined by whether the data is primarily textual or musical and whether the aim is primarily bibliographical or analytical. The second heading (II) includes those projects in musical analysis or in the study of analytical methods which focus on a specific repertory or musical objective. Harmonic, rhythmic, melodic and other kinds of analysis come under this rubric. Under the third heading (III) are grouped those activities whose main objective is to create an overall approach to the processing of musical information (data structures, representation systems, and computer procedures) or to explore defined musical relationships exhaustively (computational music theory). The final section (IV) lists integrated systems for musical information processing and programs of study oriented towards computer applications in musicology.

Occasionally the information received on a project is insufficient to insure its proper classification. Projects that involve the computer only for the purpose of text processing have not been included in the listing. For computer-based discographies and studies primarily concerned with sound synthesis, acoustics, perception, artificial intelligence, and classroom instruction, we suggest consultation of such journals as the *Computer Music Journal*, *Music Perception*, and *The Journal of Computer-Based Instruction* as well as bibliographical databases.

I. Bibliographies, Databases, and Editions

A. Bibliographies and Indices of Text

Barrell/Clavichord

Title: *Eighteenth-Century Literature for the Clavichord*

Investigator: Stephen Barrell

Place: Amsterdam

Scope: Inventory of text about and music for clavichord, with republication of the music in facsimile format

Computer (OS): Zenith 181-92
(MS DOS 3.2)

Bent/Nineteenth-Century Music Theory

Title: *Bibliography of Nineteenth-Century Music Theory*

Scope: printed sources of music theory, 1750-1910

Investigator: Ian Bent

Place: Cripps Computer Centre, Nottingham University

Time: 1982--

Computer: ICL 2988

Software: FAMULUS and FAMULUS 77

Associated Literature: "The 'Compositional Process' in Music Theory, 1713-1850," *Music Analysis* III (1984), 29-55

Crawford/Renaissance Liturgy

Title: *Renaissance Liturgical Imprints: A Census*

Scope: creation of a database for books printed between 1450 and 1565 [2500 records to date; 7500 records anticipated]

Investigator: David Crawford

Associate: James Borders

Place: University of Michigan

Time: c.1983--

Computer: IBM 3090

Database software: SPIRES

Duggan/Incunabula

Title: *Italian Music Incunabula: Printers and Types* [Berkeley: UC Press, 1988]

Scope: descriptive bibliography of books printed before 1501 with music or space for music

Investigator: Mary Kay Duggan

Place: UC Berkeley

Computer (OS): VAX (Unix)

Associated Literature: "A System for Describing Fifteenth-Century Music Type," *Gutenberg-Jahrbuch* (1984), 67.

Malm/Stearns Collection

Title: *The Stearns Collection of Musical Instruments: A Catalogue* [Vol. I in press]

Scope: lists 2,000 musical instruments

Head of project: William Malm

Associate: James Borders

Place: University of Michigan

Database software: SPIRES

Mercer/Grove

Title: Index to the *New Grove Dictionary of Music and Musicians*

Scope: a traditional comprehensive index of the complete work; output conforms to the British Standard for Indexes

Head of project: David Mercer

Associate: Stephen Lansdown

Place: Tasmania

Time: completion anticipated late in 1988

Computer (OS): NEC APC III (MS DOS)

Software: custom

B. Bibliographies and Indices of Music

Baron/French Airs

Title: *Inventory of French Air Collections*

Scope: listing and identification of duplicate melodies

Investigator: John Baron

Place: Tulane University

Place: Ohio State University

Time: 1986-8

Computer: Apple Macintosh

Encoding: Plaine and Easie code

Bernskiöld/Swedish Unison Song

Title: *Unison song in the labour, temperance and revivalist movements in Sweden, 1850-1920*

Purpose: a stylistic analysis of the music with particular emphasis on the creative interaction between different socio-cultural forms of expression; 4500 melodic incipits and 9000 texts are involved

Investigator: Hans Bernskiöld (started by Inger Selander)

Computer: IBM PC AT (PC-DOS)

Software: custom

ClinkscaleE/16th-Century Incipits

Title: *Sixteenth-Century Répertoire*

Scope: database of pitch incipits of all sixteenth-century printed music

Investigator: Edward Clinkscale

Place: University of California, Riverside

Computer: IBM PC AT

Encoding: numerical

Database software: Rbase 5000

Bernstein/Scotto

Title: *A Catalogue of the Music Published by Girolamo Scotto*

Scope: 1,000 pages of information

Head of project: Jane Bernstein

Place: Tufts University

Computer: DEC VAX

Associated Literature: "The Burning Salamander: Assigning a Printer to Some Sixteenth-Century Music Prints," *Notes* 42/3 (1986), 483-501

Davis/Concertos

Title: *A Thematic Identifier Catalogue of Eighteenth-Century Concertos*

Scope: comprehensive index of the standard repertory

Investigator: Elizabeth Davis

Place: New York University

Computer: Cyber 170

Encoding: Mustran

Christenson/Shaker Tune Index

Title: *Music of the Shakers from Union Village, Ohio: A Repertory Study and Tune Index of the Manuscripts (1840-50)*

Purpose: to create an alphabetical tune index of the contents of eleven manuscripts

Investigator: Donald E. Christenson

Advisor: Keith Mixer

Floyd/CBMR Database

Title: *CBMR Database: A Union Catalog of Black Music Holdings in Chicago-Area Libraries*

Purpose: to provide an integrated reference system for books, recordings, sheet music, manuscripts, and photographs relating to black music

Head of project: Samuel A. Floyd, Jr.

Associates: Marsha J. Reisser, Edward Mannye, Virginia McLaurin, Diane Raptosh

Place: Center for Black Music Research, Columbia College, Chicago

Time: 1985--

Computer (OS): Texas Instr. Business Pro (MS DOS)

Software: custom

HillG/Historical Editions

Title: *A Guide to Music in Collected Editions, Historical Sets, and Monuments*

Aim: to provide an index to the contents and a complete bibliography of the editions previously covered in Heyer's book; musical incipits are encoded if titles are ambiguous [see Illustration]

Head of project: George R. Hill

Associate director: Barbara Renton

Collaborators: Garrett Bowles, Robert Falck, Irving Godt, Richard Jones, Sterling Murray, Gordon Rowley, Norris Stephens, Eric Western (software)

Place: City University of New York (with support from NEH)

Time: 1986-8

Computer: various microcomputers

Musical encoding: custom (Garrett Bowles); see Illustration #49

Kennedy/Burgundian Chanson Index

Title: *Six Chansonniers: A Study of the Central Repertory of the Burgundian Chanson*

Purpose: to make available an index (pitch only) of the chansons found in six extant Franco-Burgundian chansonniers

Investigator: Duff Kennedy

Place: UC Santa Barbara (Ph.D. thesis in progress)

Computer: Tandy 1000; IBM PC

Software: modified version of Hughes' chant code with dBase III

LaRue/Symphonies

Title: *A Catalogue of Eighteenth-Century Symphonies: Vol I. IDENTIFIER* [in press, Indiana University Press]

Scope: identification and source files for all known symphonies from c. 1720 to c. 1810

Head of project: Jan LaRue

Assistants: Kathryn Shanks, David Cannata

Place: New York University

Time: 1982--

Computer(OS): Cyber 180 (NOS)

Encoding: MISTRAN

Lewis/Gardano

Title: *Antonio Gardano, Venetian Music Printer, 1538-69: A Descriptive*

Bibliography, 4 vols., NY: Garland, 1987

Scope: comprehensive study of 442 editions

Head of project: Mary Lewis

Place: Brown University

Time: 1983--87

Computer: Apple Macintosh, LaserWriter

Software: Professional Composer

Associated Literature: "Zarlino's Theories of Text Underlay as Illustrated in his Motet Book of 1549," *Notes* 42/2 (1985), 239-267

Lincoln/Madrigal

Title: *The Italian Madrigal and Related Repertories: Indexes to Printed Collections, 1500-1600* [Yale University Press, 1988]

Scope: 34,000 melodic incipits representing a repertory of 6000 works (madrigals, frottole, laude, and related genres); incipits of all voices are given)

Head of project: Harry B. Lincoln

Place: SUNY Binghamton

Hardware: IBM 3090 (data); Nicolet Zeta plotter (music printing)

Encoding: DARMS

Software: custom, in PL/1 and PASCAL

Associated Literature: "A Description of the Database in Italian Secular Polyphony held at SUNY Binghamton, N.Y.," *Fontes Artis Musicae* XXXI/3 (1984); sample of music printing in 1986 *Directory*

Lospinoso/Shape-Notes

Title: *American Shape-Note Tunes*

Scope: indexing of repertory, 1800-1865

Heads of Project: Margaret Lospinoso and Martin Dillon

Place: University of North Carolina

Encoding: DARMS

Associated Literature: "American Shape-Note Tunes," *Perspectives in Computing* 1/3 (1981), 40-48

McCrickard/Stradella

Title: *Alessandro Stradella: A Thematic Catalogue of His Works* [Pendragon Press, forthcoming]

Scope: listing of textual and musical incipits of 300 works, based on a survey of 1000 sources

Heads of project: Eleanor McCrickard and Carolyn Gianturco

Place: UNC at Greensboro

Computer: Apple II

Software: Quick File (data entry), Apple Writer (editing)

Morehen/Anglican Church Music

Title: *A Thematic Index of Anonymous English Church Music*

Scope: all English church music from the Reformation to the Civil War (1550-1640)

Head of project: John Morehen

Place: Cripps Computing Centre, Nottingham University

Time: 1981--

Hardware: ICL 2988; Benson plotter

Software: DARMS encoding with FORTRAN77 and GHOST

Associated Literature: "Thematic Indexing by Plotter from DARMS Input," *Proceedings of the Second International Symposium on Computers and Musicology, Orsay, 1981* (Paris, CNRS, 1983), 31-42; "Thematic Cataloguing by Computer," *Fontes Artis Musicae* XXXI/1 (1984), 32-38

Morosan/Russian Choral Music

Title: *Russian Sacred Choral Music: An Encyclopedic Thematic Catalog*

Aim: to compile and cross-reference a published thematic catalog of some 2100 liturgical musical works from the Russian choral repertory of the 18th, 19th, and 20th centuries

Head of project: Vladimir Morosan

Place: Hamden, CT

Music printing: subcontracted to A-R Editions, Inc.

Murray/Anthologies

Title: *A Guide to Standard Anthologies of Musical Examples*

Scope: 35,000 records of information about 48 anthologies of musical examples, with index and genre codes

Head of project: Sterling Murray

Associate: Benjamin Trumbore

Place: West Chester University

Time: 1984--

Computer: Honeywell Sigma 9

Software: custom

Murray/Rosetti

Title: *Thematic Index to the Music of Antonio Rosetti (1750-92)*

Investigator: Sterling Murray

National Tune Index/Overview

Title: *National Tune Index*

Purpose: to create a series of indices of secular music repertories from the 16th to the 20th centuries; completed projects published in microfiche [see following listings]; includes indices of text, scale degrees (numerical representation), interval sequence, stressed notes, and sources

Originator: Kate Van Winkle Keller

Associated Literature: Gustave and Carolyn Rabson, "The National Tune Index: A Systems Overview," *Computers and the Humanities* 15(1981), 129-137; same authors, "Hum a Few Bars," *Perspectives in Computing* [an IBM publication] 5/1 (Spring 1985)

National Tune Index/Eighteenth-Century Secular Music

Title: *National Tune Index: Eighteenth-Century Secular Music*

Scope: listings and concordances of 38,000 secular tunes, songs, and dances of the eighteenth century in American, Canadian, and British sources

Heads of project: Kate Van Winkle Keller and Carolyn Rabson

Sponsor: compiled under the auspices of the Sonneck Society with support from the National Endowment for the Humanities; data stored at Clarkson University (Potsdam, N Y)

Time: 1976-80

Software: modified DARMS [musical material in numerical format] with SPITBOL

Associated Literature: the complete index is published in microfiche (New York: University Music Editions, 1980) with a *User's Guide* by the co-directors

National Tune Index/American MSS

Title: *National Tune Index: Eighteenth-Century Popular Secular Music in America in Manuscript*

Scope: based on sources already indexed in the above compilation

Head of project: Kate Van Winkle Keller

Place: Radnor, PA

Time: in progress

National Tune Index/American Songsters

Title: *National Tune Index: American Songsters to 1820*

Scope: index of titles, first lines, burden and chorus lines, and melodic incipits based on Irving Lowen's bibliography

Heads of project: Arthur F. Schrader and Kate Van Winkle Keller

Place: Radnor, PA

Time: in progress

National Tune Index/English Folk Song

Title: *National Tune Index: English Language Traditional Folk Song*

Scope: similar to that of above projects

Head of project: Anthony Barrand

Place: Boston University

Time: in progress

National Tune Index/Wind Band Music

Title: *National Tune Index: Early American Wind and Ceremonial Music, 1636-1836*

Scope: a listing and concordance of eighteenth-century wind music in American, Canadian, British, French, and British libraries

Head of project: Raoul Camus

Place: CUNY--Queensborough (with support from NEH)

Time: 1987

Publication: microfiche binder with printed contents guide (University Music Editions, 1987)

PowersD/Troubadour Songs

Title: *Troubadour Songs*

Purposes: to create a numerical index, modelled on the Gregorian chant index of Bryden and Hughes, and to create a database of poetic and melodic analyses of songs

Investigator: Doris B. Powers

Place: Carrboro, NC

Rees/Grancino Collection

Title: *Catalogue of the Grancino Collection*

Scope: detailed listing of 8,000 works for cello (1630-1850) collected in photographic copies by Nona Pyron

Head of project: Fred Joseph Rees

Associate: Nona Pyron

Place: New York University

Time: 1984-8

Computer: DEC-10; VAX (VMS)

Selfridge-Field/Marcello

Title: *Benedetto Marcello (1686-1739): A Thematic Catalogue* [to be published by Oxford University Press]

Scope: listing of textual and musical incipits of 700 works, based on a survey of 3,000 sources, with multiple indices and source filiation

Investigator: Eleanor Selfridge-Field

Place: CCARH, Menlo Park, CA

Time: 1984-87

Hardware(OS): HP-1000 (IBYCUS); HP LaserJet II

Software: custom designed by Walter B. Hewlett

Stinson and Griffiths/Fourteenth-Century Music

Title: *Fourteenth-Century Répertoire*

Scope: comprehensive catalogue of all known repertoire of the fourteenth century (5500 items to date) including musical incipits

Heads of project: John Stinson and John Griffiths

Associate: Giovanni Carsaniga

Place: La Trobe University and Univ. of Melbourne (Australia)

Time: 1984-88

Hardware: Vax mainframes, Ericsson PC, Epson SQ-2000 (music), Houston plotter

Software: SCRIBE

Associated Recording Project: fourteenth-century music--digital recording of 200 works not previously available

Temperley/Hymn Index

Title: *Hymn Tune Index*

Scope: listing of 115,000 hymn and Psalm tunes associated with English texts (1536-1820)

Heads of project: Nicholas Temperley and Charles G. Manns

Place: University of Illinois (with support from NEH)

Time: 1982--

Hardware: IBM terminal and Cyber computer

Software: FORTRAN (numerical pitch representation)

Literature: *Fuging Tunes in the Eighteenth Century* (Detroit, 1983)

Wall/Broadway

Title: *The Music of Broadway, 1866 to Date: A Fact Book and Finding Guide*

Head of project: Richard C. Wall

Place: Queens College (with support from NEH)

Time: 1984--

C. Databases of Text**Baroni/Bolognese Libretti**

Title: *Libretti of Works Performed in Bologna, 1600-1800* [Modena: Mucchi, 1987]

Scope: multiple index of authorship and performing details of published libretti for operas, oratorios, and other musical performances (4000 works) in Bologna and Emilia generally

Head of project: Mario Baroni

Associates: Gabriele Bersani Berselli, Laura Callegari, Maria Gabriella Sartini

Place: Istituto di Studi Musicali e Teatrali, Univ. of Bologna

Time: 1980-85

Hardware: Apple II (data entry); Sun 1 (printing)

Boston Dainas Project

Title: *Boston Dainas Project*

Purpose: to create a database of the texts of Latvian dainas

Head of Project: Kristine Konrad

CCARH/Handel Edition Concordance

Title: *A Concordance of Complete Editions of Handel's Music*

Purpose: to facilitate location of particular editions [*Hallische Händel-Ausgabe*, *Händelgesellschaft*/original, *Händelgesellschaft*/Belwin Mills] of Handel's works by HWV, opus, RISM number, key

Place: Menlo Park, CA

Compiler: Frances Bennion

Date: Phase 1 - Instrumental music, 1987

ClinkscaleM/Early Pianos

Title: *Early Pianos, 1750-1850*

Scope: comprehensive database with fields for maker, place, date, owners, etc.

Investigator: Martha Novak Clinkscale

Place: UC Riverside

Database software: R:Base V

Degrada/Neapolitan Comic Opera

Title: *Neapolitan Comic Opera Libretti, 1700-1750*

Scope: multiple indexing of performance details and text incipits of all comic operas produced in Naples from 1700 to 1750

Head of project: Francesco Degrada

Place: University of Milan

Time: 1986--

Computer: Olivetti

Griffin/Gazzetta di Napoli

Title: *Gazzetta di Napoli*

Purpose: to create an indexed database of extracts from the *Gazzetta di Napoli* (1681-1725) containing information about music (composers, performances, works) in this Neapolitan weekly

Investigator: Thomas Griffin

Place: Hollister, CA

Access: CP/M discs; available by modem

Database Software: dBase II

McGuinness/Musical References in London Newspapers

Title: *A Computer Register of Musical Data in London Newspapers, 1600-1800*

Aim: to record data in its entirety and to index it in such a way as to make it useful for interdisciplinary study

Head of project: Rosamund McGuinness

Associates: Simon McVeigh, Ian Bent, Ian Spink and others

Place: Royal Holloway and Bedford New College (Univ. of London)

Time: 1987-89

Monson/Eighteenth-Century Opera Data

Title: *Database for Eighteenth-Century Italian Opera*

Scope: data concerning performance (date, theater), libretti, personnel (librettist, composer, performers), and surviving music for 15,000 opera productions cited in the Sartori libretto index and other catalogues

Head of project: Dale Monson

Place: University of Michigan (Michigan Terminal Service)

Time: initiated 1984 [discontinued, 1987]

Computer: Amdahl 5860

Database software: TAXIR

Monson/Singer Index

Title: *Index of Singers in Eighteenth-Century Italian Opera*

Scope: a subset of data derived from the project listed above

Investigator: Dale Monson

Computer: Zenith 158

Database software: dBASE III

Illustration 49
Databases of Text -- 1

George Hill *et al.* List of fields available in record.

[The purposes of this large collaborative project is to create an upgraded version of the Heyer catalogue of music in collected sets and monumental editions.]

1. Start-of-record marker
2. Serial number
3. Name of composer
4. Uniform title
5. Additional titles
6. Opus and thematic catalogue numbers
7. Authority thematic catalogue number
8. Format
9. Non-standard clefs
10. Figured bass
11. Duration
12. Editor
13. Language of text
14. Librettist
15. Genre
16. Text incipit
17. Musical incipit
18. Instrumentation
19. Practical editions
20. Notes
21. Source
22. Date and initials of encoder
23. Date and initials of senior editor
24. Date and initials of project directors
25. End-of-record marker

Field 17 accepts encoded music. Garrett Bowles' code for the top voice of the Piper's Pavan by John Dowland is shown with the music in the following example.



>MI G2/2F/TC/4.G4/8A/B/G/4D5+8/C/B4/16A/G/2A/8.G/16D/EF/C/

Illustration 50
Databases of Text -- 2

Charles Mould. List of fields available in record.

[The purpose of this project is to provide an ongoing database of information concerning 1500 surviving harpischords and clavichords. The information was originally assembled to facilitate revisions to the second edition of the Boalch catalogue.]

1. Name of collection
2. Catalogue or accession number
3. Last name of maker
4. First name of maker
5. Middle name of maker
6. Date of manufacture
7. Place of manufacture
8. Type of instrument
9. Remarks on fields 1--8
10. Number of manuals
11. Types of stops
12. Special features of manuals, stops
13. Compass
14. Short or broken octave information
15. Key covering
16. Case finish
17. Number of roses
18. Style of rose
19. Initials in rose
20. Case construction
21. Remarks on fields 10--20
22. Scale length (mm)
23. Case length
24. Case width
25. Case depth
26. Inscriptions
27. Former owners
28. Location of illustrations
29. Security restrictions
30. Number in Boalch, 2nd edition
31. Number in Boalch, 3rd editions
32. Remarks on fields 22--31

Illustration 51
Databases of Text -- 3

Berkeley/Ferrara Madrigal Project. List of fields.

[This very large database project seeks to meet several objectives including cataloguing, analysis of both text and music, and reconstruction of lost items. The following list of fields is in use in the pilot phase of the project. Fields marked here with a colon are repeatable. Therefore, the exact number of fields for any given record is variable. These fields are used in a SPIRES database.]

1. System-supplied record number
2. Title of work as given in original source
3. Uniform title of work
4. RLIN catalogue record identification (MARC compatible)
5. Composer(s):
 - a. Name
 - b. Profession
 - c. City of activity
 - d. Institution
6. Author(s):
 - a. Name
 - b. Profession
 - c. City of activity
 - d. Institution
7. Editor(s):
 - a. Name
 - b. Location
8. Printer(s):
 - a. Printer, name
 - b. Printer, location
 - c. Publisher, name
 - d. Publisher, location
 - e. Bookseller, name
 - f. Bookseller, location
9. Year of publication
10. Names of partbooks
11. Page format
12. Pagination

13. Dedicatee(s)
 - a. Name(s)
 - b. Title(s)
 - c. Text Quotations
 - d. Signature of dedication
 - e. Names in text of dedication
 - f. Date of dedication
 - g. Place of dedication
14. Cross-reference to Library of Congress name authority file
15. Preface:
 - a. Date
 - b. Signature
16. Modern edition(s):
 - a. Title
 - b. Place
 - c. Name of publisher
 - d. Date
17. Indexes in volume (may be by name of poet, kind of poem, title)
18. Colophon information
19. RISM number
20. Vogel catalogue number
21. Errata listed in original source
22. Record of SPIRES operations already carried out
23. Location of copies:
 - a. Library name
 - b. Place
 - c. Call number
 - d. Edition
24. Notes:
 - a. Date
 - b. Text
 - c. Author
25. Entry data
 - a. Name of inputter
 - b. Date
26. Maintenance data:
 - a. Nature of alteration to any field
 - b. Date of change

Illustration 52
Databases of Text -- 4

RENARC. Sample of retrievable information.

RENARC is a databank of information about Renaissance musicians. It is maintained at Columbia University. The first three windows in the illustrations show display of (1) the archival source, (2) details of the circumstances surrounding the document and a summary of its contents, and (3) a list of names mentioned in the document. The remaining windows are used for commands.

RENARC DOCUMENT NO. 2		
SOURCE: (1548) LILLE: ARCH NAT 4G 6798 (1548-49), 8		
CITY: CAMBRAI	RULER:	INSTITUTION: CATH
YEAR: 1548	ARCHIVE: LAN	SUBMITTED BY: CWW
SUMMARY: PRO GRATIA FACTA PER DOMINOS CAPITULARES CIRCA FESTUM SANCTORUM OMNIUM (1548) VIGINTI TRIBUS VICARIUS VIDELICET DOMINO (SEE LIST) ET MISGTRO PUERORUM CUILIBET XXX S. SUNT SIMUL XXXIIIJ LB. XS.		
1) JO DE PUTO	2) JO REIGNERJ	3) JO PREPOSITI
4) FRANCISCO BOULIC	5) MICHAELI LIBERT	6) RO BELHOST
7) JO DE DERY	8) CRUSTA JUVENIS	9) JO SELIER
10) ANTHO. BOUCHIER	11) HARRO MERCHANT	12) ROBERTO OGIER
13) PHILIPPE DE MONTE	14) OLIVIERO WYON	15) (MORE...)
D Document	+ Show More	O Off
N Name	R Re-Display	E Edit
L List Names	Q Query	? Help
COMMAND?.		

RENARC DOCUMENT NO. 2		
SOURCE: (1548) LILLE: ARCH NAT 4G 6798 (1548-49), 8		
CITY: CAMBRAI	RULER:	INSTITUTION: CATH
YEAR: 1548	ARCHIVE: LAN	SUBMITTED BY: CWW
SUMMARY: PRO GRATIA FACTA PER DOMINOS CAPITULARES CIRCA FESTUM SANCTORUM OMNIUM (1548) VIGINTI TRIBUS VICARIUS VIDELICET DOMINO (SEE LIST) ET MISGTRO PUERORUM CUILIBET XXX S. SUNT SIMUL XXXIIIJ LB. XS.		
13) PHILIPPE DE MONTE	14) OLIVIERO WYON	15) JO ROUSSEL
16) PIETRO BERTO	17) NICO. QUILLIART	18) JACOBUS DE KERLE
19) JO SLAPPEN	20) BENEDICTO DARRAS	21) NICO. LENGLEZ
22) ADRIANO POOTRE		
D Document	+ Show More	O Off
N Name	R Re-Display	E Edit
L List Names	Q Query	? Help
COMMAND?.		

Mould/Harpsichord

Title: *Makers of the Harpsichord and Clavichord, 1440-1840* [3rd edn. of the 1956 study by D. H. Boalch; forthcoming from Oxford University Press]

Scope: revised version of original work to be supplemented by an online database concerning the instruments themselves; a hardcopy version of the latter information is also anticipated; this survey includes roughly 1500 harpsichords and clavichords; 32 searchable fields include details of compass, manuals, materials, decorations, and dimensions; offers many points of access to information about unsigned instruments [see Illustration #50]

Investigator: Charles Mould

Place: Bodleian Library, Oxford University

Date of Completion: Summer 1989

Computer: IBM PC compatibles

Database software: dBase III

Perry-Camp/Mozart

Title: *Non-musical Markings in Mozart Autograph MSS*

Scope: a complete compilation of data (330 MSS to date) and correlations with musical, biographical, and textual events to ascertain the sources and functions of the markings

Investigator: Jane Perry-Camp

Place: Florida State University

Computer: Cyber 730

Software: custom designed (music) with Sir II (database)

Literature: "Divers Marks in Mozart's Autograph Manuscripts: Census and Significance," *Mozart-Jahrbuch* 1984/85

Perkins/RENARC [= Renaissance Archive]

Title: *Repository of Archival References... concerning Music and Musicians in the Renaissance*

Scope: a multiple index of personnel information (names, dates, occupations) also citing the location and provenance of the

document and the person contributing the information (six fields in all); see Illustration #52

Head of project: Leeman Perkins

Associates: Brian Stierup (software); Lewis Lockwood, Jeremy Noble, Richard Sherr, Craig Wright *et al.*

Place: Columbia University, Center for Computing Activities

Computer: IBM 3083B

Software: custom, in PL/1

Access: under review

UCB *et al.*/Italian Lyric Poetry

Title: *Italian Music and Lyric Poetry of the Renaissance*

Scope: full-text transcriptions of Italian lyric poetry and associated music from c. 1450 to 1650, and a bibliographical record of the sources; view toward exploration of *topoi* in the texts and thematic families in the instrumental music [see Illustration #51]

Associates: Michael Keller (Yale), Anthony Newcomb (UCB); Thomas Walker (U. of Ferrara); five Italian literature specialists including Louise Clubb (UCB and Villa I Tatti)

Locations: UC Berkeley, Pisa, Ferrara, Rome and elsewhere

Time: 1985-95

Computers: IBM PC ATs (all points) electronically linked

Database software (text): SPIRES [see illustration]

Encoding: custom

Access: RLIN (bibliographical data)

Vassalli *et al.*/Madrigal Poetry

Title: *Indagine sulla poesia per musica (1530-1630)*

Purpose: to identify authors of poems set to music [related to the preceding listing]

Investigators: Antonio Vassalli, Lorenzo Bianconi, Angelo Pompilio

Place: Istituto di Studi Rinascimentali, Ferrara

D. Databases and Editions of Music

CCARH/Bach

Title: *The Complete Works of J. S. Bach*

Aim: creation of a database designed to permit extensive, rapid music retrieval and analysis; most works for harpsichord and for orchestra, as well as some works for organ, two passions and the B-Minor Mass are currently stored

Place: Menlo Park, CA

Computer(OS): HP-1000 (IBYCUS)

Software: custom designed by Walter Hewlett

Associated Literature: Walter B. Hewlett, "A System for Numeric Representation of Musical Pitch" [forthcoming; see below]

CCARH/Corelli

Title: *The Complete Works of Arcangelo Corelli*

Aim: creation of a database designed to permit extensive, rapid musical analysis; multiple versions from encoding of early editions

Place: Menlo Park, CA

Computer(OS): HP-1000 (IBYCUS)

Software: custom designed by Walter Hewlett

Charnassé/German Lute Tablature

Title: *Transcription automatique de tablatures de luth allemandes*

Purpose: systematic transcription of sixteenth-century lute manuscripts in diverse tablatures, with extensive consideration of specific musical traits and a printing capability for both the music and its analysis

Investigators: H  l  ne Charnass  , Bernard St  p  ien

Place: CNRS, Paris

Computer: IBM PC

Encoding: TABINT (Interactive Tablature Encoding)

Internal representation: numerical

Software (printing): LUTH

Associated literature: "Automatic Transcription of Sixteenth Century Musical Notations," *Computers and the Humanities* 20 (1986), 179; "Transcription of XVIth Century Lute Tablatures," *Advances in Computing and the Humanities*, forthcoming

CNUCE Library

Title: *A Library of Encoded Music*

Scope: currently, about 800 works by such composers as Frescobaldi, Bach, Handel, Mozart, Beethoven, Paganini, Brahms, Verdi, Wagner, Joplin, and Boulez; the encoded data is available for playback, analysis, and processing

Head of project: Pietro Grossi

Places: Pisa (CNUCE) and Florence (Conservatory)

Encoding and software: TELETAU

Email access: *cheru@ifiidg.bitnet*

Houghton/Chigi Codex

Title: *Critical Edition of the Chigi Codex*

Scope: transcription and commentary
on the polyphonic repertory in Bibl.
Vaticana C.VIII.23X (c.1470-1515)

Head of project: Edward F. Houghton
(UC Santa Cruz)

Associate: Herbert Kellman (Univ. of Illinois)

Computer and software: diverse

Duffin/Dufay

Title: *Forty-Five Dufay Chansons from Canonici 213*

Scope: a performing edition in white mensural notation

Investigator: Ross Duffin

Place: Stanford University

Time: completed in 1977 (D.M.A. thesis)

Computer: DEC PDP-10, Versatec plotter
Software: SCORE [illustration in the 1986
Directory]

Hughes/Rhymed Offices

Title: *Late Medieval Rhymed Offices*

Scope: thousands of manuscripts and ten printed volumes of text relating to repertory from the tenth through the sixteenth centuries; the objective is to analyze this collection of chants

Investigator: Andrew Hughes

Place: University of Toronto

Time: 1974--

Computer: various S100 Z-80 machines

Software: custom designed encoding system to handle square and Gothic plain-chant notation (numerals for pitch; letters for notation)

Hughson et al./Folk Song Analysis

Title: *The Computerization of Folk Song Analysis*

Objective: to specify a system capable of analysis and classification of folk music using the methods of the Kodaly Institute of Canada, including the ability (1) to reduce the time required for these activities, (2) to classify music consistently and accurately, and (3) to provide a more efficient means of storing and transmitting this information

Head of project: M. E. Jernigan

Reporting for project: Mary Hughson

Other researchers: Anita Gatti, Bill Van Hout, Mary Hughson

Place: University of Waterloo [Canada]
Dept. of Engineering

Computer: IBM PC (compatible)

Software (data entry): Personal
Composer

Software (storage and analysis): under development

Associated Literature: *Final Report: Computerization of Folk Song Analysis; SD 262* (December 1, 1986); available through the Dept. of Systems Design Engineering, University of Waterloo (Ontario)

Hultberg/Spanish Tablature

Aims: to implement the tablature-to-standard-notation transcription process developed earlier for larger systems on a Macintosh; conversion capabilities can deal with Spanish, Italian, English, French, and German styles of tablature; thematic indices of Spanish sources are in preparation

Head of project: Warren Hultberg

Associate: Mary Lou Hultberg

Place: SUNY Potsdam

Computer: Macintosh 512

Software: BASIC, PASCAL

Encoding: modified DARMS

Music printing: Professional Composer

Literature: "Data Bases for the Study of Relationships among Spanish Music Sources of the 16th-17th Centuries," *Fontes Artis Musicae* XXXI/3 (1984); edition of Diego Pisador's *Libro de musica de vihuela [Salamanca, 1552]* in the report of the *Congresso Internacional "Espana en la Musica de Occidente"* (Salamanca, 1985)

Morosan/Russian Sacred Music

Title: *Monuments of Russian Sacred Music*

Aim: preparation of a 40-volume edition to commemorate the millenium of Christianity in Russia (1988); choral repertory by major Russian composers with full annotation, transliteration, etc.

Head of project: Vladimir Morosan

Associates: Nicolas Schidlovsky, Olga Dolskaya-Ackerly, Peter Jermihov, Alexander Ruggieri, Gerald Seaman

Place: Hamden, CT

Computer (entry): Apple Macintosh

Computer (printing): Linotronics 100 typesetter (with 'Sonata' font)

Software: Deluxe Music Construction Set; Laser Cyrillic

NewcombA/Italian Instrumental Music

Title: *Italian Instrumental Music in the Renaissance*

Purpose: related to the Italian Lyric Poetry project described under Databases of Text, the aim of this project is to identify thematically related families of works

Head of project: Anthony Newcomb

Place: UC Berkeley

O'Maidin/Irish Music

Title: *Database for Retrieval and Analysis of Irish Music*

Scope: development of software for input, editing, analysis

Head of project: Donncha O'Maidin

Place: Waterford Regional Technical College (Eire)

Time: 1986--

Hardware: DEC VAX-11/780, BBC micro, Epson FX-100, C.ITOH CI-600Q

Software: ALMA (encoding), custom (analysis), SMUT (printing)

Associated Literature: "A Computer System for Music Analyses," *Proceedings of the Conference on Music and the Computer 1984* (forthcoming, Paris, Eratto)

Perkins/Busnois

Title: *The Complete Secular Works of Antoine Busnois*

Scope: a facsimile score is produced by computer, which then makes a detailed comparison of the sources for each work and lists the variants according to type; this data appears in the critical report

Head of project: Leeman Perkins

Place: Columbia University

Hardware: IBM 3083BX; Gould plotter

Encoding: FASTCODE (adapted by Frank Esposito)

Software: SPITBOL

Associated Literature: *Newsletter of the Columbia University Center of Computing Activities*, XIII/13 (Sept. 23, 1981)

PowersH/Lassus

Title: *The Motets of Lassus and Susato*

Scope: storage, analysis, and editing of 278 motets by Lassus and 250 by Susato

Head of project: Harold Powers (Princeton)

Associate: Lawrence Earp (Wisconsin)

Computer: IBM 3033

Encoding: FASTCODE

Software: MIR (retrieval) with SPITBOL

Literature: "Tonal Types and Modal Categories in Renaissance Polyphony," *Journal of the American Musicological Association* XXXIV (1981)

SmithDA/Weiss

Title: *Silvius Leopold Weiss: Complete Works for Lute*

Scope: preparation of 10 volumes of music both in a computer-generated "facsimile" of the original tablature and in modern edition for publication in *Das Erbe deutscher Musik*; more than 80 works (roughly 700 movements) are involved

Head of project: Douglas Alton Smith

Associate: David Fitzpatrick

Place: CCRMA, Stanford University

Time: 1983--

Computer (data entry): Commodore-64

Computer (editing and page makeup): PDP-10

Printing device: Versatec plotter

Encoding: SCORE/MS

Software: SCORE/MS; custom facsimile font [illustrated in the 1986 *Directory*]

Wade et al/C. P. E. Bach

Title: *The Carl Philipp Emanuel Bach Edition*

Aim: the publication of the complete works of the composer in a critical edition [supported by NEH]

Head of project: Rachel Wade

Associates: Eugene Helm (with roughly 20 editors)

Place: University of Maryland

Time: 1983-2008

Computer (data entry): IBM PC

Printing devices: Epson FX-80 (draft);
Gould plotter 6320 (final)

Software: Oxford Music Processor

Associated Literature: Gary A. Greene,
"Report from the University of Maryland
at College Park," *Current Musicology*,
37/38 (1984), 280

E. Textual Analysis

Boroda/Text Repetition

Title: "Principles of the Organization of
Repetitions on the Micro-level of the
Musical Text," doctoral dissertation [in
Russian], Tbilisi, 1979

Investigator: Moisei Boroda

Place: Tbilisi

Scope: using the poetry of P.C. Hooft
(1613), a search for contrafacta in
16th-18th century Dutch song was
conducted

Investigator: Louis Peter Grijp

Christie/Greek Poetry

Title: *Conversion of the Ancient Greek
Poetic Meter from Euripides's The
Bacchae into Digitally Produced Sound*

Investigator: George Christie

Places: Uranus Studio (Wilmington) and
Northern Illinois Univ.

Hardware: PDP 11/04 (RT-11); IBM PC;
Epson LQ-800; Buchla synthesizer

HillJ/Contrafacta

Title: *Italian Contrafacta*

Aim: identification of text parodies in
musical settings, 1500-1700; program
counts the number of syllables in each
line (accent is not analyzed); Stage 1
(arias by Vivaldi) completed in April
1986; Stage 2 (other composers) in
progress

Investigator: John Hill

Place: University of Illinois

Time: 1985--

Computer: IBM PC AT


Software: Savvy - PC (analysis)

Grijp/Contrafacta

Title: "Footbank: A Method of Finding
Melodies by Text Association" [in Dutch],
*Tijdschrift van de...Ned. Muziek-
deschiedenis* XXXIV/1 (1984), 26-48

Illustration 53 **Musical Analysis -- 1**

Michael Kassler: Beginning of a derivation in the explication of Schenker's middleground.



3-to-1 axiom



inferred from last by rule of
bass arpeggiation




inferred from last by rule of
articulation



inferred from last by rule of
neighbour-note prolongation



inferred from last by rule of
bass arpeggiation



inferred from last by rule of
bass arpeggiation



inferred from last by rule of
bass ascent

II. Musical Analysis and Analytical Methods

Barbieri & Del Duca/Microtonal Performance

Title: *Renaissance and Baroque Microtonal Music Research*

Purpose: to demonstrate the microtonal tuning systems used by Vicentino (1595), Colonna (1618), Sabatini (1650), and Buliowski (1699)

Investigators: Patrizio Barbieri, Lindoro Del Duca

Hardware: IBM PC, synthesizer

Associated Literature: abstract in *ICMC Proceedings 1986*, 51

Barnes/Elgar

Title: *Computer Analysis of Romantic Orchestral Music*

Purposes: Stage 1 -- to develop an encoding system and analytical techniques suitable for this kind of music; Stage 2 -- to apply these methods to style analysis, especially of Elgar symphonies

Investigator: Roger Barnes

Place: Leicester (U.K.) Polytechnic

Time: Stage 1, complete; Stage 2, by 1990

Computer: ICL 2900

Software: SPITBOL (version 4)

Baroni/Chanson 2

Title: *Antiche canzoni francesi: uno studio di metrica generativa*

Scope: analysis of 70 French songs published in c. 1760; undertaken to examine the interplay of patterns of meter and accent (1) between text and music within the repertory and (2) in this repertory as contrasted with the same features in a repertory of Lutheran chorales

Head of project: Mario Baroni

Associates: Laura Callegari, Carlo Jacoboni, Rossella Brunetti

Place: University of Bologna

Time: 1981-86

Computer: Apple //

Software: custom

Associated Literature: "Antiche canzoni francesi: Uno studio di metrica genera-

tiva," *Quaderni di Informatica Musicale* 5 (1984); "A Grammar for Melody: Relationships between Melody and Harmony" in *Musical Grammars and Computer Analysis: Proceedings of the Conference [Modena...1982]* (Florence, 1984)

Baroni/Chorale Melodies

Title: *Bach Chorales*

Purpose: to deduce grammatical rules for the construction of the chorale melodies used by Bach; the newly generated melodies test the veracity of the rules so deduced

Heads of project: Mario Baroni, Carlo Jacoboni

Place: University of Bologna

Associated Literature: *Proposal for a Grammar of Melody: The Bach Chorales* (Montréal, 1978); "Computer Generation of Melodies: Further Proposals," *Computers and the Humanities XVII* (1983); "The Concept of Musical Grammar," *Musical Analysis II/2* (1983), 175-208

Baroni/Legrenzi

Title: *Legrenzi cantatas*

Purpose: investigation of the melodic features found in Legrenzi's *Cantate*, 1676

Head of project: Mario Baroni

Place: University of Bologna

Baroni/European Melody

Title: *The Study of Melody in European Music*

Purpose: to explore diverse repertoires with a view toward defining concepts and working principles of melody in European culture; the three preceding projects are components

Associated Literature: "A Project of a Grammar of Melody" in *Informatique et musique: Actes du second Symposium International, Orsay 1981* (Orsay, 1983)

Bevil/Folktune Preservation

Title: *A Paradigm of Folktune Preservation and Change Within the Oral Tradition of a Southern Appalachian Community, 1916-86*

Purpose: to investigate developments within a small geographical area since Cecil Sharp's visit in 1916

Investigator: J. Marshall Bevil

Computer: Apple //c

Encoding: custom numerical encoding with stress coefficient

Associated Literature: "Scale in Southern Appalachian Folksong: A Reexamination," *College Music Symposium* 26 (1986), 77-91

Blombach/Bach Chorales

Title: *The Bach Chorales*

Scope: 150 Bach chorales queried for note and interval counts, ranges, pattern analysis, and relationships between vertical and horizontal features such as scalar contradictions and harmonic implications

Head of project: Ann K. Blombach

Place: Ohio State University

Software: Musicode A [now being redesigned for the Macintosh]

Associated Literature: "An Introductory Course in Computer-Assisted Analysis; the Computer and the Bach Chorales," *Journal of Computer-Based Instruction* 7/3 (1981), 70-77; "Harmony vs. Counterpoint in the Bach Chorales," *Computing in the Humanities*, ed. Richard W. Bailey (1982), 79-88; "An Implementation of Hewlett's Second Order [Pitch Representation] Solution on a Micro" [*JCBI*, forthcoming]

Brinkman/Melodic Process in Bach

Title: "The Melodic Process in Johann Sebastian Bach's *Orgelbüchlein*," *Music Theory Spectrum* II (1980), 46-77

Purpose: to study motivic derivation from the cantus firmus

Head of project: Alexander Brinkman

Place: Eastman School of Music (Rochester, NY)

Computer: IBM mainframe

Software: in SNOBOL 4 and PL/1

Associated Literature: "The Melodic Process in Johann Sebastian Bach's *Orgelbüchlein*: A Computer-Assisted Study of the Melodic Influence of the Cantus Firmus on the Contrapuntal Voices" (Ph.D. thesis, 1978)

Camilleri/Schubert

Title: "A Grammar of the Melodies of Schubert's Lieder" in *Musical Grammars and Computer Analysis* (Florence, 1984), 229-237

Scope: establishment of rules governing the first four notes of melodies from *Die schöne Müllerin*, *Die Winterreise*, and the *Schwanengesang*

Head of project: Lelio Camilleri

Place: CNUCE (Florence), Musicology Division

Software: TAUMUS

Cantor/Landini

Title: *Landini Ballate*

Scope: examination of vertical sonorities and voice crossings

Head of project: Don Cantor

Place: Boston University

Time: 1985

Cook/Contextual Performance Analysis

Title: *Contextual Analysis of Musical Performance*

Objective: to investigate performance nuance as a function of formal structure; Stage 1 restricted to rhythmic analysis; Stage 2 will be extended to intonation analysis

Investigator: Nicholas J. Cook

Place: Hong Kong

Computer: Hewlett Packard Integral PC

Other devices: custom built

Encoding: custom

Associated Literature: 'Structure and Performance Timing in Bach's C Major Prelude (WTC 1): An Empirical Study' (given at the 1986 Music Analysis Conference at Cambridge University; forthcoming in *Music Analysis*)

Crerar/Authorship Analysis (Valentini)

Title: "Elements of a Statistical Approach to the Question of Authorship," *Computers and the Humanities* 19 (1985), 175-182

Scope: reevaluates the statistical techniques advanced in W. J. Paisley's 1964 article on minor encoding habits [*Journal of Communication* XIV/4, 219-37] with particular reference to a thematic index by the author of the music of Giuseppe Valentini (c.1680--after 1759) and its stylistic relationship to the music of Corelli and Vivaldi (105 incipits each)

Head of project: Alison Crerar

Place: Heriot-Watt University

Encoding: Plaine and Easie code

Associated Literature: "Giuseppe Valentini: A Computerized Instrumental Catalogue," M.Sc. dissertation (Computer Science), Heriot-Watt University (Edinburgh), 1983

Eastwood/French Baroque Air

Title: *The French Baroque Air in the Eighteenth Century*

Objective: to investigate the history of the style of all printed secular songs published in Paris, 1695-1740

Head of project: Anthony C. Eastwood

Associate: Christina A. Eastwood

Place: University of Western Australia

Time: 1984-90

Computer: Microbee

Encoding: Plaine and Easie code

Software: custom program (INFIND) for matching incipits

Associated Literature: "The French Air in the Eighteenth Century: A Neglected Area," *Studies in Music* 18 (1984), 84-98; "The Philosophical Implications of the Study of Numerically Large Repertories," *Studies in Music* 19 (1985)

Ebcioglu/Bach Chorale Harmonization

Title: "An Expert System for Schenkerian Synthesis of Chorales in the Style of J. S. Bach" in *Proceedings of the International Music Conference 1984*, 135-141

Aim: to define the Bach chorale style by testing 200 rules (in first-order predicate calculus) for harmonization, taking into account chordal skeletons, individual melodic lines, and hierarchical relationships

Head of project: Kemal Ebcioglu

Place: SUNY Buffalo

Time: 1984--

Software: BSL (Backtracking Specification Language) with 'C'

Ellis/Bach

Title: *Linear Aspects of the Fugues of J. S. Bach's Well-Tempered Clavier: A Quantitative Approach*

Scope: data entered in numerical code for counts of patterns, note recurrences, and pitch/interval or rhythmic groupings

Head of project: Mark Ellis

Place: University of Nottingham (Ph.D. thesis, 1980)

Hardware: ICL 2900 with Benson plotter

Software: FORTRAN

Associated Literature: "Are Traditional Statistical Methods Appropriate to Musical Analysis?" in *Proceedings of the Second International Symposium on Computers and Musicology, Orsay, 1981* (Paris, CNRS, 1983)

Gross/Harmonic Analysis

Title: "A Project in Computer-Assisted Harmonic Analysis" in *Computing in the Humanities* (Lexington, MA, 1981)

Head of project: Dorothy Gross

Place: University of Minnesota

Computer: CDC mainframes

Software: MUSTRAN with SNOBOL4

Associated Literature: "A Computer Project in Music Analysis," *Proceedings of the International Computer Music Conference*, ed. Hubert S. Howe (San Francisco, 1980)

Gross/Rhythmic Analysis

Title: *A Study of Rhythmic Complexity in Selected Twentieth-Century Works in Musical Grammars and Computer Analysis* (Florence, 1984), 337-344

Head of project: Dorothy Gross

Place: University of Minnesota

Computer: CDC mainframes

Software: MUSTRAN with SNOBOL4

Hofstetter/Nationalism

Title: "The Nationalistic Fingerprint in Nineteenth-Century Romantic Chamber Music," *Computers and the Humanities* 13 (1979), 105-119

Scope: differentiation of Czech, French, German, and Russian styles on the basis of melodic intervals in 130 melodies from 16 string quartets

Head of project: Fred T. Hofstetter

Place: Ohio State University

Houle/Articulation

Title: *Eighteenth-Century French Articulation as Described by Engramelle and Dom Bedos de Celles*

Scope: investigation of articulation as described in Engramelle's *La Tonotechnie* (1775)

Head of project: George Houle

Place: Stanford University

Computers: IBM PC and Macintosh

Software: custom ("Tonotechnie") by Roland Hutchinson

Jensen/Lute Ricercar

Title: *A Computerized Approach to the Early Italian Lute Ricercar*

Head of project: Richard Jensen

Place: UCLA

Time: 1985-87

Hardware: Macintosh; ImageWriter

Process: alphanumeric description of musical traits with associated iconographical files

Associated Literature: "A Computerized Approach to the Early Italian Lute Ricercar," *Journal of the Lute Society of America*, forthcoming

Kassler/Tonal Theory

Title: *Explications of the Theories of Tonality of A.F.C. Kollmann and Heinrich Schenker*

Purpose: exploration of rule systems by two highly original harmonic theorists [see Illustration #53]

Investigator: Michael Kassler

Computer(OS): Canon A-200 (MS-DOS)

Printing device: Canon LBP-8A2

Software: APL*Plus (music encoding and analysis)

Kimberlin/Ethiopian Church Music

Title: *Pattern Recognition in Ethiopian Church Music*

Purpose: to define qenet system, which forms the tonal basis of the music

Head of project: Cynthia Tse Kimberlin

Assistants: J. Kimberlin, Fu Su

Place: Hercules, CA

Computer: IBM PC compatible

Software: proprietary

Koozin/Takemitsu

Title: *Linearity and Pitch-Class Set Recurrence in Selected Works by Toru Takemitsu*

Scope: computation of normal order, integer equivalent, transposition type and prime form for any set of pitch-classes

Head of project: Timothy Koozin (Univ. of Cincinnati)

Associate: Mok Tokko
(Univ. of North Dakota)
Computer: IBM PC
Software: custom (MUSSET), based on
numeric input

Kwiatkowska/Graphic Dictionary

Title: *Graphic Music Dictionary*
Aim: to create simple graphic symbols
for use in music analysis
Developer: Barbara Kwiatkowska
Place: Los Angeles
Time: 1985-86
Computer: Macintosh

Li/Bartok

Title: *A Study of Harmonic Organization
in Bartok's String Quartets*
Scope: investigation of the harmonic fea-
tures found in Bartok's string quartets
with a view towards developing a system
suitable for harmonic analysis of string
and wind ensemble music
Investigator: Betty Li
Place: Hong Kong Baptist College
Time: 1987-88
Computer: VAX mini 11/750
Encoding: custom, alphanumeric
Software: custom, in SPITBOL

Ligabue & Giomi/Jazz

Title: *A software tool for generation and
study of jazz*
Aim: definition of a system of rules capable
of providing a model of jazz improvisa-
tion to facilitate automatic generation
Investigators: Marco Ligabue, Francesco
Giomi
Place: Florence Conservatory
Time: 1985-87
Hardware: Gould 32/27, Yamaha CX-5
Software: TELETAU
Associated Literature: "Un sistema di
regole per l'improvvisazione jazzistica"
in *Atti del VI colloquio di informatica*

musicale ([Ligabue], Naples, 1986);
"A System of Rules for Computer
Improvisation," *ICMC Proceedings 1986*

Longyear/Macroanalysis

Aim: development of macroanalytical pro-
cedures for study of eighteenth and
nineteenth century repertory
Head of project: Rey Longyear, with
Kate Covington
Place: University of Kentucky

Moseley/Notre Dame notation

Title: *Source and Notation Studies,
1150-1200*
Aim: development of software for matching
ligature patterns in Notre-Dame nota-
tion and other medieval polyphonic
music
Head of project: Jane Moseley
Place: Nottingham University
Time: 1986-87
Computer: ICL 2984
Software: custom (DARMS-related)

Nettheim/Schubert

Title: *Analysis of the Works of
Schubert*
Scope: oriented towards stylistic
comparison with other composers
Investigator: Nigel Nettheim
Place: Sydney Conservatorium
Hardware: IBM PC; Toshiba P1340
Software: custom

NewcombS/Sixteenth-Century Counterpoint

Title: "LASSO: An Intelligent Computer-
Based Tutorial in Sixteenth-Century
Counterpoint," *Computer Music Journal*
9/4 (1985), 49-61
Scope: describes an interactive learning
environment for species counterpoint
Author: Steven Newcomb
Place: Florida State University

O'Maidin/Irish and Scottish Jigs

Title: "Computer Analysis of Irish and Scottish Jigs," *Musical Grammars and Computer Analysis* (Florence, 1984), 327-336

Scope: advances mathematical formulae for computation of the degree of relationship between tunes, taking into account measurements of intervallic distance and stress

Head of project: Donncha O'Maidin

Place: Waterford Regional Technical College (Eire)

Software: custom, with ALMA encoding

Pearce/Troubadours

Title: "Troubadours and Transposition: A Computer-Aided Study," *Computers and the Humanities* 16/1 (1982)

Head of project: Alastair Pearce

Place: King's College, London

Software: custom

Pelinski/Eskimo Song

Title: "A Generative Grammar of Eskimo Songs" in *Musical Grammars and Computer Analysis* (Florence, 1984), 273-286

Scope: development of an algorithm that takes into account syntactic structures, structural elements, melodic modes, and rhythmic patterns and creates a melodic lexicon

Head of project: Ramón Pelinski

Place: University of Montréal

Plenkens/Cantigas

Title: *The Cantigas de Santa Maria*

Aim: pattern recognition

Head of project: Leo J. Plenkens

Place: University of Amsterdam

Time: 1984-88

Hardware: Data General / Eclipse

Software: custom

Associated Literature: "A Pattern Recognition System in the Study of the Cantigas de Santa Maria" in *Musical Grammars and Computer Analysis* (Florence, 1984), 59-70

Pont/Rhythm and Accent in Handel's Music

Title: *Rhythm and Accent in Handel's Music*

Aim: to analyze variations of rhythm, articulation, and ornamentation in the vocal and instrumental incipits of the arias from Handel's operas and oratorios, and to explore the encoded data systematically in order to gain a fuller understanding of Handel's style (genres, figures, rhetorical associations) and its relation to that of other composers (Rameau, Mozart)

Head of project: Graham Pont

Associates: Nigel Nettheim, Jennifer Nevile

Place: University of New South Wales

Time: 1983-88

Computers(OS): Osiris One (UNIX), Olivetti M24 (MS/DOS)

Software: Plaine and Easie code

Associated Literature: "A Revolution in the Science and Practice of Music," *Musicology* V (1979), 1-66; "Handel and Regularization: a Third Alternative," *Early Music* XIII (1985), 500-505

Rahn/Ars Antiqua Motets

Title: "Theories of Some Motets of the *Ars Antiqua*" in *Perspectives of New Music* (in English, forthcoming) and in *Musical Grammars and Computer Analysis* (Florence, 1984), 39-58 (in Italian)

Scope: applies twentieth-century analytical techniques to motets from the Montpellier Codex

Head of project: John Rahn

Place: University of Washington

Schaffrath/Folk Tune Analysis

Title: *Computer Assisted Analysis of Folk Tune Melodies*

Scope: input, storage, and analysis of folk tune melodies; studies of similarities and variants by means of a database system

Head of project: Helmut Schaffrath

Associate: Barbara Jesser

Place: Essen University

Computers: IBM mainframe;
Olivetti PC M24
Encoding: ESAC (Essen Associative
Code)
Associated Literature: ESAC manual
[May 1987; available from author]

Schulenberg/C.P.E.Bach Variants

Title: *C.P.E. Bach: Critical Edition*
Scope: collation of variants in sources of
keyboard concertos
Head of project: David Schulenberg
Computer: Kaypro 4
Software: Perfect Filer with letter code
[available from author]

ShapiroA/Tune Families

Title: *Handbook of British-American Tune
Families*
Scope: 3,000 tunes from the most frequent-
ly used collections of British-American
folksong, with data about stressed tones,
cadence tones, etc.
Head of project: Ann Dhu Shapiro
Place: Harvard University
Time: 1983-7
Hardware: DEC VAX (text); Macintosh
with Yamaha DX-7 (music)
Software: custom designed (by David
Epstein and Kate Fissell) in 'C'

Silbiger/Modality - Tonality

Title: *The Emergence of the Major-Minor
Key System in Seventeenth-Century
German Keyboard Music*
Scope: an application and extension of sta-
tistical techniques applied previously
to Italian repertoires (Gabrieli,
Monteverdi, Frescobaldi, Corelli)
Head of project: Alexander Silbiger
Associate: J. Michael Allsen
Place: University of Wisconsin; Duke
University
Time: 1983-7

Computer: Apple // and //e
Software: numerical representation in
BASIC

Associated Literature: report of the con-
ference "From Scheidt to Buxtehude"
(Wellesley College, June 1987)

Silbiger/Tonal Types

Title: *Tonal Types in the Keyboard Music
of Frescobaldi in the Proceedings of the
Ferrara Frescobaldi Conference, 1983)*
Researcher: Alexander Silbiger
Place: University of Wisconsin
Time: 1982-3
Computer: Apple // and //e
Software: numerical representation in
BASIC
Associated Literature: "Tipi tonali nella
musica di Frescobaldi," *Gerolamo
Frescobaldi nel IV Centenario della
nascita* (Florence, 1986), 301-14

Simonson/West African Music

Title: *A Tool for User-Defined Notation
and Analysis of West African Jaliva*
Purpose: to develop a software tool for
musical and textual display and analysis
of Jaliva, especially of Mandinka *kora*
music (a heptatonic tonal multi-modal
West African art music)
Investigator: Linda Simonson
Associate: William LeJeune Brown
Place: Laurel, MD
Time: 1987-9
Computer: Amiga

Stech/Microanalysis

Title: "A Computer-Assisted Approach to
Micro-Analysis of Melodic Lines" in
CHum XV/4 (1981)
Scope: 3000 records
Head of project: David Stech
Place: University of Alaska (Ph.D. thesis,
U. of Michigan, 1976)
Computer: IBM mainframe

Steel/Troubadours

Title: *Evolution of a Musical Style: Early, Middle, and Late Troubadours*

Scope: compares repertory of twelfth and thirteenth-century Provencal troubadours in diverse neumatic notations with selected chant and other monophonic secular repertories

Head of project: Matthew Steel

Place: University of Michigan

Time: in progress

Computers: Amdahl mainframe; IBM PC XT

Encoding: custom

Database software: MTS, SPIRES

Suchoff/Bartók

Title: *A Bartók Source Database*

Head of project: Benjamin Suchoff

Associate: Elliott Antokoletz

Time: 1985-86

Hardware: Macintosh, Imagewriter

Software: abbreviated DARMS

Sward/Babbitt and Xenakis

Title: *An Examination of the Mathematical Systems Used in Selected Compositions of Milton Babbitt and Iannis Xenakis*

Head of project: Rosalie Sward

Place: Northwestern University (Ph.D., 1981)

Terricciano/Jazz

Title: *Contour Analysis in Monophonic Jazz Solos*

Purpose: to test a method of analyzing melodic structure of jazz solos on three levels -- the phrase, the chorus, and the solo as a whole

Investigator: Alan Terricciano

Place: Eastman School of Music

Time: 1986

Computer(OS): Digital Professional 350 (VENIX)

Encoding: integer representation of pitch

Trowbridge/Chanson

Title: "Style Change in the Fifteenth-Century Chanson," *Journal of Musicology* IV/2 (1985-6), 146-170

Scope: attempts to provide attributions for c.90 anonymous works associated

variously with Binchois, Dufay, Ockeghem, and Busnois, whose individual traits are closely examined

Head of project: Lynn M. Trowbridge

Place: University of Illinois (Ph.D. thesis, 1982)

Software: LMIL with COBOL

Wenk/Debussy Harmony

Title: *A Grammar of Debussy's Harmonic Practice*

Aims: to write a formal grammar, based on the Baroni/Jacoboni model, to describe the harmonic content of a corpus of 92 initial phrases of instrumental works and to test this grammar by means of computer simulations

Head of project: Arthur Wenk

Place: Québec

Time: 1987-88

Computer: Texas Instruments Professional

Encoding: custom

Software: Music Processor (in 'C')

Wenk/Debussy Melody

Title: *A Grammar of Debussy's Melodic Practice*

Aims: to write a formal grammar, based on the Baroni/Jacoboni model, for a corpus of 92 initial phrases of instrumental works and to test this grammar by means of computer simulations

Head of project: Arthur Wenk

Place: Québec

Time: 1980-87

Computer: Texas Instruments Professional

Encoding: custom

Associated Literature: "Parsing Debussy: Proposal for a Grammar of His Melodic Practice" (forthcoming)

Associated Literature: "Varieties of Musical Analysis: Through the Analytical Sieve and Beyond," *Proceedings of the Conference on Music Bibliography, Northwestern University, 1986*; "Parsing Debussy: Proposal for a Grammar of His Melodic Practice," *In Theory Only* 9/8 (1987) and *Musikometrika* 1 (1987); "Debussy's 'Little Chemistry': Melody at the Molecular Level" [forthcoming]

III. General Applications in Musical Analysis and Musical Information Processing

A. Data Structures, Representation Systems, and Computer Procedures for Musical Analysis

Balaban/Tonal Theory

Title: *A Computer Basis for Research on Western Tonal Music Theories*

Purpose: to develop a formal basis for the study of music

Head of project: Mira Balaban

Place: SUNY Albany

Computer(OS): VAX 750 (UNIX)

Software: C-Prolog

Associated Literature: "Foundations for AI Research of Western Tonal Music," *Proceedings of the International Computer Music Conference 1985*, p. 375; "CSM--A Formal Basis for Research in Theories of Western Tonal Music - an AI Approach," [*Computer Music Journal*, forthcoming]

Aim: determination of tune kinships based on concordances of pitch, duration, and stress

Head of project: J. Marshall Bevil

Place: Houston

Computer: Apple //+

Software: custom designed (in BASIC)

Associated Literature: "Centonization and Concordance in the American Southern Uplands Folksong Melody" (Ph.D. thesis, North Texas State University, 1984)

Berardinis/Structural Analysis of Atonal Music

Title: "The Microcomputer in the Structural Analysis of Atonal Music" [in Italian] in the *Quaderno informatica musicale* (1984)

Scope: provides sample programs to generate tables of "normal order" and "prime forms"

Investigator: Piero de Berardinis

Place: Studio di Sonologia

Computazionale, Pescara

Computer: Apple //

Encoding: numerical (programs in BASIC)

Boroda/Elementary Metrorhythmical Units

Title: "On the Concept of the Elementary Metrorhythmical Unit in Music" [in Russian], *Bulletin of the Academy of Sciences of the Georgian SSR* 71/3 (1973)

Investigator: Moisei Boroda

Place: Tbilisi Conservatory

Boroda/Informational Melodic Units

Title: "On the Definition of a Phrase-Type Informational Melodic Unit" [in Russian], *Bulletin of the Academy of Sciences of the Georgian SSR* 89/1 (1978)

Purpose: to formulate general principles of melody segmentation and to isolate, on their basis, a hierarchical system of unambiguously defined melodic units giving natural segmentation within the broad group of musical styles

Investigator: Moisei Boroda

Place: Tbilisi Conservatory

Associated Literature: German translation in *Sprache, Text, Kunst: Quantitative Analysen* (*Quantitative Linguistics* 15, Bochum, 1982)

Bevil/Folktune Analysis

Title: *Textfile Functions and Array Manipulation in the Application of the Microcomputer to Folktune Analysis and Comparison*

Boroda/Structural Units

Title: *The Segmentation Problem in Music: Structural Units of Musical Language* [in Russian], monograph No. 1203 of the Lenin Library, Moscow, 1986

Purposes: to isolate strongly determined basic units of musical language; general quantitative principles and regularities of the organization of the musical composition; and interrelationships between music and natural language

Investigator: Moisei Boroda

Place: Tbilisi Conservatory

Brinkman/Score Analysis

Title: "A Data Structure for Computer Analysis of Musical Scores" in the *Proceedings of the International Computer Music Conference 1984*, 233-242

Scope: describes a doubly-linked ring structure to facilitate rapid access to specific points in a score, specifically in variable textures; Bartók's Fourth String Quartet is used as an example

Head of project: Alexander Brinkman

Place: Eastman School of Music

Software: DARMS encoding

Associated Literature: "Representing Musical Scores for Computer Analysis," *Journal of Music Theory* 30/2 (1986), 225-75

Brinkman & Harris/Contemporary Music Analysis Package (CMAP)

Title: *Contemporary Music Analysis Package*

Scope: a set of 20 programs for analysis, modelling, and composition of atonal and serial music; includes a compiled database of pitch-class set information and a library of subroutines for bitwise manipulation of pitch-class sets

Developers: Alexander Brinkman and Craig Harris

Places: Rochester, NY and Ann Arbor, MI

Time: 1986--

Computer: IBM PC initially; Macintosh version under development

Operating system: UNIX family initially; MS/DOS version under development

Software: in 'C'

Encoding: hexadecimal notation (0..b) or set names

Associated Literature: "A Unified Set of Software Tools for Computer-Assisted Set-Theoretic and Serial Analysis of Contemporary Music," *Proceedings of the 1986 International Computer Music Conference* [Harris and Brinkman]; "Computer Programs for Set-Theoretic and Serial Analysis of Contemporary Music" (Ph.D. dissertation by Harris, Eastman School of Music, 1986)

Broadbent/Thematic Analysis

Title: *Computer Assisted Thematic Analysis*

Purpose: to develop a self-contained computer system to analyze the construction of compositions

Investigator: Clive Broadbent

Place: University of Durham (UK)

Time: 1986-88

Computer(OS): Amdahl (MTS)


Encoding: custom

Printing devices: QMS 1200 laser printer; unspecified plotter

Papers in progress: "Toward a Programming Language for Musical Analysis," "A Non-intelligent Music Typesetter," "The Computer Implementation of Analytical Method," "Toward a Processable Representation of Analytical Intuition"

Illustration 54
Musical Analysis -- 2

David Coombs: Probability theory applied to Bach cello suites.



Camilleri/Grouping and Harmonic Segmentation

Title: *Grouping and Harmonic Segmentation*

Purpose: to develop software for grouping and harmonic segmentation based on Lerdahl and Jackendoff's theory and other rule systems

Investigator: Lelio Camilleri

Places: Pisa (CNUCE) and Florence (Conservatory)

Time: 1987--

Computer: IBM 3081

Software and encoding: TELETAU

Associated Literature: "A Computational Theory of Music: Five Definitions" [paper presented at the International Colloquium on *Basic Concepts in Studies of Musical Signification*, July 21-3, Imatra, Finland [forthcoming in *Semiotic Webb*; Indiana University Press]

Camilleri/Music Analysis

Title: "A Software Tool for Music Analysis," *Interface XVII/1-2* (1987)

Scope: creation of an analytical environment comprising programs using statistical and quantitative techniques and analytical strategies derived from diverse musical theories

Head of project: Lelio Camilleri

Place: CNUCE (Florence), Musicology Division

Time: 1983-7

Hardware: IBM 3081, Gould 32/27

Software: TELETAU

Camilleri/Tonal Harmonic Analysis

Title: *An Expert System for Tonal Harmonic Analysis*

Scope: establishment of an expert system based mainly on the hierarchical approach to harmonic structure of Lerdahl and Jackendoff

Head of project: Lelio Camilleri

Associate: Francesco Carreras

Place: CNUCE (Florence), Musicology Division

Time: 1985-8

Computers: IBM 3081, IBM PC

Software: TELETAU

Carr & Porter/Perle's Tonality

Title: *ttt: An Aid for Composers and Theorists using George Perle's Twelve-Tone Tonality System*

Purpose: to create a software aid that replaces manual methods for use of Perle's system

Investigators: James Carr and Charles Porter

Place: New York

Time: 1987

Computer: Macintosh

Software: in 'C'

Printing devices: Apple ImageWriter and LaserWriter

Carter/Lute Tablature

Title: *Lute Tablature Transcription*

Purpose: to translate French and Italian lute tablature into conventional notation

Investigator: Marie Carter

Place: Eastman School of Music

Time: 1986

Computer(OS): DEC Professional 350

Colombo/Harmonic Regularity

Title: *Mathematical Models for Harmonic and Regularity Analysis of Musical Texts*

Aim: development of a series of programs for tonal harmonic analysis based on Schoenberg's theory of regions

Head of project: Walter Colombo

Supervisor: Goffredo Haus

Place: University of Milan

Computer: Sinclair QL

Coombs/Information Theory

Title: *Information Theory Applied to J. S. Bach's unaccompanied cello suites*

Purpose: to apply information theory to a specific repertory; the program pro-

duces graphs showing the probability of various parameters [see Illustration #54]

Investigator: David Coombs

Place: Eastman School of Music

Time: 1984

Hardware: Calcomp plotter

Associated Literature: "An Analysis of Expectation in Music: A Computer-Aided Study" (M.A. thesis, 1984)

DallaLibera/Retrieval Techniques

Title: *Music Retrieval by Incipit Information*

Purpose: to experiment with text processing techniques in music processing

Head of Project: Francesco DallaLibera

Associates: Susi Dulli, Franco Crivellari

Place: Statistics Faculty, University of Padua

Time: 1987-9

Computer: IBM PC compatible

Fink/Data Indexing

Title: *DataMuse*

Purpose: to develop a musical database program with the capacity to index and search musical scores; permits user specification of field names and structure; music stored in linked list representation of scores [see Brinkman: Score Analysis]

Investigator: Robert Fink

Place: Eastman School of Music

Time: 1986

Computer(OS): DEC Professional 350 (VENIX)

Encoding: DARMS

Forte/Pitch-Class Sets

Title: *Pitch-Class Sets and Relations*

Head of project: Allen Forte

Place: Yale University

Computer: IBM PC AT

Software: custom (SNOBOL4+)

Gibson/Pitch-Class Set Identity

Toward an Understanding of Pitch-Class Set Identity as a Measure of Aural

Similarity in Nontraditional Chords

Purpose: to determine the significance of

octave equivalence as a measure of aural similarity

Investigator: Don Gibson

Place: Baylor University

Time: 1986

Computer: Apple //e

Hewlett/Pitch Representation

Title: "A System for Numeric Representation of Musical Pitch Notation" [forthcoming]

Scope: proposes a base-40 system for discrete description of musical pitches, recognizing absolute pitch, letter (and octave) name, and written accidentals; discusses this system in the context of other number line representation systems and offers a general theory of interval invariant representations of pitch

Head of project: Walter Hewlett

Place: Menlo Park, CA

Time: 1984-7

Hardware/Software: Device independent

Jackson/Horizontal and Vertical Analysis

Title: *Horizontal and Vertical Analysis Data Extraction Using a Computer Program*

Aim: retrieval of selected musical data (roots, pitch classes, intervallic relationships) from twentieth-century repertory

Head of project: David L. Jackson

Place: University of Cincinnati (Ph.D. thesis, 1981)

Computer: Amdahl 4700

Software: custom designed encoding system with FORTRAN

Kolosick/Pitch Relationships

Title: "A Computer Representation of Pitch Relationships: Toward a Music Expert System," paper given at the annual meeting of the Society for Music Theory, Vancouver, November 1985

Scope: numeric representation of intervals derived from the Circle of Fifths

Head of project: Timothy Kolosick

Place: University of Arizona

Laprade/Contour-Class

Title: *A Program for the Calculation of Similarity Measurements for Contour and Pitch-Class Sets*

Purpose: to establish a means for the expeditious processing of pitch-class and contour-class sets through a series of similarity measures

Investigator: Paul Laprade

Place: Eastman School of Music

Time: 1987

Computer(OS): Digital Professional 350 (VENIX)

McVity/Algorithmic Composition

Title: *A History of Algorithm Composition*

Purpose: to unify expert systems for generating tonal music

Investigator: Jonathan McVity

Place: Arlington, VA

Hardware: Macintosh, MIDI instruments

Encoding: 32-bit representation

Morehen/Validity

Title: "Computer-Assisted Musical Analysis: a Question of Validity," *ICMC Proceedings 1986*

Aim: to examine the extent to which computer-assisted stylistic analysis is a valid exercise, especially in relation to polyphonic music before 1600; raises questions about defining phrase length, accounting for the direction of melodic intervals, ignoring the distinction between duple- and triple-meter contexts in analyzing durations, and so forth

Investigator: John Morehen

Place: Nottingham University

Morse/Graphic Analysis

Title: *Use of Microcomputer Graphics to Aid in the Analysis of Music*

Scope: developing of a music encoding language and software for tabulation, time-domain graphic presentation, and performance of standard notation

Head of project; Raymond Morse

Associate: Lauren Dunn (encoding system)

Place: University of Oregon (D.M.A., 1985)

Hardware: Apple //, Epson MX-80

Roeder/Declarative Analysis

Title: *Declarative Analysis of Atonal Music*

Purpose: to develop predicate-calculus expression of analytical understanding of atonal works by Schönberg, Berg, and others

Investigator: John Roeder

Place: University of British Columbia

Time: 1988--

Computer(OS): VAX (UNIX)

Software: custom, in CProlog

Russell/Pitch-Class Sets

Title: *A Set of Microcomputer Programs to Aid in the Analysis of Atonal Music* [paper given in the ICCH meeting in Provo, Utah, June 1985]

Scope: a series of programs to explore pitch-class sets, following the theoretical concepts advanced by Forte (1973), Rahn (1980) and Wittlich (1975)

Head of project: Roberta Russell

Place: University of Oregon (D.M.A. thesis, 1983)

Computer: Apple //

Solomon/Pitch-Class Sets

Title: *Music Set Analysis* (software)

Developer: Larry Solomon

Place: University of Arizona

Computer: Apple //

Spiegel/Modality - Tonality

Title: *Generative Algorithms for Tonal and Modal Music*

Head of Project: Laurie Spiegel

Place: New York City

Software: custom

Stéprien/Melodic Fragment

Classification

Title: Classification of Variable Length
Melodic Fragments

Scope: designed for applications in
ethnomusicology

Head of project: Bernard Stéprien

Associate: Luigi Logrippo

Computers: Amdahl / IBM PC

Analysis software: MUSICANA (custom)

Encoding: alphanumeric

Stéprien and Logrippo/Cluster Analysis

Title: "Cluster Analysis for the Computer-
Assisted Statistical Analysis of Melodies,"
Computers and the Humanities 20 (1986)

Aims: to compare several kinds of analysis
packages in the study of a database of
monophonic songs and to explore the
uses of cluster analysis in the classifica-
tion of melodies by pattern types
[cluster analysis is a method of classi-
fying a set of entities (melodies, in
this case) according to a predefined
set of indicators (here notes)]

Place: University of Ottawa
(Dept. of Computer Science)

Time: 1980-86

B. Computational Music Theory

Alegant/Even-Partition Mozaics

Title: *Even-Partition Mozaics*

Purpose: to generate all equal partitions
of the aggregate (dyads, trichords,
tetrachords, hexachords) and to tabulate
the possible set-class combinations

Head of project: Brian Alegant

Place: Eastman School of Music

Date of completion: February 1987

Computer: DEC 350 (VENIX)

Software: custom in 'C'

Jungleib/Modes

Title: *Music Possible* (Los Altos, CA., 1985)

Scope: a digital analysis of tonality listing
all conceivable 2-, 3-, and 4-note
modes together with 266 of the 462
possible 7-note modes and a represen-
tative sample of modes based on other
numbers of notes

Head of project: Stanley Jungleib

Place: Los Altos, CA

Time: 1983-85

Hardware: Xerox 860, Commodore-64
with MIDI interface

Schottstaedt/Species Counterpoint

Title: *Automatic Species Counterpoint*

Purpose: to generate second-species
counterpoints to a given cantus firmus
following Fux's rules

Investigator: Bill Schottstaedt

Place: Stanford University

Time: 1984

Wright/Species Counterpoint

Title: *Species Counterpoint*

Purpose: to develop a recursive
algorithm that generates all "correct"
counterpoints in first and second
species to a given cantus firmus in the
major mode, according to a given set
of principles

Investigator: Rhonda Wright

Place: Eastman School of Music

Time: 1987

Computer: IBM PC

Software: custom, in "C"

Associated Literature: David Lewin, "An
Interesting Global Rule for Species
Counterpoint," *In Theory Only* 6/8,
19-44

IV. Musical Information Processing

Facilities and Integrated Systems

ALBANY

Mira Balaban and others at the State University of New York at Albany are developing a "hierarchy-based music workstation" to provide a uniform basis for analysis, instruction, composition, and typesetting of music. The system is UNIX-based and involves an Imagen laser printer.

DELAWARE

Fred Hofstetter and Michael Arenson head the GUIDO music learning system at the University of Delaware. The system, which utilizes Macintosh and IBM micro-computers as well as PLATO terminals, has recently come to include video discs. Literature on the system includes "Computer-Based Aural Training: the GUIDO System," *Journal of Computer-Based Instruction* 7 (1981), 84-92 [Hofstetter] and "Computer-Based Instruction in Musicianship Training: Some Issues and Answers," *Computers and the Humanities* 18/3 (1984), 157-164 [Arenson].

The Videodisc Music Series initiated in 1981 has recently been released. Designed for teaching, the four discs provide simultaneous sound and graphics. Fourteen institutions collaborated on the project, which was supported by the National Endowment for the Humanities. Hofstetter was the principal investigator.

HAIFA

MUSICIAN is the name of a system for music processing and synthesis under development at the Laboratory for Computer Music Engineering at the Technion-Israel Institute of Technology in Haifa, Israel. The system is based on mainframe computers (PDP11 and VAX11) running programs in FORTRAN77 and uses both digital and analog synthesizers. Currently oriented toward synthesis and acoustical applications, MUSICIAN's designers are also interested in questions of music representation and in devising a notational system for electroacoustic music.

LOS ANGELES: UCLA

Roger Kendall and Irene Levenson continue to develop a system at UCLA for teaching harmony and other aspects of music theory. In its current phase their work uses an IBM PC with a mouse. Personal Composer is used with an Apple LaserWriter for music printing. Custom software for analysis is used.

MILAN

At the Laboratorio di Informatica Musicale in Milan, a personal music workstation is under development by Goffredo Haus and his colleagues. It is oriented largely toward acoustical manipulation (analysis, transformation, synthesis) and music printing. It uses both Apple Macintosh and IBM computers and printers and accommodates both MIDI keyboards and a DARMS-like code.

The LIM system can generate a number of musical ornaments of the seventeenth and eighteenth centuries (trill, mordent, appoggiatura, etc.) in numerous permutations. Capabilities for automatic transcription of taped electronic music and for score analysis following the Lerdahl/Jackendoff and Bertoni/Haus/Mauri/Torelli models also exist. Score printing is supported; following the establishment of a minimum set of musical symbols, a digital music font has been implemented with METAFONT.

MOSCOW

Within the Department of Pattern Recognition of the Computer Centre of the USSR Academy of Science in Moscow, an active research program is currently being developed under the auspices of the Composer's Union Commission on Popular Creativity. Particular areas of interest are automatic transcription of performance, synthesis of "human-like" performance, analysis of folk music, description of performance rules, semantics of performance, and simulation of performance expression and improvisation. The hardware is primarily of Soviet manufacture. Andranick Tanguiane is one of three co-chairs of a working group on "Mathematical Methods in Musicology." His coworkers include Victor Kalyan and Natalia Michailova.

OSLO

The MUSIKUS project at Oslo University is aimed at musical analysis and the development of a graphical representation of musical scores. It involves VAX and micro-VAX hardware and uses its own encoding system, MUSIKODE.

PARIS

A Système d'Informatique Musicale at the Université de Paris--VIII is being developed with MIDI input and a series of IBM computers, both mainframe and personal, to support composition, transcription, analysis, and printing. Horacio Vaggione is the project leader.

SARDINIA

A composer workstation is under development at the Centro Informatica Musicale in Caguri, Sardinia. Nicola Bernardini (Rome) and others are working on this IBM PC compatible system. The project is reported in the *ICMI 1986 Proceedings*.

TOKYO

Professor Samadu Ohteru heads a collaboration of approximately 50 people involved in a multifaceted program in musical robotics. His group, under the wing of the Applied Physics Department of Waseda University, includes engineers, computer scientists, musicologists, and performers. The overall purpose of the group's work is to develop an integrated musical informaton system. Recent work has focused on automatic recognition of printed music and bilateral translation between a printed score and Braille notation. Separate encoding systems are used for these activities, but there is some interest in devising a unified code. Recreation of printed music from an automatically recognized score follows extensive work directed towards performance from an automatically recognized score. The robot WABOT-2 can be seen in a videotape made at the University using all ten "fingers" and both "feet" in performances of the repertory that his "brain" can scan. WABOT-2 also provides automatic accompaniments for singers and is equipped to comment on elements of human performance that deviate from its expectations.

The research program is carried out in a UNIX environment using 'C'. Some of the main hardware components of the system are a NEC PC-9801 with a music generator board and a high resolution CCD camera, PIC-2300. The WABOT vision system is described in the *Proceedings of the International Conference on Advanced Robotics, September 1985*, pp. 477-482, and in Bulletin No. 112 of the Science and Engineering Research Laboratory of the University (1985), pp. 25-52.

WATERFORD

Donncha Sean O'Maidin's system, under development at the Waterford Regional Technical College (Eire), is based on a VAX-11/780 linked to a MIDI keyboard, and various printers and sound output devices. Musical data is scored in a customized version of ALMA and printed using SMUT.

Programs of Study

FLORENCE

A course in computer music at the Florence Conservatory extends to the study of computer applications in musicology. The course utilizes TELETAU resources (including data and software) developed by the Musicological Department of CNUCE [the Institute of the National Research Council] in Pisa. Lelio Camilleri implements the course. Pietro Grossi chairs the CNUCE musicology department.

NOTTINGHAM

The University of Nottingham (UK) offers an M.A. degree in Computer Studies in Musicology. The curriculum includes courses in applied programming, analytical methods, use of databases, and the history of applications in music. Ian Bent and John Morehen have developed the program over several years.

ROCHESTER

Alexander Brinkman offers a two-semester graduate course in Computer Applications in Music Research at the Eastman School of Music in Rochester, NY. The course combines instruction in Pascal and data structures with techniques for music encoding and processing. Computer applications may also be selected as a secondary field of emphasis in the Ph.D. program in Music Theory.

STANFORD

John Chowning and others at the Center for Research on Music and Acoustics at Stanford University offer an M.A. program in "Computational Musicology"; the focus is primarily on matters related to acoustics and sound synthesis.

TALLAHASSEE

The Center for Music Research at Florida State University offers a certificate program in Computers in Music that provides instruction in computer graphics programming, design in instructional materials, and statistical analysis methods. The program is available to both undergraduate and graduate students.

Short Courses

Gary Wittlich regularly teaches courses at Indiana University that involve computer-assisted analysis. David Crawford offers an introduction of computer-assisted music research annually. Allen Forte offers a graduate course at Yale University on "The Use of the Microcomputer for Music Research." An undergraduate course in musical stylometrics is under development at the University of Ulster.

Jon Appleton of Dartmouth College will again offer a summer seminar for musicologists, theorists, and composers on "Music and Technology". The seminar will consider the ways in which composers, performers, and listeners interact with technology and will assess the impact of electronics on the role of music in culture and on concepts of style in Western art music. The dates for this course, which was also given in 1980 and 1984 and is funded in part by the National Endowment for the Humanities, are June 22 to August 14.

COMPUTER TERMINOLOGY

	<u>ENGLISH</u>	<u>FRANÇAIS</u>	
	computer	ordinateur	
	application	application	
	hardware	hardware	
	memory	mémoire	
5	network	réseau	5
	punchcards	cartes perforées	
	software	logiciel	
	integrated system	système intégré	
	storage	mémoire virtuelle	
10	data	données	10
	alphanumeric	alphanumérique	
	base	banque	
	design	dessein	
	character (ASCII)	symbole	
15	entry/input	entrée	15
	exchange	échange de données	
	field	champ de données	
	file	fichier	
	structure	structure (de fichier)	
20	output	sortie	20
	record	article de données	
	representation	représentation	
	retrieval	retrait, extraction	
	method of retrieval	méthode d'extraction	
25	search	recherche	25
	string	chaîne de caractères	
	graphics	graphiques	
	bitmap graphics	bitmap graphiques	
30	CRT terminal	écran	30
	display	affichage	
	editing	éditer	
	object-oriented graphics		
	screen	écran	
	graphics screen	écran graphique	
35	screen editing	éditer à l'écran	35

COMPUTER TERMINOLOGY

DEUTSCH

ITALIANO

	Computer	calcolatore, (elaboratore)	
	Anwendung, Applikation	applicazione	
	Hardware	hardware	
	Speicher, Speicherung	memoria	
5	Netzwerk	rete	5
	Lochkarten	schede perforate	
	Software	software, programmi	
	interiertes System	sistema integrato	
	Speicherung	deposito, memoria di massa	
10	Daten	dati	10
	alphanumerisch	alfanumerico	
	Datenbank	data base, base	
	Datenbank-Design (-Entwurf)	disegno	
	Zeichen (ASCII)	caratteri	
15	Dateneingabe, Input	input (ingresso), (entrata)	15
	Datenaustausch	cambio di dati	
	Datenfeld	campo	
	Datei	file	
	Struktur, Aufbau	struttura	
20	Output, Ausgabe	output (uscita)	20
	Datensatz	record	
	Darstellung	rappresentazione	
	Abfrage	recupero, retrieval	
	Methode der Datenabfrage	metodo di recupero	
25	Suche, Datendurchzucken	recerca (di dati)	25
	Zeichenkette	stringa	
	Graphik	grafica	
	bitmap Bildschirm	grafica bitmap, gr. a matrici di bit	
	Terminal, Datensichtregät	terminale CRT, terminale video	
30	Anzeige	schermo, video (display)	30
	Editieren	elaborazione	
	objekt-orientierte Graphik		
	Bildschirm	schermo	
	Graphikbildschirm	schermo grafico	
35	bildschirmorientiertes	elaborazione dei dati	35
	Editieren	sullo schermo	

ENGLISH**FRANÇAIS**

	hardware (computer)	hardware	
	CD	disquette compacte	
	CD-ROM	CD-ROM	
	CRT	écran	
40	device	machine, dispositif	40
	independent	indépendant de la machine	
	voice recognition d.	d. de reconnaissance de parole	
	digitizer	digitaliseur	
	ultrasonic	à ultrasons	
45	disc	disque	45
	drive	lecteur de disque	
	storage	stockage	
	optical scanner	scanner optique	
	optical character recognition	reconnaissance optique des caractères	
50	printer	imprimante	50
	dot matrix printer	à points matricielle	
	laser printer	imprimante au laser	
	plotter	plotter	
	robot	robot	
55	tape	bande	55
	tape drive	lecteur de bande	
	terminal	terminal	
	instrument (music)	instrument (musique)	
	keyboard	clavier	
60	synthesizer	synthétiseur	60
	sampler	lecteur de clavier	
	music (acoustic)	son	
	duration	durée	
	dynamics	dynamique	
65	measure	mesure	65
	pitch	hauteur	
	playback	playback	
	voice ('part')	voix	
	voice-leading	conduite des voix	

DEUTSCH

Hardware

CD (Compact Disk)
CD-ROM
Bildschirm(gerät)
Gerät
geräte-unabhängig
Spracherkennungsgerät
Digitalisierer
Ultraschall- Digitizer
Platte(n), Disk
Plattenlaufwerk
Plattenspeicher
Lesegerät
Optische Zeichenerkennung

Drucker
(Punkt)matrix Drucker
Läserdrucker
Plotter
Roboter
Band
Bandlaufwerk
Terminal

(Musik-) Instrument

Klaviatur
Synthesizer
mit Klaviatur Sampler

Ton, Music (akustische)

Tondauer
Dynamik
Takt
Tonhöhe
Playback
Stimmen, Part
Stimmführung

ITALIANO

hardware

CD (Compact Disc)
CD-ROM
CRT, tubo a raggi catodici
dispositivo, apparecchiatura 40
indipendente dal d.
d. per il riconoscimento della voce
digitalizzatore
a ultrasuono
disco 45
unità disco
memoria a disco
analizzatore ottico, lettore ottico
riconoscimento ottico dei caratteri

stampante 50
stampante a (matrice di) punti
stampante (a) laser
plotter
robot
nastro 55
piastra che trascina il nastro,
terminale

strumento musicale

tastiera
sintetizzatore 60
lettore di tastiera

suono

durata
dinamica
battuta 65
altezza
playback
voce (parte)
condotta (andamento) delle voci

ENGLISH**FRANÇAIS**

70	musical notes (visual)	notes	70
	accidentals	altérations, accidents	
	articulation signs	signes d'articulation	
	beam	barres de valeur	
	dot	point	
75	figured bass	basse chiffrée	75
	key signature	armure	
	notation	notation	
	notes, misspelled	notes erronées	
	ornaments	ornements	
80	part (for performance)	partie séparée	80
	rests	silences	
	score	partition	
	slurs	liaison d'articulation	
	staff	portée	
85	stem	haste	85
	system	système (de portées)	
	tie	liaison	
	time signature	indication de mesure	
	time value of notes	durée, valeur	
90	tracks	pistes	90
	print(ing)	imprimé(er)	
	typesetting	typographie	
	printed music	musique imprimée	
	publication	publication	
95	copyright	droit d'auteur	95
	edit	éditer	
	edition	édition	
	proofreading	lecture d'épreuves	
	publisher	maison d'édition, éditeur	
100	publishing	publication	100
	reader (of manuscripts)	lecteur	
	text	text	
	text processing	traitement du texte	
	text underlay	disposition du texte	

This list of terms has been compiled from contributions by Mario Baroni, Laura Callegari, Lelio Camilleri, Etienne Darbellay, Christoph Schnell and others for the Fourteenth Congress of the International Musicological Society (Bologna, 27 August - 1 September 1987).

DEUTSCH**ITALIANO**

70	(Musik)noten (optische)	note (visive)	70
	Versetzungszeichen, Vorzeichen	alterazioni	
	Artikulationszeichen	segni di articolazione	
	Balken	barra	
	Punkt	punto	
75	bezifferung Bass	basso numerato	75
	Vorzeichnung	armatura di (in) chiave	
	Notation, Notenschrift	notazione	
	falschgeschrieben N.	note compitate	
	Ornamenten, Verzierung	ornamenti, abbellimenti	
80	Noten, Stimme	parte	80
	Pausen	pause	
	Partitur	partitura	
	Bundebögen, Bindebögen	legature di fraseggio	
	Notensystem	pentagramma, rigo musicale	
85	Notenhals	stanghetta, gamba	85
	Akkolade	sistema (pentagramma)	
	Haltebogen	legatura di valore	
	Taktartangabe	metro	
	Notenwert	durata delle note	
90	Banden, Spur	tracce (piste)	90
	Druck(en)	stampa(re)	
	Drucklegung	composizione della stampa	
	gedruckter Notentext	musica a stampa, musica stampata	
	Verlag	pubblicazione	
95	Copyright	copyright	95
	herausgeben	pubblicare, curare	
	Ausgabe	edizione	
	korrekturlesen	correttura di bozze	
	Verleger	editore	
100	Verlågswesen	stampa, casa editrice	100
	Lektor	lettore	
	Text	testo	
	Textverarbeitung	elaborazione del testo	
	Textunterlegung	disposizione delle sillabe del testo	

This list of terms has been compiled from contributions by Mario Baroni, Laura Callegari, Lelio Camilleri, Etienne Darbellay, Christoph Schnell and others for the Fourteenth Congress of the International Musicological Society (Bologna, 27 August - 1 September 1987).

Recent and Forthcoming Literature about the Discipline (1985--)

Camilleri, Lelio. "The Current State of Computer Assisted Research in Musicology in Italy," *Acta Musicologica* LXVIII/2 (1987).

Carter, Nicholas, R. A. Bacon, and T. Messenger. "The Acquisition, Representation, and Reconstruction of Printed Music by Computer: a Review," *Computers and the Humanities* [in press].

Davis, Deta. *Computer Applications in Music*. Los Altos, CA: William Kaufmann, [1987]. [A listing of more than 4500 applications covering approximately 25 topics, one of which is musicological and analytical applications.]

Mason, Robert M. *Modern Methods of Music Analysis Using Computers*. Peterborough, NH: Schoolhouse Press, 1985. [Oriented largely towards harmonic analysis, with seven chapters on computer methodology. Introduces many concepts not normally found in music theory texts; includes exercises for classroom use.]

Rahtz, S. P. Q. (ed.). *Information Technology in the Humanities*. London: Ellis Horwood, 1987. [Contains fourteen chapters on various aspects of humanities computing.]

Schnell, Christoph. *Die Eingabe musikalischer Information als Teil eines Arbeitsinstrumentes: Ein Beitrag zur Computeranwendung in der Musikwissenschaft*. Bern: Peter Lang, 1985.

Wittlich, Gary, John Schaffer, and Larry R. Babb. *Microcomputers and Music*. New York: Prentice Hall, 1986. [Introduction to programming concepts and to applications in instruction, graphics, and sound, with sample programs in BASIC for the Apple II, IBM PC, and Commodore-64.]

Address List

Individuals

Contributing to or mentioned in the Directory

Brian Alegant
76 Harper Street
Rochester, NY 14607

Bo Alphonse
Faculty of Music
McGill University
555 Sherbrook St. West
Montreal, Quebec H3A 1E3
Canada

J. Michael Allsen
4003 Claire Street
Madison, WI 53716

John Amaral
18 Haviland
Boston, MA 02115

Elliott Antokoletz
2802 Horseshoe Bend Cove
Austin, TX 78704

Jon Appleton
Dept. of Music
Dartmouth College
Hanover, NH 03755

Michael Arenson
Department of Music
University of Delaware
Newark, DE 19716

R. A. Bacon
Dept. of Physics
University of Surrey
Guildford, Surrey GU2 5HX
England, UK

Henry S. Baird
AT&T Bell Laboratories, 2C-557
600 Mountain Avenue
Murray Hill, NJ 07974

Mira Balaban
Computer Science Dept. L1-67A
State University of New York
Albany, NY 12222

Patrizio Barbieri
via Merulana 259
I-00185 Roma, Italy

Roger Barnes
School of Mathematics
Leicester Polytechnic
P.O. Box 143
Leicester LE1 9BH
England, UK

John H. Baron
Department of Music
Newcomb College
Tulane University
New Orleans, LA 70118

Mario Baroni
Dip. di Musica e Spettacolo
Strada Maggiore, 34
I-40125 Bologna, Italy

Stephen R. Barrell
Singel 50
1015 AB, Amsterdam
The Netherlands

Ann Basart
Dept. of Music
Morrison Hall
University of California
Berkeley, CA 94720

Bernd Baselt
DDR 4020 Halle-Saale
Marx-Engels Platz 1
D.D.R.

Stefan Bauer-Mengelberg
240 Sullivan Street
New York, NY 10012

James W. Beauchamp
2136 Music Building
University of Illinois
1114 W. Nevada St.
Urbana, IL 61801

Bernard Bel
16, Avenue de Mondon
F-43000 Le Puy en Velay
France

Brian Belet
School of Music
Arizona State University
Tempe, AZ 85287

Frances Bennion
1310 Bay Laurel Drive
Menlo Park, CA 94025

Ian Bent
Department of Music
Columbia University
New York, NY 10027

Piero de' Berardinis
via Caboto 31
I-6500 Pescara, Italy

Nicola Bernardini
via Urbana, 103
Littleton, MA 01460

Hans Bernskiöld
Department of Musicology
Gothenburg University
Viktor Rydbergsgatan 24
S-412 56 Göteborg, Sweden

Jane Bernstein
Department of Music
Tufts University
Medford, MA 02155

J. Marshall Bevil
4614 West 43rd Street
Houston, TX 77092

Thomas Binkley
Indiana University
Early Music Institute
Bloomington, IN 47401

Ann K. Blombach
Ohio State University
School of Music - Weigel Hall
1866 College Road
Columbus, OH 43210

Thom Blum
1450 Greenwich, #301
San Francisco, CA 94109

Norbert Böker-Heil
Leiter, Abteilung Musikanalyse
Staatliches Institut für
Musikforschung
D-1000 Berlin 30
Tiergarten Str. 1
Berlin/West, Germany

James M. Borders
School of Music
University of Michigan
Ann Arbor, MI 48109

Moisei G. Boroda
State Conservatory
ul. Griboedova 8
380004 Tbilisi 4, USSR

Edmund A. Bowles
5 Sage Court
White Plains, NY 10605

Garrett Bowles
14290 Mango Drive
Del Mar, CA 92014

Roger Bray
Department of Music
University of Lancaster
Lancaster LA1 4YW
England, UK

Alexander Brinkman
Eastman School of Music
26 Gibbs Street
Rochester, NY 14604

Clive Broadbent
University College
The Castle
Durham DH1 3RW
England, UK

John Brobeck
312 W. Glenside Ave.
Glenside, PA 19038

Barry Brook
50 Central Park West
New York, NY 10023

Geoff Brown
723 Gilbert Avenue
Menlo Park, CA 94025

Maureen Buja
Garland Publications
136 Madison Avenue
New York, NY 10016

Lou Burnard
Oxford Univ. Computing Centre
13 Banbury Road
Oxford OX2 6NN
England, UK

William Buxton
Computer Systems Research
10 Kings College Road, #2105B
Toronto, Ontario M5S 1A4
Canada

Donald Byrd
Department of Music
Princeton University
Princeton, NJ 08544

Laura Callegari
Istituto di Studi Musicali
Strada Maggiore 34
I-40125 Bologna, Italy

Lelio Camilleri
Div. Musicologica
del CNUCE/C.N.R.
Conserv. di Musica "L. Cherubini"
Piazza delle Belle Arti 2
I-50122 Firenze, Italy

Raoul Camus
14-34 155th Street
Whitestone, NY 11357

Donald Cantor
22 Kenmore Street
Newton, MA 02159

James Carr
514 W. 110th Street, #92
New York, NY 10025

Marie Carter
70 W. 109th Street, #2
New York, NY 10025

Nicholas Carter
Music/Physics Departments
University of Surrey
Guildford, Surrey GU2 5HX
England, UK

Hélène Charnassé
CNRS-ERATO,
27 rue Paul Bert,
F-94200 Ivry-sur-Seine, France

John Chowning
C.C.R.M.A.
Stanford University
Stanford, CA 94305

Donald E. Christenson
1153 South Yearling Road
Columbus, OH 43227-1769

George Christie
8 Lower Snuff Mill Row
Yorklyn, DE 19736

Alastair Clarke
Dept. of Computing Mathematics
Senghennydd Road
Math. Inst., University College
Cardiff CF2 4AG
Wales, UK

Peter J. Clements
Digital Sound Laboratory
University of Western Ontario
London, Ontario N6A 5K1
Canada

Edward Clinksale
Martha Novak Clinksale
Dept. of Music
University of California
Riverside, CA 92502

Malcolm Cole
Dean Palmer
Department of Music
University of California
Los Angeles, CA 90024

Walter Colombo
via Bazzini 35
I-20131 Milano, Italy

Nancy Colton
Oberon Systems
3815 West Burbank Blvd.
Burbank, CA 91505

Nicholas Cook
Department of Music
University of Hong Kong
Pokfulam Road
Hong Kong

Peter R. Cooke
Ethnomusicology Programme
University of Edinburgh
27 George Square
Edinburgh EH8 9LD
Scotland, UK

David Coombs
3529 Newland Road
Baltimore, MD 21218

Lenore Coral
Music Librarian
Cornell University
Ithaca, NY 14853

Kate Covington
Asst. Professor
School of Music
University of Kentucky
Lexington, KY 40506-0022

David Crawford
1204 Iroquois
Ann Arbor, MI 48104

M. Alison Crerar
Department of
Computer Studies
Napier College
Edinburgh, Scotland, UK

Mimi S. Daitz
425 Riverside Drive
New York, NY 10025

Francesco DallaLibera
Facoltà di Statistica
Università di Padova
I-35100 Padova, Italy

Armando Dal Molin
67 Florence Ave.
Oyster Bay, NY 11771

Roger Dannenberg
Center for Art and Technology
Dept. of Computer Science
Carnegie-Mellon University
Pittsburgh, PA 15213

Etienne Darbellay
41 av. Adrien-Lachenal
CH-1290 Versoix, GE
Switzerland

Deta Davis
Library of Congress
Washington, D C 20002

Elizabeth Davis
Music Division
The Pierpont Morgan Library
28 East 36th Street
New York, NY 10016

Giovanni Debiasi
Cent. di Sonologia
Computazionale
Università di Padova
Via Gradenigo 6A
I-35131 Padova, Italy

Francesco Degrada
via de Amicis 33
I-20133 Milan, Italy

Peter Denley
Department of History
Westfield College, U. London
Kidderpore Avenue
London NW3 7ST
England, UK

Ross Duffin
Dept. of Music
Case Western Reserve University
Cleveland, OH 44106

Mary Kay Duggan
School of Library & Info. Studies
University of California
Berkeley, CA 94707

Shane Dunne
P.O.Box 1049
Postal Station B
London, Ontario N6A 5K1
Canada

Paul E. Dworak
Dept. of Music
North Texas State University
Denton, TX 76203

Stephen Dydo
584 Bergen Street
Brooklyn, NY 11238

Lounette Dyer
Cal. Inst. of Technology 256-80
Pasadena, CA 91125

Lawrence Earp
5533 Humanities Building
University of Wisconsin
455 N. Park St.
Madison, WI 53706

Anthony C. Eastwood
Christina Eastwood
Music Department
University of Western Australia
Crawley, W A 6009, Australia

Mark Ellis
Huddersfield Technical College
School of Music
New North Road
Huddersfield HD1 3DH
England, UK

Julian Elloway
Oxford University Press
Oxford OX2 6DP
England, UK

S. Emmerson
Dept. of Music
City University
Northampton Square
London EC1V OHB
England, UK

Raymond Erickson
Dept. of Music
Queens College
Flushing, NY 11367

Robert Faulk
Faculty of Music
University of Toronto
Toronto, Ontario M5S 1A1
Canada

Richard Felciano
Department of Music
University of California
Berkeley, CA 94720

Luigi Finarelli
via Pio IX, n. 15
I-40017 S. Giov. Persiceto
Italy

Robert Fink
1955 Chestnut St., #207
Berkeley, CA 94702

Samuel A. Floyd, Jr.
Center for Black Music Research
Columbia College
600 S. Michigan Avenue
Chicago, IL 60605

Allen Forte
Dept. of Music
Yale University
Box 4030, Yale Station
New Haven, CT 06520

Eric Foxley
Dept. of Mathematics and
Computer Science
Univ. of Nottingham
Nottingham NG7 2RD
England, UK

Steven Fry
Music Librarian
Schoenberg Hall
University of California
Los Angeles, CA 90024

Nigel Gardner, Head, CTISS
South West Universities
Regional Computer Centre
University of Bath
Claverton Down
Bath BA2 7AY, England, UK

Eckel Gerhard
Hernalser Hauptstrasse 164/17
A-1170 Vienna, Austria

Helen Geyer-Kiefl
Universität Regensburg
Institut für Musikwissenschaft
Universitätstr.-Postfach
D-8400 Regensburg, BRD

Carolyn Gianturco
Università degli Studi
Istituto di Letteratura Italiana
via del Collegio Ricci, 10
I-56100 Pisa, Italy

Fabio Ofariello Giardi
Via G. Banti 34
I-00191 Roma, Italy

Don Gibson
716 Candlelight Dr.
Waco, TX 76710

Francesco Giomi
Via Pisana 289
I-50143 Firenze, Italy

John Gleason
Packard Humanities Institute
300 Second St., Suite 201
Los Altos, CA 94022

Irving Godt
Music Department
Indiana University
Indiana, PA 15705

Paul M. Godwin
School of Music
Belmont College
Nashville, TN 37203

Charles Goldfarb
IBM Almaden Research Center
650 Harry Road
San Jose, CA 95120

John S. Gourlay
Dept. of Computer Science
Ohio State University
2036 Neil Avenue Mall
Columbus, OH 43210

David Julian Gray
Computers and Music
1989 Junipero Serra Blvd.
Daly City, CA 94014

Bernard S. Greenberg
Technical Director
Symbolics, Inc.
11 Cambridge Center
Cambridge, MA 02142

Gary Greene
11800 Beltsville Dr., #411
Beltsville, MD 20705

Thomas Griffin
711 South St. #28
Hollister, CA 95023

John Griffiths
Faculty of Music
University of Melbourne
Parkville, Victoria 3052
Australia

Dorothy Gross
911 22nd Ave., #181
Minneapolis, MN 55455

Pietro Grossi
Via Capodimondo 13
I-50100 Firenze, Italy

Richard Haefer
School of Music
Arizona State University
Tempe, AZ 85287

Lippold Haken
CERL Music Group
103 S. Mathews, #252
Urbana, IL 61801-2977

Thomas Hall
Sound Creation, Ltd.
900 John Nolan Dr.,
Suite 130 B
Madison, WI 53713

Tor Halmrast
Kiriks gt.3
N-0457 Oslo 4, Norway

Keith A. Hamel
Dept. of Music
Queen's University
Kingston, Ontario K7L 3N6
Canada

Dorothee Hanemann
Bärenreiter-Verlag
Heinrich-Schütz-Allee 35
D-3500 Kassel, BRD

Craig Harris
5769 Liberty Road
Ann Arbor, MI 48103

Goffredo Haus
Università degli Studi
Lab. di Informatica Musicale
via Moretto da Brescia, 9
I-20133 Milan, Italy

Kurt Hebel
CERL Music Group
103 S. Mathews, #252
Urbana, IL 61801-2977

Neumayer Gerd Heinz
Silcher Str. 17
D-8000 Munich 40, BRD

Eugene Helm
Department of Music
University of Maryland
College Park, MD 20742

Andy Herzfeld
370 Channing Avenue
Palo Alto, CA 94301

Walter B. Hewlett
525 Middlefield Rd., Suite 120
Menlo Park, CA 94025

Anthony Hicks
23 Stanley Court
1 Woodfield Road
London W5 1SL
England, UK

George R. Hill
84 Highgate Terrace
Bergenfield, NJ 07621-3922

John W. Hill
2136 Music Building
University of Illinois
1114 W. Nevada
Urbana, IL 61801

Lejaren Hiller
Department of Music
SUNY
Buffalo, NY 14260

Susan Hockey
Oxford University
Computing Centre
13 Banbury Road
Oxford OX2 6NN
England, UK

Fred Hofstetter
Dept. of Music
University of Delaware
Newark, DE 19716

Simon Holland
Institute of Educational
Technology
The Open University
Milton Keynes MK7 6AA
England, UK

D. Kern Holoman
Dept. of Music
University of California
Davis, CA 95616

Edward Houghton
Porter College
University of California
Santa Cruz, CA 95064

George Houle
657 Santa Ynez Street
Stanford, CA 94305

Brian Howard
328 McKendry Drive
Menlo Park, CA 94025

John Howard
Music Library
Harvard University
Cambridge, MA 02138

Hubert S. Howe
Dept. of Music
Queens College
Flushing, NY 11367

Cleo Huggins
Adobe Systems
1870 Embarcadero
Palo Alto, CA 94301

Andrew Hughes
Faculty of Music
Centre for Medieval Studies
University of Toronto
Toronto, Ontario M5S 1A1
Canada

Mary Hughson
135 Clearview Hts. Box 845
King City, Ontario LOG 1K0
Canada

Warren E. Hultberg
Mary Lou Hultberg
Crane School of Music
State University of New York
Potsdam, NY 13676

Roland Hutchinson
Department of Music
Stanford University
Stanford, CA 94305

Masakazu Imai
Dept. of Control Engineering
Faculty of Engineering Science
Osaka University
Toyonaka, Osaka 560, Japan

Seiji Inokuchi
Dept. of Control Engineering
Faculty of Engineering Science
Osaka University
Toyonaka, Osaka 560, Japan

Carlo Jacoboni
Dipartimento di Fisica
Via Campi
Modena, Italy

Richard M. Jacobs
Dept. of Music
University of Maine
Orono, ME 04469

Jack M. Jarrett
Department of Music
Virginia Commonwealth Univ.
901 W. Franklin Street
Richmond, VA 23284

Richard Jensen
P.O. Box 24537
Los Angeles, CA 90024

M.E. Jernigan
Dept. of Systems Design
Engineering
University of Waterloo
Waterloo, Ontario N2L 3C5
Canada

Barbara Jesser
Universität Essen - Hochschule
PB 4, Musik
D-4300 Essen 1, BRD

Stanley Junglieb
1218 Payne Drive
Los Altos, CA 94022

Victor Kalyan
Computer Center of the USSR
Academy of Sciences
Vavilov St., 40
Moscow 117333, USSR

Gary Karpinski
Conservatory of Music
Brooklyn College
Brooklyn, NY 11210

Michael Kassler
Computer Music Company
2 West Crescent St., #2
McMahons Point NSW 2060
Australia

May Katzen
Office of Humanities
Communication
University of Leicester
Leicester, England, UK

Alan Kay
12212 Octagon Street
Los Angeles, CA 90049

Kate Van Winkle Keller
410 Fox Chapel Lane
Radnor, PA 19087

Michael A. Keller
Assoc. Director, Collection Dev.
Sterling Memorial Library, #127
P.O. Box 1603A Yale Station
New Haven, CT 06520

Herbert Kellman
School of Music
Univ. of Illinois
Urbana, IL 61801

Roger Kendall
Dept. of Music
University of California
405 Hilgard Ave.
Los Angeles, CA 90024

Duff Kennedy
1520 Eucalyptus Hill Road, #9
Santa Barbara, CA 93103

Cynthia Tse Kimberlin
Music Research Institute
560 Railroad Avenue
Hercules, CA 94547

Warren Kirkendale
Universität Regensburg
Institut für Musikwissenschaft
Universitätstr.-Postfach
D-8400 Regensburg, BRD

Mogens Kjaer
General Manager
Toppan International Group
Iwanami Shoten Annex
Bldg. 2-3-1
Kanda Jimbocho, Chiyoda-ku
Tokyo 101, Japan

J. Timothy Kolosick
Fine Arts--Music Bldg, #11
University of Arizona
Tucson, AZ 85721

Lawrence W. Konecky
Alcorn State University
Box 863
Lorman, MS 39096

Kristine Konrad
14 Remington Street
Cambridge, MA 02138

Tim Koozin
119 Park Avenue
Grand Forks, ND 58201-1644

Richard Koprowski
Research Libraries Group
Jordan Quadrangle
Stanford University
Stanford, CA 94305

Stefan Kostka
Dept. of Music
University of Texas
Austin, TX 78712

Edward L. Kottick
School of Music
University of Iowa
Iowa City, IA 52242

Anton Kouhrty
22 Linden Street
Toronto M4Y 1V6, Canada

Carol Krumhansl
Department of Psychology
Cornell University
Ithaca, NY 14853

Paul Kuik
Prinsengracht 181"
1015 DS Amsterdam
The Netherlands

Barbara Kwiatkowska
P O Box 2243
Beverly Hills, CA 90213

John C. Laffan
Laffanraff
Box 28
Upper Falls, MD 21156

Mark Lambert
P.O. Box 8204
Charlottesville, VA 22906

Leigh Landy
Inst. voor Muziekwetenschap
Universiteit van Amsterdam
Spuistraat 134 Kr. 718
1012 VB Amsterdam, NL

Stephen Lansdown
P.O.Box 672
Hamilton, Queensland
4007 Australia

Paul Lansky
Dept. of Music
Princeton University
Princeton, NJ 08544

Paul A. Laprade
310 University Avenue, Apt. 2
Rochester, NY 14607

Jan LaRue
Dept. of Music
New York University
New York, NY 10003

Hugh Lavery
1112 N. Leminwah Street
Appleton, WI 54911

Marc Leman
University of Ghent
Blandijnberg 2
Seminar of Musicology
B-9000 Ghent, Belgium

Irene Levenson
Dept. of Music
University of California
405 Hilgard Ave.
Los Angeles, CA 90024

Mary Lewis
Dept. of Music
Brown University
Providence, RI 02912

Betty Li
Music Department
Hong Kong Baptist College
224, Waterloo Rd.
Kowloon, Hong Kong

Marco Ligabue
via Vamba 25
I-50135 Firenze, Italy

Harry B. Lincoln
Dept. of Music
State University of New York
Binghamton, NY 13901

Edward Lisle
Centre for Research on
Perception and Cognition
University of Sussex
Brighton, Sussex
England, UK

Lewis Lockwood
Dept. of Music
Harvard University
Cambridge, MA 02138

Rey M. Longyear
School of Music
University of Kentucky
Lexington, KY 40506-0022

Margaret Lospinoso
Music Library
University of North Carolina
Chapel Hill, NC 27514

Gareth Loy
Computer Audio Research Lab.
Center for Music Experiment
Univ. of Calif. at San Diego
La Jolla, CA 92093

Kurt Maas
Music Engraving Software
Rohrhauserstr. 50
D-8000 Munchen 71, BRD

Janos A. Makowsky
Computer Science Department
Israel Institute of Technology
Technion City, Haifa 32000
Israel

William Malm
Burton Tower
University of Michigan
Ann Arbor, MI 48109

John Maloney
Dept. of Computer Science
University of Washington
Seattle, WA 98195

Sandra Mangsen
Department of Music
Cornell University
Ithaca, NY 14853

Alan A. Marsden
CRACM
Music Department
Bailrigg, Lancaster LA1 4YW
England, UK

Robert Marshall
Department of Music
Brandeis University
Waltham, MA 02254

Neil G. Martin
12 The Grove
Christchurch
Dorset BH23 2HA
England, UK

Robert Mason
Schoolhouse Press
46 Mt. View Drive
Peterborough, NH 03458-1325

Toshiaki Matsushima
Dept. of Applied Physics
Waseda University
3-4-1 Okubo, Shinjuku-ku
Tokyo 160, Japan

John T. Maxwell
Xerox PARC
3333 Coyote Hill Road
Palo Alto, CA 94304

Eleanor McCrickard
School of Music
University of North Carolina
Greensboro, NC 27412

Nanette McGuinness
222 Carleton Street
Berkeley, CA 94704

Rosamund McGuinness
Royal Holloway/
Bedford New College
University of London
Egham, Surrey TW20 0EX
England, UK

Samuel McKinney
Department of Music, Box 45
University of California
Santa Barbara, CA 93110

Virginia McLaurin
Center for Black Music
Research
Columbia College
600 S. Michigan
Chicago, IL 60605

Bruce McLean
11733 La Colina Road
San Diego, CA 92131

Jonathan McVity
1935 South Arlington Ridge Rd.
Arlington, VA 22202-1630

David Mercer
P.O. Box 132
Sandy Bay
Tasmania 7005
Australia

T. Messenger
Dept. of Music
University of Surrey
Guildford, Surrey GU2 5HX
England, UK

Rosa Michaelson
Ardgarth Cottage
Lundie, Dundee DD2 5NW
Scotland, UK

Natalia Michailova
Computer Center of the USSR
Academy of Sciences
Vavilov St., 40
Moscow 117333, USSR

Jim Miller
P.O. Box 648
Honaunau, HI 96726

Harald Millonig
Universitäts Bibliothek
Geschwister-Scholl-Platz 1
D-8000 München 22, BRD

Marco and Diego Minciacchi
via Fogliano, 24
I-00199 Roma, Italy

Keith Mixer
4455 Shields Place
Columbus, OH 43214

Dale E. Monson
School of Music
University of Michigan
Ann Arbor, MI 48109

William Montgomery
Goudsbloemstraat 15
1015 JJ Amsterdam
Netherlands

Bernard Mont-Reynaud
C.C.R.M.A.
Stanford University
Stanford, CA 94305

John Morehen
The University
Lenton Grove, Beeston Lane
Nottingham NH6 2QN
England, UK

Vladimir Morosan
Musica Russica, Inc.
101 Foote Street
Hamden, CT 06517

Raymond Morse
2615 Balfour
Eugene, OR 97401

Jane Moseley
Department of Music
University of Nottingham
Nottingham NG7 2RD
England, UK

Giovanni Müller
Institut für Informatik
ETH-Zentrum
CH-8092 Zürich
Switzerland

Charles Mould
Secretary of the Library
Bodleian Library
Oxford OX1 3BG
England, UK

Sterling Murray
Mitchell Hall 402
West Chester University
West Chester, PA 19383

Kären N. Nagy
Music Librarian
Stanford University
Stanford, CA 94305

Yasuaki Nakamura
Dept. of Control Engineering
Faculty of Engineering Science
Osaka University
Toyonaka, Osaka, Japan

Gary Nelson
Technology in Music
Oberlin Conservatory
Oberlin, OH 44074

Nigel Nettheim
Conservatorium of Music
Sydney, NSW 2000
Australia

Jennifer Nevile
Dept. of General Studies
University of New South Wales
P.O. Box 1
Kensington, NSW 2033
Australia

Anthony Newcomb
Department of Music
University of California
Berkeley, CA 94720

Steven R. Newcomb
Florida State University
Tallahassee, FL 32306

Takami Niihara
Dept. of Control Engineering
Faculty of Engineering Science
Osaka University
Toyonaka, Osaka, Japan

Ephraim Nissan
Department of Mathematics
Ben Gurion University
P.O. Box 653
Beer-Sheva, 84105
Israel

Jeremy Noble
Dept. of Music
SUNY
Buffalo, NY 14260

Donncha O'Maidin
Waterford Regional
Technical College
Cork Road
Waterford, Eire

Samadu Ohteru
Dept. of Applied Physics
Waseda University
3-4-1 Okubo, Shinjuku-ku
Tokyo 160, Japan

Giulio Ongaro
Department of Music
University of North Carolina
Chapel Hill, NC 27514

Dave Oppenheim
Opcode Systems
1040 Ramona Street
Palo Alto, CA 94301

Nigel Osborne
Department of Music
University Park
Nottingham NG7 2RD
England, UK

David Woodley Packard
Packard Humanities Institute
300 Second Street, #201
Los Altos, CA 94022

Stephen D. Page
New College
Oxford, OX1 3BN
England, UK

Claude V. Palisca
Department of Music
P.O. Box 4030
Yale Station
New Haven, CT 06520-7440

Bernhard Päuler
Amadeus Verlag
Iberghang 16
CH-8045 Winterthur
Switzerland

Alastair Pearce
Dept. of Sociology
Fac. of Social Studies and Arts
Birmingham Polytechnic
Birmingham B42 2SU
England, UK

Ramon Pelinski
Department de Musique
Université de Montréal
Montréal, Canada

Leeman L. Perkins
186 Cambridge Avenue
Englewood, NJ 07631

Jane Perry-Camp
2304 Don Andres Avenue
Tallahassee, FL 32304

Ted Petrosky
230 W. 99th St., Ste. 7S
New York, NY 10025

Richard Philcox
Department of Mathematics
Deakin University
Victoria 3217, Australia

Bruce Phillips
Music Books Editor
Oxford University Press
Oxford OX2 6DP
England, UK

Leo J. Plenkers
Inst. voor Muziekwetenschap
Universiteit van Amsterdam
Spuistraat 134 Kr. 718
1012 VB Amsterdam, NL

Graham Pont
Dept. of General Studies
University of New South Wales
P.O. Box 1
Kensington, NSW 2033
Australia

Larry Polanski
Department of Music
Mills College
Oakland, CA 94613

Anthony Pople
Department of Music
University of Lancaster
Lancaster LA1 4YW
England, UK

Charles Porter
514 West 110th St. #92
New York, NY 10025

Doris B. Powers
501 N. Greensboro St., #23
Carrboro, NC 27510

Harold S. Powers
Department of Music
Princeton University
Princeton, NJ 08544

Peter Preston-Thomas
1109 Blasdell Avenue
Ottawa, Ontario K1K 0C1
Canada

Nona Pylon
Grancino Editions
Postfach 600242
D-8000 München 60, BRD

Joseph Raben
Paradigm Press, Inc.
P.O. Box 1057
Osprey, FL 33559

Carolyn Rabson
Gustave Rabson
200 W. College St.
Oberlin, OH 44074

John Rahn
Department of Music
University of Washington
Seattle, WA 98195

Diane Raptosh
Center for Black Music Research
Columbia College
600 S. Michigan
Chicago, IL 60605

Jef Raskin
Information Appliance, Inc.
1014 Hamilton Ct.
Menlo Park, CA 94025

Fred Joseph Rees
Washington Square Village, #13K
New York, NY 10012

Marsha J. Reisser
Center for Black Music Research
Columbia College
600 S. Michigan
Chicago, IL 60505

Barbara A. Renton
84 Highgate Terrace
Bergenfield, NJ 07621-3922

Trevor Richards
Graphic Notes
133A Unley Road
Adelaide, S. Australia 5061
Australia

John Roberts
2114 Pine Street
Philadelphia, PA 19103

Dave Robinson
9228 Bailey Lane
Fairfax, VA 22031

John B. Roeder
Department of Music
University of British Columbia
6361 Memorial Road
Vancouver, BC V7A 1Y7
Canada

Gordon Rowley
425 W. Hillcrest Drive
De Kalb, IL 60115

W. Bradley Rubenstein
Computer Science Division
University of California
Berkeley, CA 94720

Alexander Ruggieri
1557 Lemoyne Street
Los Angeles, CA 90025

Roberta C. Russell
Computing Center
Oberlin College
Oberlin, OH 44074-1076

E. Gardner Rust
P.O. Box 370
Cotati, CA 94928

Steven Saunders
Dept. of Music, #110
University of Pittsburgh
Pittsburgh, PA 15260

Carla Scaletti
CERL Music Group
103 S. Mathews, #252
Urbana, IL 61801-2977

Helmut Schaffrath
Universität Essen - Hochschule
FB 4, Musik
D-4300 Essen 1, BRD

Valerie Schmid
CERL Music Group
103 S. Mathews, #252
Urbana, IL 61801-2977

Christoph Schnell
Kesselhaldenstr.73
CH-9016 St. Gallen
Switzerland

William G. Schottstaedt
C.C.R.M.A.
Stanford University
Stanford, CA 94305

David Schulenberg
Post Office Box 1281
Stony Brook, NY 11790

Eleanor Selfridge-Field
867 Durshire Way
Sunnyvale, CA 94087

Howard Serwer
101 Primrose Street
Chevy Chase, MD 20815

Kathryn Shanks
251 W. 95th Street
New York, NY 10025

Anne Dhu Shapiro
39 Devon Road
Newton, MA 02159

Richard Sherr
Department of Music
Smith College
Northampton, MA 01063

Larry Shumway
HRCB 237
Brigham Young University
Provo, Utah 84602

Alexander Silbiger
Dept. of Music
Duke University
Durham, NC 22708

Hal Simmons
Division of Fine Arts
Mercer University Atlanta
3001 Mercer University Dr.
Atlanta, GA 30341

Arthur Simon
Abteilung Musikethnologic
Museum für Völkerkunde
Arnimallee 23
D-1000 Berlin 33
Berlin/West, Germany

Linda Simonson
9588 Muirkirk Road, Apt. 101
Laurel, MD 20708

Cris Sion
4497 W. 6th Avenue
Vancouver, BC V6R 1V2
Canada

Robert Skinner
Library Owen Arts Center
Dallas, TX 75275-0356

Wayne Slawson
Dept. of Music
University of California
Davis, CA 95616

William Smialek
2917 Tanglewood Drive
Tyler, TX 75701

Douglas Alton Smith
116 Oak Court
Menlo Park, CA 94025

Leland Smith
C.C.R.M.A.
Stanford University
Stanford, CA 94305

Howard Smither
Department of Music
University of North Carolina
Hill Hall 020A
Chapel Hill, NC 27514

Stephen W. Smoliar
Information Science Institute
University of So. Calif.
Los Angeles, CA 90089

Xavier Sola
Department of Computer Science
Ohio State University
2036 Neil Avenue Mall
Columbus, OH 43210

Larry Solomon
P.O. Box 3385
Tucson, AZ 85722

Linda Sorisio
MUSES Project Leader
IBM-Los Angeles Scientific Center
11601 Wilshire Boulevard, 4th Fl.
Los Angeles, CA 90025

Bill Speck
School of History
University of Leeds
Leeds LS2 9JT
England, UK

Laurie Spiegel
175 Duane Street
New York, NY 10013

Ian Spink
Royal Holloway/
Bedford New College
University of London
Egham, Surrey TW20 0EX
England, UK

Bruno Spoerri
Swiss Center for
Computer Music
Sommerau
CH-8618 Oetwil am See
Switzerland

David A. Stech
Department of Music
University of Alaska
Fairbanks, Alaska 99701

Matthew Steel
3503 Cranbrook
Kalamazoo, MI 49007

John Steinmetz
1010 Hope Street
So. Pasadena, CA 91030

Norris Stephens
Music Librarian
University of Pittsburgh
Pittsburgh, PA 15260

Bernard Stépian
183 Crestview Road
Ottawa, Ontario K1H 5G1
Canada

Brian Stewart
Dept. of Music
Pennsylvania State University
University Park, PA 16802

Kimball Stickney
31 Colonial Drive
Littleton, MA 01460

Edmund Strainchamps
Music Department
SUNY
Buffalo, NY 14260

Brian Stierup
Department of Music
Columbia University
New York, NY 10027

John Stinson
Department of Music
La Trobe University
Bundoora, Victoria 3083
Australia

Benjamin Suchoff
2773 S. Ocean Blvd., #112
Palm Beach, FL 33480

Johan Sundberg
Department of Speech
and Acoustics
Royal Institute of Technology
S-100 44 Stockholm
Sweden

Elvidio Surian
Via Gallucci 3
I-61100 Pesaro, Italy

Alan Talbot
New England Digital Corp.
P.O. Box 546
White River Junction, CT 05001

Andranick Tanguiane
Computer Center of the USSR
Academy of Sciences
Vavilov St., 40
Moscow 117333, USSR

Eero Tarasti
Department of Musicology
University of Helsinki
Vironkatu 1
00840 Helsinki 84, Finland

Nicholas Temperley
2136 Music Building
University of Illinois
1114 W. Nevada Street
Urbana, IL 61801

Alan Terricciano
424 University Avenue
Rochester, NY 14607

Wolfgang Thies
Bantschowstr. 20
D-2000 Hamburg 65, BRD

Stig-Magnus Thorsén
Department of Musicology
Viktor Rydbergsgaten 24
S-412 56 Göteborg, Sweden

Lynn Toribara
Research Libraries Group
Jordan Quadrangle
Stanford University
Stanford, CA 94305

Paolo Tortiglione
Via Napoli, 45
I-80078 Pozzuoli, Italy

Lynn Trowbridge
Dept. of Music
American University
Washington, D C 20016

Horacio Vaggione
22, Quai de Béthune
F-75004 Paris, France

Wim van der Meer
Hoge Duin en Daalseweg 31
2061 AE Bloemendaal, NL

Antonio Vassalli
via di Riboia 12
I-50023 Imprumeta, Italy

Richard Vendome
65a, Barns Road
Cowley, Oxford
England, UK

Barry Vercoe
Experimental Music Studio
Mass. Institute of Technology
Room 260311
Cambridge, MA 02139

Isolde Vetter
Schellingstrasse 48
D-8000 Munchen 40, BRD

Alvise Vidolin
Cent. di Sonologia
Computazionale
Università di Padova
Via Gradenigo 6A
I-35131 Padova, Italy

Arvid Vollsnes
Department of Music
Oslo University
P.O. Box 1017, Blindern
N-0315 Oslo 3, Norway

Rachel Wade
Department of Music
University of Maryland
College Park, MD 20742

Thomas Walker
40, piazza S. Giorgio
I-44100 Ferrara, Italy

Arthur B. Wenk
1437 Canora Road
Town of Mount Royal
Québec H3P 2J5, Canada

Jerome Wenker
3522 Skycroft Drive
St. Anthony Village, MN 55418

Eric Western
84 Highgate Terrace
Bergenfield, NJ 07621-3922

E.J. Whenham
Barber Institute of Fine Arts
Music Department
University of Birmingham
P.O. Box 363
Birmingham B15 2TT
England, UK

Frederic Woodbridge Wilson
The Gilbert & Sullivan
Collection
The Pierpont Morgan Library
29 East 36th Street
New York, NY 10016

Gary Wittlich
School of Music
Indiana University
Bloomington, IN 47405

Christoph Wolff
Dept. of Music
Harvard University
Cambridge, MA 02138

Ann Woodward
Department of Music
Univ. of North Carolina
Hill Hall 020A
Chapel Hill, NC 27514

Craig Wright
Department of Music
P.O. Box 4030
Yale Station
New Haven, CT 06520-7440

Rhonda Wright
15 Reed Road, Apt. 139
Geneva, NY 14456

Christopher Yavelow
YAV Digital Music
52 Castle Road
Nahant, MA 01908

Businesses

Adobe Systems
Cleo Huggins
Adobe Systems
1870 Embarcadero
Palo Alto, CA 94301

ALPHA/TIMES
Christoph Schnell
ALPHA/TIMES
Kesselhaldenstr.73
CH-9016 St. Gallen
Switzerland

Apple Computer
Mark Lensner
Apple Computer
Mariani Drive
Cupertino, CA 95014

Apple Computer UK
David Jones
Apple Computer UK Ltd.
Eastman Way
Hemel Hempstead
Hertfordshire HP2 7HQ
England, UK

A-R Editions
Milo Velimirovich
Rolf Wulfsberg
A-R Editions, Inc.
315 W. Gorham Street
Madison, WI 53703

Art Science Work Stations
John Amaral
Art Science Work Stations
of New England
18 Haviland Street
Boston, MA 02115

Beam Team
877 53rd Street
Oakland, CA 94608

Belwin Mills Publishing Corp.
15800 NW 48th Avenue
Miami, FL 33014

British Telecom
Andy Gray
British Telecom, R11.3.4
Scottish Mutual House
Lower Brook Street
Ipswich IP4 1AQ, England, UK

Creative Solutions, Inc.
4701 Randolph Rd., #12
Rockville, MD 20852

Deluxe Music Construction Set
Geoff Brown
Deluxe Music Construction Set
723 Gilbert Avenue
Menlo Park, CA 94025

Digital Equipment
Donald Dodson
Digital Equipment Corp.
146 Main Street
Maynard MA 01754

Digidesign
Peter Gotcher
Digidesign, Inc.
920 Commercial Street
Palo Alto, CA 94303

Droid Works
P.O. Box CS 8180
San Rafael, CA 94912

Dr. T's Software
66 Louise Road
Chestnut Hill, MA 02167

Electronic Arts
Jerry Morrison
Electronic Arts
2755 Campus Drive
San Mateo, CA 94403

Electronic Musician
Craig Anderton
Electronic Musician
31 Commercial Street
Box 701
Gloucester, MA 01930

General Videotex Corp.
3 Blackstone Street
Cambridge, MA 02139

Ron Gorow Music
P.O. Box 1131
Hollywood, CA 90078

Grancino Editions
1109 Avenida del Corto
Fullerton, CA 92633

Graphic Notes
Dan Mapes
Graphic Notes
712 Montgomery Street
San Francisco, CA 94111

Grawemeyer Industries
William Watkins
Grawemeyer Industries, Inc.
455 South Second Str-Annex
Louisville, KY 40202

Great Wave Software
Chad Mitchell
Great Wave Software
104 Gilbert Avenue
Menlo Park, CA 94025

Hal Leonard Publishing
Jack Schechninger
Hal Leonard Publishing
8112 West Bluemound Rd
Milwaukee, WI 53213

Hayden Software
1 Kendall Square
Cambridge, MA 02139

High Score
Kimball Stickney
High Score
31 Colonial Drive
Littleton, MA 01460

Hologramophone Research
P.O. Box 8390
Santa Fe, NM 87594

Hybrid Arts
11920 W. Olympic Blvd.
Los Angeles, CA 90064

Hybrid Technology
Chris Jordan
Hybrid Technology, Unit 3
Davies Ct., Nuffield Road
Cambridge CB4 1TP
England, UK

IBYCUS Systems
P.O. Box 1330
Los Altos, CA 94022

Interactive Music System
Lippold Haken
Interactive Music System
CERL Music Group
University of Illinois
103 S. Mathews, #252
Urbana, IL 61801-2977

William Kaufmann, Inc.
95 First Street
Los Altos, CA

Keyboards, Computers, and
Software Magazine
P.O. Box 625
Northport, NY 11768

La da me guido
Llorenc Balsach
La da me guido
Apartat 22
Ctra. de Prats, 2
Sabadell, Barcelona, Spain

Kurt Maas Music
Engraving Software
D-8000 Munchen 71
Rohrauerstr. 50
BRD

Mark of the Unicorn
Robin Briggs, Brian Hess
Mark of the Unicorn
222 Third Street
Cambridge, MA 02142

The Music Factory
J. Stephen Dydo
The Music Factory
584 Bergen Street
Brooklyn, N Y 11238-3404

Music Graphics, Inc.
P. O. Box 22
Winchester, VA 22601-0022

The Music Processor
Etienne Darbellay
The Music Processor
41 av. Adrien-Lachenal
CH-1290 Versoix, GE
Switzerland

The Music Editor
Armando Dal Molin
The Music Writer
57 Florence Avenue
Oyster Bay, NY 11771

MusScript
Keith Hamel
MusScript
119 Queen's Crescent
Kingston, Ontario K7L 2S9
Canada

New England Digital
Alan D. Talbot
New England Digital Corp.
P.O. Box #546
49 N. Main Street
White River Junction, VT 05001

Nightingale
Donald Byrd
Nightingale
12 Concord Street
Maynard, MA 01754

The Note Precessor
J. Stephen Dydo
The Note Processor
584 Bergen Street
Brooklyn, N Y 11238-3404

Oberon Systems
Nancy Colton
Oberon Systems
3815 West Burbank Blvd.
Burbank, CA 91505

Okemos Music Software
P.O. Box 60
Okemos, MI 48864

Opcode Systems
Dave Oppenheim
Opcode Systems
1040 Ramona Street
Palo Alto, CA 94301

Oxford Music Processor
Oxford University Press
Walton Street
Oxford OX2 6DP, England, UK

Passport Designs
Dave Kusek
Passport Designs
625 Miramontes
Half Moon Bay, CA 94019

Personal Composer
Jim Miller
Personal Composer
P.O. Box 648
Honaunau, HI 96726

Symphony Reproductions
Theodore Petrosky
Symphony Reproductions, Ltd.
230 W. 99th Street, #7S
New York, NY 10025

Roland Corp. US
7200 Dominion Circle
Los Angeles, CA 90040

SCORE
Leland Smith
SCORE
CCRMA
Stanford University
Stanford, CA 94305

Sight and Sound
3200 S. 166th Street
New Berlin, WI 53151

SOFTARTS
Case postale 287
CH-1211 Genève 16
Switzerland

Sound Creation
Thomas Hall
Sound Creation, Ltd.
900 John Nolan Dr., #130 B
Madison, WI 53713

Southworth Music Systems, Inc.
Box 275, R D 1
Harvard, MA 01451

Syntelligence
Jeremy Harris
Syntelligence, Inc.
1000 Hamlin Court
Sunnyvale, CA 94088

Temporal Acuity Products
Roger McCray
Temporal Acuity Products
Bldg. 1 - Suite 200
300 - 12th St. NE
Bellevue, WA 98005

Theme: The Music Editor
Mark Lambert
Theme: The Music Editor
P.O. Box 8204
Charlottesville, VA 22906

Toppa International Group
Mogens Kjaer
General Manager
Iwanami Shoten
Annex Bldg. 2-3-1
Kanda Jimbocho, Chiyoda-ku
Tokyo 101, Japan

Wenger Corp.
555 Park Drive, Dept. M2
Owantonna, MN 55060

Yamaha International
Joseph Smerdel
Yamaha International Corp.
6600 Orangethorpe Avenue
Buena Park, CA 90620

YAV Digital Music
Christopher Yavelow
YAV Digital Music
P.O. Box 821
Cambridge, MA 02238

Agencies

Association of American Publishers
 Association of American Publishers
 2005 Massachusetts Avenue, N W
 Washington, D C 20036

ANSI/Mathematics Standards
 ANSI/Mathematics Standards
 James Roesser
 Science Typographers, Inc.
 Medford, LI, NY

ANSI/Music Standards
 ANSI/Music Standards
 Charles Goldfarb
 IBM, Almaden Research Center
 650 Harry Road
 San Jose, CA 95120

Association for Computers and
 the Humanities Newsletter
 Vicky A. Walsh, Editor
 Association for Computers and
 the Humanities Newsletter
 University of Minnesota
 209 Lind Hall
 Minneapolis, MN 55455

Association for Computers and the Humanities
 Donald Ross, Speakers' Bureau,
 Association for Computers and the Humanities
 Department of English
 University of Minnesota
 Minneapolis, MN 55455

Advances in Computing and the Humanities
 Ephraim Nissan, Editor
 Advances in Computing and the Humanities
 Department of Mathematics and Computer Science
 Ben-Gurion University, Box 653
 84105 Beer-Sheva, Israel

ATMI Newsletter
 Ken Bales, Editor
 ATMI Newsletter
 School of Music
 University of Nebraska
 Omaha, NE 68182

Babbage Institute
 Babbage Institute
 University of Minnesota
 Minneapolis, MN 55455

Bärenreiter-Verlag
 Dorothee Hanemann
 Bärenreiter-Verlag
 Heinrich-Schütz-Allee 35
 D-3500 Kassel, BRD

Beethoven Studies Center
 William Meredith, Director
 Beethoven Studies Center
 Wahlquist Library
 San Jose State University
 San Jose, CA 95192

Bits and Bytes
 John J. Hughes, Editor
 Bits and Bytes
 623 N. Iowa Avenue
 Whitefish, MT 59937

Computers and the Humanities
 Glyn Holmes, Editor
 Computers and the Humanities
 Paradigm Press, Inc.
 P.O. Box 1057
 Osprey, FL 33559

Computer Music Association Array
 Thom Blum, Editor
 Computer Music Association Array
 P.O. Box 1634
 San Francisco, CA 94101

Computer Music Journal
 Curtis Roads, Editor
 Computer Music Journal
 M.I.T. Press
 28 Carleton Street
 Cambridge, MA 02142

Cum Notis Variorum
 Ann Basart, Editor
 Cum Notis Variorum
 Department of Music
 Morrison Hall
 University of California
 Berkeley, CA 94720

Council of Europe Directorate of Education
 W. F. Barrett, Director
 Council of Europe Directorate of Education
 BP 431 R6
 F-67006 Strasbourg Cedex, France

Centre for Research into Applications
 of Computers to Music
 Centre for Research into Applications
 of Computers to Music
 Roger Bray, Director
 Bailrigg, Lancaster LA1 4YW
 England, UK

CTISS
 Nigel Gardner, Head, CTISS
 South West Universities
 Regional Computer Centre
 University of Bath
 Claverton Down
 Bath BA2 7AY, England, UK

Fontes Artis Musicae
Audrey Jurres
Fontes Artis Musicae
Daniel de Mangestraat 2-1
NL - 1071 WB Amsterdam
The Netherlands

Grove's Dictionary
Stanley Sadie, Editor
The New Grove
Macmillan, 4 Little Essex Street
London WC2R 3LF, England, UK

Handel Society, American
American Handel Society
Department of Music
University of Maryland
College Park, MD 20742

Händel-Archiv
Prof. Dr. Hans Joachim Marx
Händel-Archiv
Universitäts Hamburg
Musikwissenschaftliches Institut
Neue Rabenstr. 13
D-2000 Hamburg 36, BRD

Humanistiske Data
Humanistiske Data
Harald Harfagresgt. 31
Boks 53
N-5014 Bergen-Universitetet, Norway

ICMC Proceedings
Craig Harris, Membership
ICMC Proceedings
5769 Liberty Road
Ann Arbor, MI 48103

International MIDI Association
International MIDI Association
11857 Hartsook Street
North Hollywood, CA 91607

IRCAM
Michael Fingerhut, System Manager
IRCAM
31, rue St. Merri
F-75004 Paris, France

International Society for
Traditional Arts Research
International Society for
Traditional Arts Research
Arcee Press
5 Desh Bandhu Gupta Road
New Delhi 110055, India

Journal of Literary and Linguistic Computing
Gordon Dixon, Editor
Journal of Literary and Linguistic Computing
Institute of Advanced Studies
Manchester Polytechnic
All Saints Bldg., Oxford Road
Manchester M15 6BH, England, UK

Library of Congress
Geraldine Ostrove
Music Division
Library of Congress
Washington, DC 20540

Leonardo
Roger Malina, Editor
Leonardo
2112 Berkeley Way
Berkeley, CA 94704

MIPS Secretariat
Steven R. Newcomb
MIPS Secretariat
Sec. - X3V1.8M/86-2
School of Music
Florida State University
Tallahassee, FL 32306

Modern Language Association
Hans Rütimann, Dep. Exec. Dir.
Modern Language Association
10 Astor Place
New York, NY 10003

Musikometrika
Dr. M. G. Boroda, Editor
Musikometrika
State Conservatory
ul. Griboedova 8
380004 Tbilisi 4, USSR

National Endowment for the Humanities
Dorothy Wartenburg
Division of Research Programs
National Endowment for the Humanities
1100 Pennsylvania Ave., NW
Washington, D C 20506

Notes
Susan T. Sommer, Editor
Notes
Special Collections - Music
The New York Public Library
111 Amsterdam Avenue
New York, NY 10023

Office for Humanities Communications
May Katzen
Office for Humanities Communications
University of Leicester
Leicester, England, UK

Office of Scholarly Communication
and Technology
Anne J. Price
Office of Scholarly Communication
and Technology
1717 Massachusetts Ave., NW
Washington, D C 20036

Oxford Univ. Computing Service
Susan Hockey
Oxford Univ. Computing Service
13 Banbury Road
Oxford OX2 6NN, England, UK

Alan Robiette, Director
Oxford Univ. Computing Service
13 Banbury Road
Oxford OX2 6NN, England, UK

Oxford Text Archive
Lou Burnard
Oxford Text Archive
13 Banbury Road
Oxford OX2 6NN, England, UK

Packard Humanities Institute
John Gleason, Director
Packard Humanities Institute
300 Second Street, Suite 201
Los Altos, CA 94022

Perspectives in Computing
Donald T. Sanders, Editor
Perspectives in Computing
IBM Corp., TPD Building
500 Columbus Avenue
Thornwood, NY 10594

Riemenschneider Bach Inst.
Elinore Barber, Director
Riemenschneider Bach Inst.
Baldwin-Wallace College
Berea, OH 44017

RILM - US Coordinator
Lenore Coral
Music Librarian
RILM - US Coordinator
Cornell University
Ithaca, NY 14853

RISM - US Project Center
John B. Howard
RISM - US Project Center
Music Building
Harvard University
Cambridge, MA 02138

ScholarNet
Richard W. Slatta, Director
ScholarNet
North Carolina State University
Box 8101
Raleigh, NC 17695-8101

Science Information Processing Center
Akifumi Oikawa
Science Information Processing Center
University of Tsukuba
Sakura-mura, Niihari-gan
Ibaraki 305, Japan

Society for Scholarly Publishing Letter
Alice O'Leary, Asst. Editor
Society for Scholarly Publishing
200 Florida Ave., NW, Suite 305
Washington, D C 20009

VEB Deutscher Verlag für Musik
Dr. Gunter Hempel
VEB Deutscher Verlag für Musik
DDR - 7010 Leipzig
Karlstrasse 10
D.D.R.

Wagner-Gesamtausgabe
Isolde Vetter
Richard Wagner-Gesamtausgabe
Schellingstrasse 48
D-8000 München 40, BRD

Electronic Mail Addresses

The following information is provided as used locally. The number and order of elements may be changed in some systems of distribution; the upper-case/lower-case distinction is ignored in some environments. A number of users have addresses on multiple networks.

<u>Name:</u>	<u>Address:</u>
Balaban	mira%albany@csnet-relay.arpa
Beauchamp	(ihnp4,seismo)!uiucuxcl(beaucham,uimusic!jwb)
Belet	ATBEB@ASUACAD.BITNET
Brinkman	rochester!ur-esm!ab.uucp
Broadbent	MUK5@MTS.DUR.AC.UK@AC.UK
Broadbent	MUK5@MTS.NCL.AC.UK
Burnard	LOU@VAX1.OXFORD.AC.UK
CCARH	XB.L36@Forsythe.Stanford.Edu
"	ccarh@ucbcmesa.bitnet
"	CCARH%UCBCMSA.Berkeley.EDU@Berkeley.edu
Camilleri	CONSERVA@IFIIDG.BITNET
Clarke	ClarkeAT@MULTICS.CARDIFF.AC.UK
Cooke	ESSS01@Edinburgh.ac.uk
Crawford	David _ Crawford@UM.CC.UMICH.EDU
DallaLibera	STATP11@UNIPAD.INFNET
"	STAT11%UNIPAD.INFNET@CERNVAX.BITNET
Dannenberg	Dannenberg@a.cs.cmu.edu
Debiasi	ADTPOLI@IPDUNIV.BITNET
Duggan	007mkdug@violetUCB.bitnet
Foxley	ef@Cs.nott.ac.uk (JANET)
Giomi	CONSERVA@IFIIDG.BITNET
Grossi	CONSERVA@IFIIDG.BITNET
Gourlay	gourlay@ohio-state.arpa
Hill	HILL@UIUCVMD
Hockey	SUSAN%VAX2.OX.AC.UK@AC.UK
Holland	shol%gm.rl.ac.uk@cs.ucl.ac.uk
HUMANIST	ECSGHB@TUCC.BITNET
"	MCCARTY@UTOREPAS.BITNET
HUMBUL	See Katzen
Inokuchi	INOLAB@OUCBAI.OSAKA-U
	.JUNET%UTOKYO-RELAY@RELAY.CS.NET
Jacoboni	G09mof91@icineca
Kassler	MINERVA (DIALCOM 6007:) MKA001
Katzen	MAY@VAX.LE.AC.UK
Keller (Michael)	mkeller@YALEVM
Ligabue	CONSERVA@IFIIDG.BITNET
Lincoln	BG0056@BINGVMA.BITNET
Makowsky	janos@technsel.bitnet
McLean	mclean@sav.mfenet@lll-mfe.arpa

<u>Name:</u>	<u>Address:</u>
McVity	CS[Compuserve] 71560,1401
Mueller	MuellerG@ethz.uucp
Mus.-Res. Dig./UK	music-research@pg.oxford.ac.uk
"	music-research%prg.oxford.ac.uk@cs.ucl.ac.uk.arpa
"	music-research%prg.oxford.ac.uk@AC.UK.BITNET
Mus.-Res. Dig./US	new__mus__fwd@ingres.Berkeley.EDU [U.S. distribution]
"	mus__fwd%bartok@Sun.uucp
Nagy	CN.MUS@STANFORD.BITNET
Nelson	ihnp4!oberlin!gln
"	gln@oberlin.edu
Oxford Text Achive	Archive%VAX3.OX@UKACRL.BITNET
"	Archive%OX.VAX3@UCL-CS [Arpa/Edu]
Page	sdpage%prg.oxford.ac.uk@AC.UK.BITNET
"	sdpage%pprg.oxford.ac.uk@cs.ucl.ac.uk.arpa
"	sdpage@prg.ox.ac.uk.janet
Powell	powell@fms-ai.CEL.FMC.COM
Rahitz	spqr@cm.soton.ac.uk
Robiette	agr@vax1.oxford.ac.uk
Perry-Camp	Perry-Camp@Mailer.RAI.BITNET
Pople	MUA003@VAX2.LANCS.AC.UK
Rubenstein	bradr@ingres.berkeley.edu
"	bradr@Sun.COM
Schaffrath	JMP100@DE0HRZ1A.EARNNET
Shumway	SHUMWAY@BYU HRC
Skinner	CS[Compuserve]: 72157,1570
Slawson	!UCBVAX!UCDAVIS!ROGER!WS
Sola	SOLA-F@ohio-state.arpa
Sorisio	SORISIO@LOSANGEL.VNET
TELETAU	MUSIC3@ICNUCEVM.BITNET
TELETAU	CHERU@IFIIDG.BITNET
Vidolin	ADTPOLI@IPDUNIV.BITNET
Vollsnes	ARVID@OSLO-VAX.ARPA
Wilson	QGHU21%UPVAX.ULSTER.AC.UK@AC.UK
Woods	MSA5@mts.newcastle.ac.uk

\$10.00

ISBN 0-936943-02-5